
ZEBULON

NORTH CAROLINA

**TOWN OF ZEBULON
JOINT PUBLIC HEARING
February 12, 2023
6:00 PM**

I. CALL TO ORDER


II. APPROVAL OF AGENDA

III. NEW BUSINESS

- a. **PD 2024-01 Zebulon South** – The Town has received a Planned Development request to develop 320 residential units (townhomes and single-family detached units) on 118.62 acres at 751 S Wakefield Rd, 700 S Arendell Ave, 0 S Wakefield St, and 0 S Arendell.
- b. **RZ 2024-01 321 Hospital Rd** – The Town has received a Zoning Map Amendment request for 321 Hospital Rd to rezone the property from Office Institutional (OI) to General Commercial (GC)

IV. ADJOURNMENT

STAFF REPORT
PLANNED DEVELOPMENT 2024-01
ZEBULON SOUTH
FEBRUARY 12, 2024

Topic: PD 2024-01 Zebulon South, Project Number: 886895
Speaker: Adam Culpepper, Senior Planner
From: Michael J. Clark, AICP, CNU-A, Planning Director
Prepared by: Catherine Farrell, Planner II
Approved by:  Joseph M. Moore II, PE, Town Manager

Executive Summary:

The Board of Commissioners will consider a Planned Development Rezoning for 751 S Wakefield St (PIN# 2704492511), 700 S Arendell Ave (PIN# 2705512202), 0 S Wakefield (PIN# 2705413075). This is a legislative case.

Background:

The Town received a Planned Development request to develop 320 residential units (townhomes and single-family detached units) on 116.14 acres. The land is owned by Harold Narron and Fred Corbett (PIN# 2704492511); Joseph Temple Sr and Alexander Harrison (PIN# 2705512202); Watson Family II LLC (PIN# 2705413075), and is currently in the Town of Zebulon ETJ, and zoned R-2 and R-4. The applicant is seeking annexation simultaneously with this rezoning request.

Discussion:

The Board shall consider the following questions to determine whether the rezoning is consistent with the intent of the Unified Development Ordinance (Section 2.2.24.J):

1. Does the request advance the public health, safety, or welfare?
2. Is the request appropriate for its proposed location, and is consistent with the purposes, goals, objectives, and Town's policies?
3. Is the request reasonable and in the public interest?
4. Are there other factors which the Board of Commissioners determines relevant?

Policy Analysis:

Grow Zebulon: Comprehensive Land Use Plan (Land Use Plan):

The Land Use Plan (adopted June 2021) designated this area "Suburban Residential" and "General Residential". These designations allow a mixture of product types, with increased open space to preserve an overall suburban character, and encourages some density with the inclusion of single family attached lots (Land Use and Development Page 13 & 14, Attached).

Suburban Residential characteristics include a greater focus on the home and less on driveways consuming a large percentage of the front lawn. These characteristics are preserved through alley-loaded town homes while reserving front-loaded homes to wider lots.

General Residential characteristics include a denser residential buildings. This may include single family detached and single family attached.

Grow Zebulon: Comprehensive Transportation Plan (Transportation Plan):

The Transportation Plan calls for the construction of a 4-lane median divided arterial road section along the properties fronting S Wakefield St, and a 2-lane median divided arterial road connecting Hwy 96 to S Wakefield Road. The development satisfies both requirements.

Play Zebulon: Parks and Recreation Master Plan (Park Master Plan):

The Park Master Plan does identify a greenways in this general vicinity. The applicant has proposed the addition of the greenway through the site. They are working with Staff to make sure that it aligns with the Parks Master Plan.

Unified Development Ordinance (UDO):

The UDO (Section 2.2.13) allows flexibility from some standards in exchange for a higher quality development more aggressively accomplishing other goals, such as amenities and diverse housing. The applicant proposes a highly amenitized mixed-product residential neighborhood with multiple attached, and detached home options providing a broader range of housing values.

Fiscal Analysis:

When complete, this development will generate approximately \$405,000 per year in property tax revenue.

Staff Recommendation:

Staff recommends accepting public comment and referring the matter to the Planning Board for consideration.

Attachments:

1. Application
2. Site Plan
3. Planned Development Narrative
4. Utility Allocation Worksheet
5. TIA Review Letter from Town Engineer
6. TIA Applicant Response
7. TIA
8. Future Land Use and Character Map
9. Aerial Map
10. Zoning Map
11. Site Pictures
12. Public Hearing Notice Affidavit
13. UDO Section 3.5.5 Planned Development
14. Comprehensive Land Use Plan (Excerpts)
15. Comprehensive Transportation Plan (Excerpts)



Town of Zebulon

Planning Department

1003 N. Arendell Avenue, Zebulon, NC 27597
Phone: (919) 823-1810 Fax: (919) 887-2824
www.townofzebulon.org

PLANNED DEVELOPMENT APPLICATION

GENERAL INFORMATION:

A Planned Development in accordance with Section 2.2.13 and 3.5.5 of the UDO is intended to provide flexibility by establishing site specific regulations including permitted uses, dimensional standards, phasing schedules and additional details to allow for a development that is better than what would otherwise be permitted under the strict interpretation of the UDO. All site-specific standards and conditions must be consistent with the objectives of these regulations, the adopted Comprehensive Land Use Plan, Transportation Plan, and Vision 2030 Strategic Plan. The review process established in this part provides for the accommodation of such uses by a reclassification of property into a Planned Development, subject to site-specific standards and conditions.

INSTRUCTIONS:

PRE-APPLICATION MEETING: A pre-application meeting with staff in accordance with Section 2.3.2 of the UDO to verify the application requirements, processes, and procedures regarding a proposed request. To schedule a meeting, applicants must e-mail a pdf map, drawing, model, site or sketch plan to Assistant Planning Director Meade Bradshaw (mbradshaw@TownofZebulon.org) no later than five (5) working days prior to the desired meeting day.

NEIGHBORHOOD MEETING: Neighborhood meetings are required in accordance with Section 2.3.4 of the UDO prior to application submission. The applicant is required to notify property owners and any neighborhood association that represents citizens within that area within 300 feet of the subject property via first class mail a minimum of 10 days in advance of the neighborhood meeting. The applicant shall use their own return address on the envelopes as the meeting is a private meeting between the developer and the neighbors. The applicant shall submit the “Certified List of Property Owners” and “Neighborhood Meeting Packet” forms included in this application packet with their initial submittal.

ANNEXATION REQUIREMENTS: If a property or portion thereof subject to this rezoning is outside the corporate limits and ETJ, an annexation petition is **required** to be submitted on the same day as this application in accordance with section 2.2.2 of the UDO.

APPLICATION PROCEDURE – The applicant requesting a Planned Development must submit a written application to the Zebulon Planning Department using the forms included in this packet.

- Completed Application Form
- 8 Full Size Plan Sets and 1 PDF set on USB drive. (see site plan checklist)
- Comprehensive Planned Development Document
- Petition Fee (Please See Fee Schedule)
- One (1) Legal Description (metes and bounds) of subject property
- Registered survey of subject property
- Certified List of Property Owners within 150 feet of subject property
- Owner’s Consent Form
- Neighborhood Meeting Packet
- Stamped envelopes addressed to Certified List of Property Owners all the homeowners associations of those properties within 150 feet of the outer boundary subject property or properties affixed with the following return address:
Town of Zebulon
Planning Department
1003 N. Arendell Ave
Zebulon, NC 27597



PUBLIC HEARING PROCEDURE – Upon submittal of a complete application, the Planning Department will schedule the application for a joint public hearing before the Planning Board and the Board of Commissioners. **APPLICANTS ARE STRONGLY ENCOURAGED TO CONTACT PLANNING STAFF AS SOON AS POSSIBLE TO ADDRESS ANY QUESTIONS ABOUT THE PUBLIC HEARING.** Notices of the public hearing will be mailed to all adjacent property owners of the property being considered for a Planned Development Amendment. At the public hearing, the applicant, proponents, and opponents will be given the opportunity to offer evidence in favor of or against the proposal. After completion of the public hearing, the Planning Board will deliberate and forward its recommendation to the Board of Commissioners for final consideration. Deadline dates and Joint Public Hearing dates can be found on the Town of Zebulon’s website.



PART 1. DESCRIPTION OF REQUEST/PROPERTY		
Street Address of the Property:		Acreage:
Parcel Identification Number (NC PIN):	Deed Book:	Deed Page(s):
Existing Zoning of the Property:	Proposed Zoning of the Property:	
Existing Use of the Property:	Proposed Use of the Property:	
Reason for rezoning to a Planned Unit Development:		

PART 2. APPLICANT/AGENT INFORMATION		
Name of Applicant/Agent:		
Street Address of Applicant/Agent:		
City:	State:	Zip Code:
Email of Applicant/Agent:	Telephone Number of Applicant/Agent:	Fax Number of Applicant/Agent:
Are you the owner of the property? <input type="checkbox"/> Yes <input type="checkbox"/> No	Are you the owner's agent? <input type="checkbox"/> Yes <input type="checkbox"/> No	Note: If you are not the owner of the property, you <u>must</u> obtain the Owner's consent and signature giving you permission to submit this application.

PART 3. PROPERTY OWNER INFORMATION		
Name of Property Owner:		
Street Address of Property Owner:		
City:	State:	Zip Code:
Email of Property Owner:	Telephone Number of Property Owner:	Fax Number of Property Owner:
<i>I hereby state that the facts related in this application and any documents submitted herewith are complete, true, correct, and accurate to the best of my knowledge.</i>		
Signature of Applicant: <i>Andrew Suriano</i>	Print Name: Andrew Suriano	Date: 10/31/2022
Signature of Owner:	Print Name:	Date:

PIN 2704492511
751 S Wakefield St
DB 3452 PG 715
Narron, Harold Corbett, C Fred
3941 Zebulon Rd
Zebulon, NC 27597
Email:
Phone:

PIN 2705512202
700 S Arendell Ave
DB 8545 PG 1076
Temple, Joseph Wood Sr Hughes, Harrison Alexander
PO Box 548
Zebulon, NC 27597-0548
Email:
Phone:

PIN 2705413075
O S Wakefield St
DB 8099 PG 2738
Watson Family II LLC
6220 Forestville Rd
Raleigh, NC 27604
Email:
Phone:

LEGISLATIVE CONSIDERATIONS – PLANNED DEVELOPMENT

The applicant shall propose site-specific standards and conditions that take into account the following considerations, which are considerations that are relevant to the legislative determination of whether or not the proposed planned development is in the public interest. These considerations do not exclude the legislative consideration of any other factor that is relevant to the public interest. Failure to adequately address the findings below may result in denial of the application. Please provide responses to the following standards as outlined in Section 2.2.13 of the Unified Development Ordinance.

<p>1. Please provide details on how the proposed Planned Development advances the public health, safety, or welfare</p>
<p>2. Please provide details on how the proposed Planned Development is appropriate for its proposed location, and is consistent with the purposes, goals, objectives, and policies of the Town’s adopted policy guidance.</p>
<p>3. Please provide details on how the proposed Planned Development is reasonable and in the public interest.</p>
<p>4. Please provide details on how the proposed Planned Unit Development provides for innovative land planning and site design concepts that support a high quality of life and achieve a high quality of development, environmental sensitivity, energy efficiency, and other Town goals and objectives.</p>
<p>5. Please provide details on how the proposed planned unit development provides improved means of access, open space, and design amenities;</p>

6. Please provide details on how the proposed Planned Unit Development provides a well-integrated mix of residential and nonresidential land uses in the same development, including a mix of housing types, lot sizes, and densities;	
7. Please provide details on how the proposed Planned Unit Development creates a system of incentives for redevelopment and infill in order to revitalize established areas;	
8. Please provide details on how the proposed Planned Unit Development promotes a vibrant public realm by placing increased emphasis on active ground floor uses, pedestrian-oriented building façade design, intensive use of sidewalks, and establishment of public gathering areas;	
9. Please provide details on how the proposed Planned Unit Development provides for efficient use of land resulting in smaller networks of utilities and streets and thereby lowering development and housing costs; and	
10. Please provide details on how the proposed Planned Unit Development provides quality design and environmentally sensitive development that respects surrounding established land use character and respects and takes advantage of a site's natural and man-made features, such as trees, estuaries, shorelines, special flood hazard area, and historic features.	
11. Other factors as the Board of Commissioners may determine to be relevant.	



**APPLICATION FOR
PLANNED DEVELOPMENT**
Watson Family II LLC


OWNER'S CONSENT FORM

Name of Project: Zebulon South Submittal Date: 11/01/2022

OWNER'S AUTHORIZATION


I hereby give CONSENT to Andrew Suriano, Deacon Development (type, stamp or print clearly full name of agent) to act on my behalf, to submit or have submitted this application and all required material and documents, and to attend and represent me at all meetings and public hearings pertaining to the application(s) indicated above. Furthermore, I hereby give consent to the party designated above to agree to all terms and conditions which may arise as part of the approval of this application.

I hereby certify I have full knowledge the property I have an ownership interest in is the subject of this application. I acknowledge and agree that, pursuant to Section 2.2.13. of the Town of Zebulon Unified Development Ordinance, that lands subject to a Planned Development shall be subject to all the standards, conditions, and plans approved as part of that application. These standards, plans, and approved conditions are perpetually binding on the land as an amendment to this Ordinance and the Official Zoning Map, and may only be changed in accordance with the procedures established in this Ordinance. Development located outside the Town of Zebulon's corporate limits shall comply with all Town policies related to annexation and the extension of utilities. I understand that all other applicable standards and regulations of the UDO will remain applicable to the subject lands unless specifically listed as conditions or deviations as part of this request. I understand that any false, inaccurate or incomplete information provided by me or my agent will result in the denial, revocation or administrative withdrawal of this application, request, approval or permits. I acknowledge that additional information may be required to process this application. I further consent to the Town of Zebulon to publish, copy or reproduce any copyrighted document submitted as a part of this application for any third party. I further agree to all terms and conditions, which may be imposed as part of the approval of this application.


DocuSigned by:

Signature of Owner Johnny Watson 10/28/2022 | 11:22 AM PDT
Print Name **Date**

CERTIFICATION OF PROPERTY OWNER

I hereby certify the statements or information made in any paper or plans submitted herewith are true and correct to the best of my knowledge. I understand this application, related material and all attachments become official records of the Planning Department of the Town of Zebulon, North Carolina, and will not be returned.

DocuSigned by:

Signature of Owner Johnny Watson 10/28/2022 | 11:22 AM PDT
Print Name **Date**

*Owner of record as shown by the Wake County Revenue Department (www.wakegov.com). An option to purchase does not constitute ownership. If ownership has been recently transferred, a copy of the deed must accompany this form.



APPLICATION FOR PLANNED DEVELOPMENT

Temple

OWNER'S CONSENT FORM

Name of Project: Zebulon South Submittal Date: 11/01/2022

OWNER'S AUTHORIZATION

I hereby give CONSENT to Andrew Suriano, Deacon Development (type, stamp or print clearly full name of agent) to act on my behalf, to submit or have submitted this application and all required material and documents, and to attend and represent me at all meetings and public hearings pertaining to the application(s) indicated above. Furthermore, I hereby give consent to the party designated above to agree to all terms and conditions which may arise as part of the approval of this application.

I hereby certify I have full knowledge the property I have an ownership interest in is the subject of this application. I acknowledge and agree that, pursuant to Section 2.2.13. of the Town of Zebulon Unified Development Ordinance, that lands subject to a Planned Development shall be subject to all the standards, conditions, and plans approved as part of that application. These standards, plans, and approved conditions are perpetually binding on the land as an amendment to this Ordinance and the Official Zoning Map, and may only be changed in accordance with the procedures established in this Ordinance. Development located outside the Town of Zebulon's corporate limits shall comply with all Town policies related to annexation and the extension of utilities. I understand that all other applicable standards and regulations of the UDO will remain applicable to the subject lands unless specifically listed as conditions or deviations as part of this request. I understand that any false, inaccurate or incomplete information provided by me or my agent will result in the denial, revocation or administrative withdrawal of this application, request, approval or permits. I acknowledge that additional information may be required to process this application. I further consent to the Town of Zebulon to publish, copy or reproduce any copyrighted document submitted as a part of this application for any third party. I further agree to all terms and conditions, which may be imposed as part of the approval of this application.

<small>DocuSigned by:</small> <u>Joseph W Temple, Jr.</u>	<u>Joseph W Temple, Jr.</u>	<u>10/31/2022 8:20 AM PDT</u>
<small>DocuSigned by:</small> <u>Holly T Hughes</u>	<u>Holly T Hughes</u>	<u>10/29/2022 7:28 AM CDT</u>
<small>DocuSigned by:</small> <u>Harrison Alexander Hughes</u>	<u>Harrison Alexander Hughes</u>	<u>10/29/2022 7:28 AM CDT</u>
Signature of Owner	Print Name	Date
		<u>10/31/2022 10:26 AM CDT</u>

CERTIFICATION OF PROPERTY OWNER

I hereby certify the statements or information made in any paper or plans submitted herewith are true and correct to the best of my knowledge. I understand this application, related material and all attachments become official records of the Planning Department of the Town of Zebulon, North Carolina, and will not be returned.

<small>DocuSigned by:</small> <u>Joseph W Temple, Jr.</u>	<u>Joseph W Temple, Jr.</u>	<u>10/31/2022 8:20 AM PDT</u>
<small>DocuSigned by:</small> <u>Holly T Hughes</u>	<u>Holly T Hughes</u>	<u>10/29/2022 7:28 AM CDT</u>
<small>DocuSigned by:</small> <u>Harrison Alexander Hughes</u>	<u>Harrison Alexander Hughes</u>	<u>10/29/2022 7:28 AM CDT</u>
Signature of Owner	Print Name	Date
		<u>10/31/2022 10:26 AM CDT</u>

*Owner of record as shown by the Wake County Revenue Department (www.wakegov.com). An option to purchase does not constitute ownership. If ownership has been recently transferred, a copy of the deed must accompany this form.



APPLICATION FOR PLANNED DEVELOPMENT

Narron

OWNER'S CONSENT FORM

Name of Project: Zebulon South Submittal Date: 11/01/2022

OWNER'S AUTHORIZATION

I hereby give CONSENT to Andrew Suriano, Deacon Development (type, stamp or print clearly full name of agent) to act on my behalf, to submit or have submitted this application and all required material and documents, and to attend and represent me at all meetings and public hearings pertaining to the application(s) indicated above. Furthermore, I hereby give consent to the party designated above to agree to all terms and conditions which may arise as part of the approval of this application.

I hereby certify I have full knowledge the property I have an ownership interest in is the subject of this application. I acknowledge and agree that, pursuant to Section 2.2.13. of the Town of Zebulon Unified Development Ordinance, that lands subject to a Planned Development shall be subject to all the standards, conditions, and plans approved as part of that application. These standards, plans, and approved conditions are perpetually binding on the land as an amendment to this Ordinance and the Official Zoning Map, and may only be changed in accordance with the procedures established in this Ordinance. Development located outside the Town of Zebulon's corporate limits shall comply with all Town policies related to annexation and the extension of utilities. I understand that all other applicable standards and regulations of the UDO will remain applicable to the subject lands unless specifically listed as conditions or deviations as part of this request. I understand that any false, inaccurate or incomplete information provided by me or my agent will result in the denial, revocation or administrative withdrawal of this application, request, approval or permits. I acknowledge that additional information may be required to process this application. I further consent to the Town of Zebulon to publish, copy or reproduce any copyrighted document submitted as a part of this application for any third party. I further agree to all terms and conditions, which may be imposed as part of the approval of this application.

DocuSigned by:
Charles K. Corbett Charles K. Corbett 10/28/2022 | 10:57 AM PDT
Signature of Owner *Print Name* *Date*

CERTIFICATION OF PROPERTY OWNER

I hereby certify the statements or information made in any paper or plans submitted herewith are true and correct to the best of my knowledge. I understand this application, related material and all attachments become official records of the Planning Department of the Town of Zebulon, North Carolina, and will not be returned.

DocuSigned by:
Charles K. Corbett Charles K. Corbett 10/28/2022 | 10:57 AM PDT
Signature of Owner *Print Name* *Date*

*Owner of record as shown by the Wake County Revenue Department (www.wakegov.com). An option to purchase does not constitute ownership. If ownership has been recently transferred, a copy of the deed must accompany this form.

CONCEPT PLAN REQUIREMENTS

Every applicant requesting Planned Development approval shall submit **8 copies** and **1 pdf (e-mail or USB Drive)** of a concept plan drawing with the application for a Planned Development. The concept plan shall contain sufficient information to adequately determine the type of development being proposed. The concept plan drawing shall include, at a minimum, the following features unless otherwise specified by the Planning Department:

CHECK IF SUBMITTED

ITEM

1.	Plot plan showing all existing and planned structures, building setback lines, perimeter boundaries, and easements.	✓ _____
2.	Elevation drawings of all buildings indicating the proposed exterior finish materials.	✓ _____
3.	Landscaping plan, lighting, fencing, screening, and walls, indicating all heights and locations.	✓ _____
4.	Location of all ingress and egress.	✓ _____
5.	Off-street parking and loading facilities, with calculations showing how the quantities were obtained.	✓ _____
6.	All pedestrian walks and open areas for use by residents, tenants, or the public.	✓ _____
7.	Proposed land uses indicating areas in square feet.	✓ _____
8.	The location and types of all signs, including lighting and heights, with elevation drawings.	N/A _____
9.	Existing and/or proposed street names.	✓ _____
10.	Proposed potable or reuse water, wastewater connections, and storm sewer line; proposed grading and drainage patterns; proposed water and sewer allocations.	✓ _____
11.	Such additional items and conditions, including design standards as the Planning Board and Board of Commissioners deems necessary.	✓ _____
12.	Trip generation data and TIA	✓ _____

PROPOSED USES

An application has been duly filed requesting that the property described in this application be rezoned from _____ to _____. It is understood and acknowledged that if the property is rezoned as requested, the property described in this request will be perpetually bound to the use(s) authorized and subject to such conditions as imposed, unless subsequently changed or amended as provided for in the Unified Development Ordinance. It is further understood and acknowledged that final plans for any specific development to be made pursuant to any such Planned Development shall be submitted for site or subdivision plan approval. Use additional pages as needed.

The Rezoned Lands may be used for, and only for, the uses listed immediately below. The permitted uses are subject to the limitations and regulations stated in the Use Table and any additional limitations or regulations stated below. For convenience, some relevant sections of the Unified Development Ordinance may be referenced; such references do not imply that other sections of the Unified Development Ordinance do not apply.

1.		25.	
2.		26.	
3.		27.	
4.		28.	
5.		29.	
6.		30.	
7.		31.	
8.		32.	
9.		33.	
10.		34.	
11.		35.	
12.		36.	
13.		37.	
14.		38.	
15.		39.	
16.		40.	
17.		41.	
18.		42.	
19.		43.	
20.		44.	
21.		45.	
22.		46.	
23.		47.	
24.		48.	

ADJACENT OWNERS

Provide a certified list of property owners subject to this application and all properties owners within 150-feet of the subject property, and any HOA Contacts for developments which fall within 300-feet of the subject property.

Parcel Address	Parcel ID Number	Owner's Name

HOA CONTACTS

Development Name	Contact Person	Address

Beginning at an existing iron pipe along the eastern right of way of Pulley Gordon Road, having a North Carolina State Plane Coordinate (NAD 1983-2011) value of North 749044.53 feet, East 2203638.58 feet. Thence S89° 06' 44"W, 43.52' to a point in the centerline of Pulley Gordon Road; thence with the centerline of Pulley Gordon Road N31° 40' 13"W, 17.82' to a point; thence with a curve to the right having a radius of 745.63', a length of 258.84', and a chord bearing and distance of N21° 43' 32"W, 257.54' to a point; thence N11° 46' 51"W, 141.30' to a point in the centerline of South Wakefield Street; thence with the centerline of South Wakefield Street with a curve to the left having a radius of 898.66', a length of 224.11', and a chord bearing and distance of N1° 14' 44"E, 223.53' to a point; thence N5° 53' 55"W, 188.25' to a point; thence with a curve to the right having a radius of 2330.34', a length of 135.93', and a chord bearing and distance of N4° 13' 39"W, 135.91' to a point; thence N2° 33' 23"W, 47.94' to a point; thence with a curve to the right having a radius of 1695.94', a length of 104.97', and a chord bearing and distance of N0° 47' 00"W, 104.96' to a point; thence with a curve to the left having a radius of 4451.25', a length of 133.35', and a chord bearing and distance of N0° 07' 54"E, 133.35' to a point; thence N0° 43' 36"W, 120.66' to a point; thence leaving the centerline of the aforesaid road S88° 41' 25"E, 331.00' to an existing iron pipe; thence N0° 50' 44"W, 407.57' to an existing iron pipe; thence N89° 19' 57"W, 330.04' to a point in the centerline of South Wakefield Street; thence with the centerline of South Wakefield Street N0° 43' 36"W, 59.99' to a point; thence leaving the aforesaid centerline S89° 19' 57"E, 330.02' to an existing iron pipe; thence N0° 44' 29"W, 389.63' to an existing iron pipe; thence N89° 53' 37"W, 129.83' to an existing iron pipe; thence N3° 52' 53"E, 233.74' to an existing iron pipe; thence S89° 15' 00"E, 1384.54' to an existing iron pipe; thence N1° 20' 40"E, 480.67' to an existing iron pipe; thence N78° 36' 17"E, 124.17' to an existing iron pipe; thence continuing N78° 36' 17"E, 30.59' to a point in the centerline of South Arendell Avenue; thence with the centerline of South Arendell Avenue S28° 50' 24"E, 761.08' to a point; thence S28° 50' 24"E, 425.02' to a point; thence S29° 13' 43"E, 667.05' to a point; thence leaving the centerline of the aforesaid road N88° 26' 36"W, 584.64' to an existing iron pipe; thence S89° 11' 28"W, 68.13' to a 5/8" capped iron rod set; thence S2° 12' 27"E, 1759.55' to a 5/8" capped iron rod set; thence S88° 17' 33"W, 346.50' to an existing iron pipe; thence N3° 17' 33"E, 478.27' to an existing iron pipe; thence S89° 06' 44"W, 1540.50' to the Beginning, containing 118.61 acres more, or less.

SAVE AND EXCEPT the cemetery that exist on the above-described property, described as Beginning at the southeast corner of the cemetery, having a North Carolina State Plane Coordinate (NAD 1983-2011) value as North 751140.59', East 2205340.06'. Thence N90° 00' 00"W, 30.56' to a point; thence N0° 00' 00"E, 32.27' to a point; thence N90° 00' 00"E, 30.56' to a point; thence S0° 00' 00"E, 32.27' to the Beginning, containing 986 square feet more, or less.

THIS DESCRIPTION IS PROVIDED WITHOUT THE BENEFIT OF A TITLE COMMITMENT



5410 Trinity Road
Suite 102
Raleigh, NC 27607

P 919.866.4951
F 919.859.5663
www.timmons.com

September 22, 2022

Notice of Proposed Zoning Change

Wake County PINs 2705-41-3075, 2704-49-2511, & 2705-51-2202

Dear Property Owner:

On behalf of the applicant and property owners, Timmons Group would like to invite you to attend a neighborhood information meeting concerning the following proposal. Timmons Group will be submitting a request to rezone the property located between the intersections of S Wakefield Street and Morphus Bridge Road and the intersection at S Arendell Ave and Perry Curtis Road. The parcels under consideration are shown on the attached map.

The existing zoning is Zebulon Residential Neighborhood District (R4) & Residential Suburban District (R2), and the proposed zoning classification requested is Zebulon Planned Development District (PD). The proposed rezoning will not change the existing zoning status of surrounding properties. The proposed development will consist of a variety of lot sizes, including attached and detached single family.

Per Town of Zebulon ordinance requirements, we are notifying you of this meeting because your property is located within the written notification area for public hearings. While this meeting is not a public hearing, it is an opportunity for you to meet with the owners and/or applicants to hear about their intention to rezone the land. You are encouraged to ask questions and express concerns so that we may help you to understand the proposed project more fully. There will not be an in-person meeting.

The meeting participation options are as follows:

1. An online virtual meeting to be held on October 05, 2022 at 6:00 pm.
 - a) Virtual meeting link:
<https://timmons.zoom.us/j/99067768952?pwd=MGU0WGRRampkMWgvOGhOYVgrUEgzQT09>
 - b) Password: **942736**
 - c) Instructions: You may join from any browser. Upon joining, you be placed in the waiting room until the meeting host allows entrance. At the start of the meeting, we will take some time to gather the required information (Name, Address, Email and Phone number) though the chat feature on screen.

2. A toll-free conference call for audio only access to the virtual meeting held on October 05, 2022 at 6:00 pm.

a) Call about five (5) minutes prior to the aforementioned date and time:

- Phone Number: +1 646 558 8656

b) You may be asked to dial the following information:

- Meeting ID: **990 6776 8952**
- Password: **942736**


If you have any questions about this neighborhood information meeting, or if you are unable to attend and would like to leave comments for our consideration, please feel free to contact me at 919-866-4509 or beth.blackmon@timmons.com.

Thank you for your interest.


Sincerely,

A handwritten signature in blue ink that reads "Beth Blackmon". The signature is written in a cursive style.


Beth Blackmon, PE
Sr. Project Manager




Zebulon South Neighborhood Meeting



Disclaimer
iMaps makes every effort to produce and publish the most current and accurate information possible. However, the maps are produced for information purposes, and are **NOT** surveys. No warranties, expressed or implied, are provided for the data therein, its use, or its interpretation.



Zebulon South Mailing List



Disclaimer
iMaps makes every effort to produce and publish the most current and accurate information possible. However, the maps are produced for information purposes, and are **NOT** surveys. No warranties, expressed or implied, are provided for the data therein, its use, or its interpretation.

PIN_NUM	OWNER	ADDR1	ADDR2
2704484644	AGARWAL ASSOCIATES LLC	2000 KILLEARN MILL CT	CARY NC 27513-4293
2705303716	BARRERA, EMILIO VILLEGAS ARMENTA, BE	301 SIR DAVID DR	ZEBULON NC 27597-6801
2705305594	BLOUNT, BARBARA ANN	707 S WAKEFIELD ST	ZEBULON NC 27597-2567
2705306724	BRADSHAW, BETTIE SUE	697 S WAKEFIELD ST	ZEBULON NC 27597-2565
2705302989	C W S SYSTEMS INC	500 W MONROE ST STE 3600	CHICAGO IL 60661-3779
2704392692	CARRILLO, JOSE SANTOS CARRILLO, MARY	812 S WAKEFIELD ST	ZEBULON NC 27597-2568
2705518689	CHURCH OF GOD EASTERN NC STATE OFFI	PO BOX 100	KENLY NC 27542-0100
2705306922	CONYERS, BEVERLY A CONYERS, CASSAND	631 S WAKEFIELD ST	ZEBULON NC 27597-2565
2705520074	CREECH, ROBERT E CREECH, KATHEY P	13713 POSSUM TRACK RD	RALEIGH NC 27614-9381
2705311337	DAVID BULLOCK CONSTRUCTION INC	2805 AUBURN KNIGHTDALE RD	RALEIGH NC 27610-9712
2705429117	DEAN, ATWELL STUART	604 S ARENDELL AVE	ZEBULON NC 27597-8202
2705601533	ESTRADA, JILBER VELAZQUEZ	106 WOODGATE DR	GARNER NC 27529-2738
2705601920	FOX, JEFFERY M FOX, PENNY M	753 S ARENDELL AVE	ZEBULON NC 27597-8205
2705301515	FUENTES, BAYRON JOSUE LOPEZ HILARIO,	709 CHANCE CIR	ZEBULON NC 27597-6809
2705316027	GARCIA, LAURA A REYES, GERARDO REYES	621 S WAKEFIELD ST	ZEBULON NC 27597-2565
2705302523	GILL, W E	PO BOX 474	ZEBULON NC 27597-0474
2705303532	GILL, W E GILL, GENEVIEVE M	PO BOX 474	ZEBULON NC 27597-0474
2705302424	GILL, WILLIAM E GILL, GENEVIEVE M	PO BOX 474	ZEBULON NC 27597-0474
2705303434	GILL, WILLIAM E GILL, GENEVIEVE M	PO BOX 474	ZEBULON NC 27597-0474
2705301927	HANNAH, KRystal	304 SIR DAVID DR	ZEBULON NC 27597-6800
2705302674	HERNANDEZ, LYDIA FABIOLA MATEO	610 S WAKEFIELD ST	ZEBULON NC 27597-2564
2705302314	HICKS, MELVILLE HOWARD JR	PO BOX 660	ZEBULON NC 27597-0660
2705610110	HILL, TIMOTHY GORDON HILL, LILLIAN AVI	745 S ARENDELL AVE	ZEBULON NC 27597-8205
2705306404	HINTON, MARY E HEIRS HOLDER, MARY A	709 S WAKEFIELD ST	ZEBULON NC 27597-2567
2705518284	HOLLAND, JIMMY LEON HOLLAND, HELEN	737 S ARENDELL AVE	ZEBULON NC 27597-8205
2704693410	JAYS ARENDELL PROPERTIES LLC	2709 BELMONT VIEW LOOP	CARY NC 27519-7725
2705506134	LONG, RANDALL S	908 S ARENDELL AVE	ZEBULON NC 27597-8208
2704485074	MARTIN, COY BERKLEY SR MARTIN, COY B	2202 NC 561 HWY	LOUISBURG NC 27549-8469
2705316119	MCCULLERS, JAMIE	611 S WAKEFIELD ST	ZEBULON NC 27597-2565
2705526056	MCNABB, INEZ PITTS HEIRS	1900 LITTLE ELM TRL APT 70	CEDAR PARK TX 78613-2834
2704492511	NARRON, HAROLD CORBETT, C FRED	3941 ZEBULON RD	ZEBULON NC 27597-8187
2705509203	PARKER, LARRY N	900 S ARENDELL AVE	ZEBULON NC 27597-8208
2704597445	PARKER, LARRY N PARKER, TAMMY M	900 S ARENDELL AVE	ZEBULON NC 27597-8208
2704574734	PARKER, LARRY N PARKER, TAMMY M	900 S ARENDELL AVE	ZEBULON NC 27597-8208
2704287413	RAPER, F WAYNE TRUSTEE RAPER, JEAN D	1317 MORPHUS BRIDGE RD	WENDELL NC 27591-8377
2705312399	ROSSMAN, MAXINE	108 REGGIE OWENS DR	HARBINGER NC 27941-9704
2705315336	SANTOS, ALEJANDRO WILIBALDO ROSALE	PO BOX 332	WENDELL NC 27591-0332
2705303119	SHAW, SHIRLEY D	738 S WAKEFIELD ST	ZEBULON NC 27597-2566
2704297696	SILBER, EVA TRUSTEE EVA SILBER LIVING T	15117 MELBOURNE RD	RALEIGH NC 27606-1747
2705301759	SPRUILL, JOSEPH PAUL SPRUILL, CONNIE S	305 SIR DAVID DR	ZEBULON NC 27597-6801
2705305694	STANCIL, L J	701 S WAKEFIELD ST	ZEBULON NC 27597-2567
2705513114	TEMPLE, J M	PO BOX 548	ZEBULON NC 27597-0548
2705614179	TEMPLE, JOSEPH WOOD	PO BOX 548	ZEBULON NC 27597-0548
2705512202	TEMPLE, JOSEPH WOOD SR HUGHES, HAR	PO BOX 548	ZEBULON NC 27597-0548
2705302076	TISDALE, ALICE KIRK DUNN, MARY FRANCI	748 S WAKEFIELD ST	ZEBULON NC 27597-2566
2705300426	VILLAFRANCA, IRIS	713 CHANCE CIR	ZEBULON NC 27597-6809
2705516356	VILLALPANDO, MIGUEL ANGEL	110 LEGEND VALLEY LN UNIT 13	ZEBULON NC 27597-9503
2705410911	VINSON, MARTHA H	500 PERRY CURTIS RD	ZEBULON NC 27597-8877
2705413075	WATSON FAMILY II LLC	6220 FORESTVILLE RD	RALEIGH NC 27604-8618
2705520074	Current Resident	614 S ARENDELL AVE	ZEBULON NC 27597
2705303532	Current Resident	720 S WAKEFIELD ST	ZEBULON NC 27597
2705303434	Current Resident	728 S WAKEFIELD ST	ZEBULON NC 27597
2705302314	Current Resident	734 S WAKEFIELD ST	ZEBULON NC 27597
2704485074	Current Resident	1131 PULLEY GORDON RD	ZEBULON NC 27597
2705312399	Current Resident	600 S WAKEFIELD ST	ZEBULON NC 27597

2705315336	Current Resident	601 S WAKEFIELD ST	ZEBULON NC 27597
	Current Resident	100 Bingo Blvd	ZEBULON NC 27597
	Current Resident	100 Bingo Blvd LT 27	ZEBULON NC 27597
	Current Resident	100 Green Grove Ln	ZEBULON NC 27597
	Current Resident	100 Green Grove Ln LT 5	ZEBULON NC 27597
	Current Resident	100 Legend Valley Ln	ZEBULON NC 27597
	Current Resident	100 Legend Valley Ln LT 12	ZEBULON NC 27597
	Current Resident	100 Long Park Dr	ZEBULON NC 27597
	Current Resident	100 Long Park Dr LOT 1	ZEBULON NC 27597
	Current Resident	100 Rocky Road Dr	ZEBULON NC 27597
	Current Resident	100 Rocky Road Dr LT 19	ZEBULON NC 27597
	Current Resident	100 Royal View Dr	ZEBULON NC 27597
	Current Resident	100 Royal View Dr LT 34	ZEBULON NC 27597
	Current Resident	1007 S Arendell Ave	ZEBULON NC 27597
	Current Resident	1014 S Arendell Ave	ZEBULON NC 27597
	Current Resident	1020 S Arendell Ave	ZEBULON NC 27597
	Current Resident	1028 S Arendell Ave	ZEBULON NC 27597
	Current Resident	105 Rocky Road Dr	ZEBULON NC 27597
	Current Resident	105 Rocky Road Dr LT 15	ZEBULON NC 27597
	Current Resident	106 Long Park Dr	ZEBULON NC 27597
	Current Resident	106 Long Park Dr LT 11	ZEBULON NC 27597
	Current Resident	108 Long Park Dr	ZEBULON NC 27597
	Current Resident	108 Long Park Dr LT 10	ZEBULON NC 27597
	Current Resident	110 Bingo Blvd	ZEBULON NC 27597
	Current Resident	110 Bingo Blvd LT 28	ZEBULON NC 27597
	Current Resident	110 Green Grove Ln	ZEBULON NC 27597
	Current Resident	110 Green Grove Ln LT 6	ZEBULON NC 27597
	Current Resident	110 Legend Valley Ln LT 13	ZEBULON NC 27597
	Current Resident	110 Long Park Dr	ZEBULON NC 27597
	Current Resident	110 Long Park Dr LT 9	ZEBULON NC 27597
	Current Resident	110 Rocky Road Dr	ZEBULON NC 27597
	Current Resident	111 Rocky Road Dr LT 20	ZEBULON NC 27597
	Current Resident	110 Royal View Dr	ZEBULON NC 27597
	Current Resident	110 Royal View Dr LT 23	ZEBULON NC 27597
	Current Resident	1100 S Arendell Ave	ZEBULON NC 27597
	Current Resident	115 Rocky Road Dr	ZEBULON NC 27597
	Current Resident	115 Rocky Road Dr LT 16	ZEBULON NC 27597
	Current Resident	120 Bingo Blvd	ZEBULON NC 27597
	Current Resident	120 Bingo Blvd LT 29	ZEBULON NC 27597
	Current Resident	120 Legend Valley Ln	ZEBULON NC 27597
	Current Resident	120 Legend Valley Ln LT 14	ZEBULON NC 27597
	Current Resident	120 Long Park Dr	ZEBULON NC 27597
	Current Resident	120 Long Park Dr LT 8	ZEBULON NC 27597
	Current Resident	120 Rocky Road Dr	ZEBULON NC 27597
	Current Resident	120 Rocky Road Dr LT 21	ZEBULON NC 27597
	Current Resident	120 Royal View Dr	ZEBULON NC 27597
	Current Resident	120 Royal View Dr LT 24	ZEBULON NC 27597
	Current Resident	125 Legend Valley Ln	ZEBULON NC 27597
	Current Resident	125 Legend Valley Ln LT 33	ZEBULON NC 27597
	Current Resident	125 Rocky Road Dr	ZEBULON NC 27597
	Current Resident	125 Rocky Road Dr LT 17	ZEBULON NC 27597
	Current Resident	130 Bingo Blvd	ZEBULON NC 27597
	Current Resident	130 Bingo Blvd LT 30	ZEBULON NC 27597
	Current Resident	130 Long Park Dr	ZEBULON NC 27597
	Current Resident	130 Long Park Dr LT 7	ZEBULON NC 27597
	Current Resident	130 Rocky Road Dr	ZEBULON NC 27597

Current Resident	130 Rocky Road Dr LT 22	ZEBULON NC 27597
Current Resident	130 Royal View Dr	ZEBULON NC 27597
Current Resident	130 Royal View Dr LT 25	ZEBULON NC 27597
Current Resident	135 Rocky Road Dr	ZEBULON NC 27597
Current Resident	135 Rocky Road Dr LT 18	ZEBULON NC 27597
Current Resident	140 Bingo Blvd	ZEBULON NC 27597
Current Resident	140 Bingo Blvd LT 31	ZEBULON NC 27597
Current Resident	140 Royal View Dr	ZEBULON NC 27597
Current Resident	150 Bingo Blvd	ZEBULON NC 27597
Current Resident	150 Bingo Blvd LT 32	ZEBULON NC 27597
Current Resident	805 S Arendell Ave	ZEBULON NC 27597
Current Resident	805 S Arendell Ave Lot LT 4	ZEBULON NC 27597
Current Resident	845 S Arendell Ave	ZEBULON NC 27597


NORTH CAROLINA
WAKE COUNTY

AFFIDAVIT OF MAILING

I, Elizabeth Ange, Project Engineer III with Timmons Group, being first duly sworn, deposes and says as follows:

1. That I am a project engineer regarding a rezoning petition to be filed with the Town of Zebulon (the "Town"), for a project known as "Zebulon South" (the "Project").
2. In accordance with the Town's Unified Development Ordinance (the "UDO"), a Neighborhood Meeting for the Project was scheduled for and did occur on October 5, 2022.
3. In accordance with the Town's UDO, a notice of the Neighborhood Meeting was mailed to those individuals and property addresses identified on the exhibit attached hereto. To the best of my knowledge, the individuals identified on the attached exhibit are all of the landowners and occupants within 300 linear feet of the outer perimeter of the site where the Project is proposed.
4. The notice of the Neighborhood Meeting was mailed no less than ten days prior to the date of the Neighborhood Meeting.

This the 22 day of September, 2022.



 Elizabeth Ange
 Project Engineer III
 Timmons Group
 5410 Trinity Road, Suite 102
 Raleigh, NC 27607

NORTH CAROLINA
COUNTY OF Wake

BEFORE ME, the undersigned authority, this day personally appeared Elizabeth Ange, who, being first duly sworn, deposes and says that she has read the foregoing Affidavit of Mailing and knows the facts contained therein to be true and correct to the best of her knowledge and belief.

SWORN TO AND SUBSCRIBED before me this Oct. 12, 2022.


 _____, Notary Public

My commission expires: 8/8/26

(SEAL)

Karen L. Haas
NOTARY PUBLIC
Wake County
North Carolina
My Commission Expires August 8, 2026

202122500189





Meeting Sign-in Sheet			
Project:	Zebulon South	Meeting Date:	5-Oct-22
Faciliator:	Timmons Group	Place/ Room:	Zoom

Name	Address	Phone	Email	Sent presentation to
Beth Blackmon	5410 Trinity Rd, Suite 102, Raleigh NC 27607	919-866-4509	beth.blackmon@timmons.com	
Elizabeth Ange	5410 Trinity Rd, Suite 102, Raleigh NC 27607	984-255-2366	elizabeth.ange@timmons.com	
John Adcock	PO Box 1478, Fuquay-Varina, NC 27526	919-552-6600	john@adcocklawfirm.com	
Andrew Suriano	PO Box 1080, Wake Forest, NC 27588	919-608-3542	andrew@deaconcompanies.com	
Jeff Hochanadel	5410 Trinity Rd, Suite 102, Raleigh NC 27607	919-866-4511	jeff.hochanadel@timmons.com	
Hunter Mullins	5410 Trinity Rd, Suite 102, Raleigh NC 27607	919-532-3272	hunter.mullins@timmons.com	
Lynn Mcnabb	1900 Little Elm Trail Apt. 70, Cedar Park Tx		mcnabbvolunteer1@aol.com	X
Tracie Hicks	PO Box 251, Pittsfield, ID	919-868-7592	tracie.hicks@whitetailproperties.com	
Jane Mccullers	611 S Wakefield St, Zebulon NC 27597		jamie.mccullers@yahoo.com	X
Temple	PO Box 548, Zebulon NC 27597			
Chuck, Fred Corbett				
Apurva			JAYSAREndellProperties@gmail.com	X
Jack Yen			jackyen@gmail.com	X



Summary of Discussion From the Neighborhood Meeting			
Project:	Zebulon South	Meeting Date:	Wednesday, October 5, 2022
Applicant:	Timmons Group - Beth Blackmon	Place/ Room:	Zoom
Contact Information:	beth.blackmon@timmons.com 919-866-4509	Time:	6:00 PM

Summary of questions/ comments and responses from the neighborhood meeting:

Questions/ Concern #1: Is there a chance that I might have to move?

Applicant Response: No ma'am, your property is not on site and we are not allowed to put anything on your property. Additionally, there is environmental, streams and wetlands, behind your home and will likely not be putting anything except recreation area behind you.

Questions/ Concern #2: Are you going to build the thoroughfare road? That will be good for the town!

Applicant Response: Yes, because it shows on the transportation plan, it is required to be built. It is a 2 lane divided road.

Questions/ Concern #3: What's the plan for this site? Will there be a new development?

Applicant Response: There are 3 properties and the developer is going to submit a rezoning application to rezone to PD, Planned Development. The PD allows for an initiative design. As of right now, it is proposed to be a residential development with single family housing and townhomes. The proposed density is 2.67 du/a. 314 lots are proposed, 108 are rear load lots.



ZEBULON SOUTH NEIGHBORHOOD MEETING

October 5, 2022

AGENDA

INTRODUCTIONS

PURPOSE OF MEETING

THE DEVELOPMENT PROCESS

PROJECT INFORMATION

LOCATION

CURRENT ZONING

FUTURE LAND USE MAP

COMPREHENSIVE TRANSPORTATION PLAN

EXISTING CONDITIONS

PD REZONING TIMELINE

Q&A

INTRODUCTIONS

TIMMONS GROUP:

Beth Blackmon, PE

Sr. Project Manager

919-866-4509

beth.blackmon@timmons.com

ADCOCK LAW FIRM:

John Adcock, Esq.

919-552-6600

john@adcocklawfirm.com

Attendees

PURPOSE

WHO RECEIVED NOTIFICATION?

Property owners within 300 feet of the proposal

WHY ARE WE HOLDING THIS MEETING?

Unified Development Ordinance requirement to meet with adjacent property owners

To have an opportunity before submittal to receive feedback

To improve the proposal with that feedback

HOW WILL WE DO THAT?

Following tonight's meeting, the applicant & Town staff will discuss your comments

Look for ways to improve the proposal using your comments

THE DEVELOPMENT PROCESS

PLANNED DEVELOPMENT REZONING (PD)

Master plan rezoning with concept plan and conditions to guide future development

PRELIMINARY SUBDIVISION PLAT/CONSTRUCTION DOCUMENTS

Detailed subdivision plans to establish streets, lot layout and utilities

Proposing single family detached homes and attached townhomes


Both rear load and front load homes will be proposed

Reviewed by staff for conformance with PD master plan rezoning


Detailed plans to be utilized for construction of infrastructure

Including erosion control, road improvements, streets, utilities and stormwater

LOCATION






CURRENT ZONING




- R2, RESIDENTIAL SUBURBAN
- R4, RESIDENTIAL NEIGHBORHOOD







FUTURE LAND USE MAP




-  Suburban Residential (SR)
-  General Residential (GR)

COMPREHENSIVE TRANSPORTATION PLAN




-  4-Lane Divided Widening / Altering
-  4-Lane Divided New Roadway
-  2-Lane Divided Widening / Altering
-  2-Lane Divided New Roadway
-  2-Lane Undivided New Roadway
-  Greenway



ZEBULON SOUTH

Existing Conditions - October 4, 2022



PD REZONING TIMELINE

NEIGHBORHOOD MEETING DATE:

October 5, 2022

ANTICIPATED APPLICATION SUBMITTAL DATE:

November 1, 2022

ANTICIPATED JOINT PUBLIC HEARING MEETING:

January 23, 2023

ANTICIPATED PLANNING BOARD RECOMMENDATION:

January 30, 2023

ANTICIPATED BOARD OF COMMISSIONERS DECISION:

February 6, 2023

Q & A

TIMMONS GROUP:

Beth Blackmon, PE

Sr Project Manager

919-866-4509

beth.blackmon@timmons.com

ADCOCK LAW FIRM:

John Adcock, Esq.

919-552-6600

john@adcocklawfirm.com

ZEBULON PLANNING DEPARTMENT CONTACT:

Michael Clark

Planning Director

919-828-1808

mclark@townofzebulon.org

RALEIGH NC 275
Research Triangle Region
28 SEP 2022 PM 3 L



ROSSMAN, MAXINE
108 REGGIE OWENS DR
HARBINGER NC 27941-9704

276 NEE 1 42110210/03/22
FORWARD TIME EXP RTN TO SEND
ROSSMAN
688 S WAKEFIELD ST
ZEBULON NC 27597-2564
RETURN TO SENDER

1A9893010Z092800000

INT
27597 6883
27941-970408

Returned Letter

RALEIGH NC 275
Research Triangle Region
28 SEP 2022 PM 3 L



ROSSMAN, MAXINE
108 REGGIE OWENS DR
HARBINGER NC 27941-9704

276 NEE 1 42110210/03/22
FORWARD TIME EXP RTN TO SEND
ROSSMAN
688 S WAKEFIELD ST
ZEBULON NC 27597-2564
RETURN TO SENDER

1A9893010Z09200000

INT
27597 6883
27941 970408

RALEIGH NC 275
Research Triangle Region
28 SEP 2022 PM 3 L




Current Resident
110 Royal View Dr LT 23
ZEBULON NC 27597

NIXIE 276 CE 1 0210/08/22

RETURN TO SENDER
VACANT
UNABLE TO FORWARD

VAC
27597-0558
27607>6003

BC: 27607600327 *0880-02677-28-41



28 SEP 2022 PM 3 L




TEMPLE, JOSEPH WOOD
PO BOX 548
ZEBULON NC 27597-0548

NIXIE 276 NEE 1 2210210/01/22

RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD

INT
27597-0548
27597-0548

MANUAL PROC REQ *0880-02599-28-41



28 SEP 2022 PM 3 L



Temple

TEMPLE, JOSEPH WOOD
HARRISON ALEXANDER
PO BOX 548
ZEBULON NC 27597-0548

[Handwritten mark]

* 276 NCE 1 220210/08/22


RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD

1: 94009227802812

FWD

27607>6003
27597-0548

BC: 27607600327 *0880-03099-28-41



RALEIGH NC 275
Research Triangle Region
28 SEP 2022 PM 3 L



Joseph Temple

TEMPLE, J M
PO BOX 548
ZEBULON NC 27597-0548

(4)

^1: 94009227802812

FWD
27607>6003
27597-054848

* 276 NCE 1 22C0210/08/22
RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD
BC: 27607600327 *0880-02709-28-41

BEHNKE, DEBRA ANN
4313 FRIENDSHIP RD
APEX NC 27539-8759

NSN

~~27607-075018~~
27607>6003

NIXIE 276 CE 1 0210/08/22
RETURN TO SENDER
NO SUCH NUMBER
UNABLE TO FORWARD
BC: 27607600327 *0880-02774-03-43

HINTON, MARY E HEIRS HOLDER, MARY
A HEIRS
709 S WAKEFIELD ST
ZEBULON NC 27597-2567

308920880011000

~~27607-256709~~
27607>6003

NIXIE 276 4E 1 0210/05/22
RETURN TO SENDER
NO SUCH STREET
UNABLE TO FORWARD
BC: 27607600327 *0780-00772-28-41

RALEIGH NC 275
Research Triangle Region
28 SEP 2022 PM 3 L



Current Resident
720 S WAKEFIELD ST
ZEBULON NC 27597

NIXIE 276 CE 1 0210/05/22

RETURN TO SENDER
NO MAIL RECEIPTABLE
UNABLE TO FORWARD

27607600327 *0880-02957-28-41
276076003

28 SEP 2022 PM 3 L



Current Resident
728 S WAKEFIELD ST
ZEBULON NC 27597

NIXIE 276 CE 1 0210/05/22

RETURN TO SENDER
NO MAIL RECEIPTABLE
UNABLE TO FORWARD

27607600327 *0880-02713-28-41
276076003

Research Triangle Region
28 SEP 2022 PM 4 L



Current Resident
734 S WAKEFIELD ST
ZEBULON NC 27597

NIXIE 276 CE 1 0210/05/22

RETURN TO SENDER
NO MAIL RECEIPTABLE
UNABLE TO FORWARD

27607600327 *0980-01557-28-41 Page 47
276076003

RALEIGH NC 275
Research Triangle Region
28 SEP 2022 PM 2 L



Current Resident
111 Rocky Road Dr LT 20
ZEBULON NC 27597

NIXIE 276 4E 1 0210/05/22
RETURN TO SENDER
NO SUCH NUMBER
UNABLE TO FORWARD
BC: 27607600227 *0780-00779-28-41

100920680811000

NSN
27607600227 11

RALEIGH NC 275
Research Triangle Region
16 SEP 2022 PM 3 L



RALEIGH NC 275
Research Triangle Region
28 SEP 2022 PM 3 L




Current Resident
110 Royal View Dr
ZEBULON NC 27597

NIXIE 276 4E 1 0210/09/22

RETURN TO SENDER
VACANT
UNABLE TO FORWARD

27597 VAC
56998>9999

MANUAL PROC REQ *0880-02688-28-41



ZEBULON SOUTH

PRELIMINARY PLAN

TOWN OF ZEBULON, WAKE COUNTY, NORTH CAROLINA

SITE DATA

PROJECT:	ZEBULON SOUTH
ENGINEER:	TIMMONS GROUP 5410 TRINITY ROAD, SUITE 102 RALEIGH, NC 27607 PHONE: 919-866-4509 FAX: 919-859-5663 BETH BLACKMON, PE EMAIL: BETH.BLACKMON@TIMMONS.COM
DEVELOPER:	DEACON DEVELOPMENT GROUP PO BOX 1080 WAKE FOREST, NC 27588 PHONE: 919 808-3542 ANDREW SURIANO ANDREW@DEACONCOMPANIES.COM
PROPERTY LOCATION:	751 S WAKEFIELD ROAD 700 S ARENDELL AVE 0 S WAKEFIELD STREET 0 S ARENDELL AVE
PIN:	2705-41-3075, 2704-49-2511, & 2705-51-2202, 2705-51-3114
EXISTING ZONING:	R4 & R2
PROPOSED ZONING:	PD
EXISTING USE:	AGRICULTURAL
TOTAL TRACT AREA:	118.62 ACRES



VICINITY MAP - 1" = 500'

OWNERS OF RECORD

PIN: 2704-49-2511 NARRON, HAROLD CORBETT, C FRED 3941 ZEBULON RD ZEBULON, NC 27597	PIN: 2705-51-2202 TEMPLE, JOSEPH WOOD SR HUGHES, HARRISON ALEXANDER PO BOX 548 ZEBULON, NC 27597
PIN: 2705-41-3075 WATSON FAMILY LLC 6220 FORESTVILLE RD RALEIGH, NC 27604	PIN: 2705-51-3114 TEMPLE, J M 1424 S HOLLYBROOK RD WENDELL NC 27591-9584

Sheet List Table

Sheet Number	Sheet Title
CVR	COVER
C1.0	EXISTING CONDITIONS
C2.0	OVERALL SITE PLAN
C2.1	DETAILED SITE PLAN SHEET 1 OF 4
C2.2	DETAILED SITE PLAN SHEET 2 OF 4
C2.3	DETAILED SITE PLAN SHEET 3 OF 4
C2.4	DETAILED SITE PLAN SHEET 4 OF 4
C3.0	OVERALL UTILITY PLAN
C3.1	DETAILED UTILITY PLAN SHEET 1 OF 4
C3.2	DETAILED UTILITY PLAN SHEET 2 OF 4
C3.3	DETAILED UTILITY PLAN SHEET 3 OF 4
C3.4	DETAILED UTILITY PLAN SHEET 4 OF 4
C4.0	OVERALL GRADING & DRAINAGE PLAN
C4.1	DETAILED GRADING & DRAINAGE PLAN SHEET 1 OF 4
C4.2	DETAILED GRADING & DRAINAGE PLAN SHEET 2 OF 4
C4.3	DETAILED GRADING & DRAINAGE PLAN SHEET 3 OF 4
C4.4	DETAILED GRADING & DRAINAGE PLAN SHEET 4 OF 4
C5.0	OVERALL LANDSCAPE PLAN
C5.1	DETAILED LANDSCAPE PLAN SHEET 1 OF 4
C5.2	DETAILED LANDSCAPE PLAN SHEET 2 OF 4
C5.3	DETAILED LANDSCAPE PLAN SHEET 3 OF 4
C5.4	DETAILED LANDSCAPE PLAN SHEET 4 OF 4
C6.0	LIGHTING PLAN
C7.0	OVERALL SIGNS & MARKINGS PLAN
C7.1	DETAILED SIGNS & MARKINGS PLAN SHEET 1 OF 4
C7.2	DETAILED SIGNS & MARKINGS PLAN SHEET 2 OF 4
C7.3	DETAILED SIGNS & MARKINGS PLAN SHEET 3 OF 4
C7.4	DETAILED SIGNS & MARKINGS PLAN SHEET 4 OF 4
C8.0	DETAILED AMENITY PLAN
C8.1	DETAILED AMENITY PLAN
C9.1	SINGLE FAMILY CONCEPTUAL ELEVATIONS
C9.2	TOWNHOME CONCEPTUAL ELEVATIONS
C9.3	CONCEPTUAL AMENITY

THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.859.5663 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE
01/15/2024
DRAWN BY
331
DESIGNED BY
E. ANGE
CHECKED BY
B. BLACKMON
SCALE
1" = 500'

TIMMONS GROUP
NORTH CAROLINA LICENSE NO. C-1652
ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA
COVER


JOB NO.
49084
SHEET NO.
CVR



These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.



S:\331\49084-Zebulon_South DMC Sheet Master Plan 49084-331-C10-EXISTING SHEET.dwg | Plotted by Beth Blackmon



LEGEND

	PROPERTY LINE
	ADJACENT PROPERTY LINES
	PERENNIAL STREAM
	INTERMITTENT STREAM
	NEUSE RIPARIAN BUFFER
	EXISTING WETLANDS
	EXISTING PONDS

- NOTES:**
- BOUNDARY TAKEN FROM SURVEY BY TIMMONS GROUP DATED MAY 19, 2022.
 - TOPOGRAPHIC INFORMATION TAKEN FROM WAKE COUNTY GIS.
 - WETLAND AND STREAM DELINEATION BY TIMMONS GROUP DATED MAY 02, 2022.
 - THE SUBJECT PROPERTY IS LOCATED IN ZONE X IN ACCORDANCE WITH FIRM MAP #3720270500K & 3720270400L, WITH AN EFFECTIVE DATE OF AUGUST 19, 2022.

CURVE TABLE

CURVE	DELTA	RADIUS	LENGTH	TANGENT	CHORD BEARING	CHORD
C1	19°53'22"	745.63'	258.84'	130.73'	N21°43'32"W	257.54'
C2	14°17'18"	898.96'	224.11'	112.64'	N1°14'44"E	223.53'
C3	3°20'32"	2330.34'	135.93'	67.98'	N4°13'39"W	135.91'
C4	3°32'47"	1695.94'	104.97'	52.50'	N0°47'00"W	104.96'
C5	1°42'59"	4451.25'	133.35'	66.68'	N0°07'54"E	133.35'

TIMMONS GROUP

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA
NORTH CAROLINA LICENSE NO. C-1652
EXISTING CONDITIONS

THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.833.8124 www.timmons.com


YOUR VISION ACHIEVED THROUGH OURS.

DATE	REVISION DESCRIPTION
01/15/2024	

DATE
01/15/2024
DRAWN BY
331
DESIGNED BY
E. ANGE
CHECKED BY
B. BLACKMON
SCALE
1" = 150'

JOB NO.
49084
SHEET NO.
C1.0

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.



SITE DATA
 PINs = 2705-41-3075, 2704-49-2511, &705-51-2202 & 2705-51-3114
 TOTAL EXISTING TRACT ACREAGE = 118.62 AC
 TOTAL AREA TO BE DEDICATED = 2.48 AC
 TRACT ACREAGE TO BE DEVELOPED = 116.14 AC
 EXISTING ZONING = R2 & R4
 PROPOSED ZONING = PD
 PROPOSED NUMBER OF LOTS = 320
 PROPOSED DENSITY = 2.75 DU/A

10% OPEN SPACE REQUIRED = 11.61 acres
 OPEN SPACE PROVIDED = 61.36 acres (52.83%)
 50% ACTIVE OPEN SPACE REQUIRED = 5.81 acres
 ACTIVE OPEN SPACE PROVIDED = 6.27 acres

GUEST PARKING REQUIRED 0.25 UNITS = 80 SPACES
 GUEST PARKING PROVIDED = 174 SPACES
 MINIMUM OF 2 PARKING SPACES PROVIDED ON EACH LOT,
 AT LEAST 1 IN GARAGE AND 1 IN DRIVEWAY

MAXIMUM BUILDING HEIGHT = 50'
 TOTAL LINEAR FEET OF 10' PUBLIC GREENWAY = 3,415'
 TOTAL LINEAR FEET OF 6' PRIVATE GREENWAY = 2,040'

LOT DATA

- 134 - REAR LOAD SINGLE FAMILY ATTACHED
 MINIMUM LOT SIZE PROVIDED: 1,523'
 AVERAGE LOT SIZE PROVIDED: 1,880'
 MINIMUM LOT WIDTH: 16'
 DRIVEWAY LENGTH: 20'
 MINIMUM DRIVEWAY WIDTH: 10'
- 64 - REAR LOAD SINGLE FAMILY
 MINIMUM LOT SIZE PROVIDED: 4,920'
 AVERAGE LOT SIZE PROVIDED: 5,410'
 MINIMUM LOT WIDTH: 40'
 DRIVEWAY LENGTH: 20'
 MINIMUM DRIVEWAY WIDTH: 10'
- 72 - FRONT LOAD SINGLE FAMILY LOTS
 MINIMUM LOT SIZE PROVIDED: 6,114'
 AVERAGE LOT SIZE PROVIDED: 6,963'
 MINIMUM LOT WIDTH: 50'
 DRIVEWAY LENGTH: 20'
 MINIMUM DRIVEWAY WIDTH: 10'
- 36 - FRONT LOAD SINGLE FAMILY LOTS
 MINIMUM LOT SIZE PROVIDED: 7,046'
 AVERAGE LOT SIZE PROVIDED: 7,192'
 MINIMUM LOT WIDTH: 60'
 DRIVEWAY LENGTH: 20'
 MINIMUM DRIVEWAY WIDTH: 16'
- 14 - REAR LOAD SINGLE FAMILY
 MINIMUM LOT SIZE PROVIDED: 8,343'
 AVERAGE LOT SIZE PROVIDED: 9,878'
 MINIMUM LOT WIDTH: 70'
 DRIVEWAY LENGTH: 20'
 MINIMUM DRIVEWAY WIDTH: 10'

OPEN SPACE TABLE

OS #	Area (SF)	Area (AC)
OS 1	20,245	0.47
OS 2	866,263	19.89
OS 3	12,359	0.28
OS 4	1,137,133	26.10
OS 5	17,843	0.41
OS 6	20,187	0.46
OS 7	25,580	0.59
OS 8	19,375	0.44
OS 9	440,438	10.11
OS 10	30,626	0.70
OS 11	30,006	0.69
OS 12	1,019	0.02
OS 13	1,250	0.03
OS 14	1,631	0.04
OS 15	1,245	0.03
OS 16	902	0.02
OS 17	948	0.02
OS 18	1,859	0.04
OS 19	2,221	0.05
OS 20	1,258	0.03
OS 21	1,233	0.03
OS 22	2,551	0.06
OS 23	1,400	0.03
OS 24	1,400	0.03
OS 25	901	0.02
OS 26	901	0.02
OS 27	1,400	0.03
OS 28	1,400	0.03
OS 29	1,519	0.03
OS 30	1,351	0.03
OS 31	1,574	0.04
OS 32	1,600	0.04
OS 33	1,351	0.03
OS 34	1,351	0.03
OS 35	1,600	0.04
OS 36	1,600	0.04
OS 37	1,326	0.03
OS 38	1,351	0.03
OS 39	1,574	0.04
OS 40	1,600	0.04
OS 41	1,351	0.03
OS 42	1,351	0.03
OS 43	1,600	0.04
OS 44	1,600	0.04
OS 45	1,326	0.03
OS 46	1,235	0.03
OS 47	2,054	0.05
OS 48	1,035	0.02
TOTAL	2,672,929	61.36

STREET TABLE

STREET NAME	ROW	LENGTH (LF)
ROAD A	70	2,775
ROAD B	50	2,023
ROAD C	50	320
ROAD D	50	2,112
ROAD E	50	175
ROAD F	50	1,060
ROAD G	50	464
ROAD H	50	464
ROAD I	50	537
ROAD J	50	439
ROAD K	50	134
ROAD L	50	1,314
ROAD M	50	698
ALLEY A	20	1,125
ALLEY B	20	967
ALLEY C	20	464
ALLEY D	20	464
ALLEY E	20	464
ALLEY F	20	563
ALLEY G	20	248
ALLEY H	20	533
ALLEY I	20	123
ALLEY J	20	116
ALLEY K	20	165
ALLEY L	20	165
TOTAL W/ ALLEYS		17,912
TOTAL W/O ALLEYS		12,515

SETBACK TABLE







FRONT LOADED SINGLE FAMILY
 FRONT: 20'
 REAR: 15'
 SIDE: 5'
 CORNER: 10'

REAR LOADED SINGLE FAMILY
 FRONT: 10' MAX
 REAR: 20'
 SIDE: 3'
 CORNER: 10'

SINGLE FAMILY ATTACHED:
 FRONT: 10' MAX
 BUILDING SEPARATION: 10'
 REAR: 20'

IMPERVIOUS AREA DATA

IMPERVIOUS IN TOWNHOME LOTS (134 LOTS W/ 1,300 SF/LOT)	4.00 AC
IMPERVIOUS IN 40' LOTS (64 LOTS W/ 3,000 SF/LOT)	4.41 AC
IMPERVIOUS IN 50' LOTS (72 LOTS W/ 3,750 SF/LOT)	6.20 AC
IMPERVIOUS IN 60' LOTS (36 LOTS W/ 4,600 SF/LOT)	3.80 AC
IMPERVIOUS IN 70' LOTS (14 LOTS W/ 5,000 SF/LOT)	1.61 AC
IMPERVIOUS IN ROADWAY	13.05 AC
CLUBHOUSE AREA	2.00 AC
AMENITY AREAS, GREENWAY, & PUMP STATION	3.00 AC
TOTAL IMPERVIOUS	38.06 AC
PERCENT IMPERVIOUS	32.7%



THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
 5410 Trinity Road, Suite 102, Raleigh, NC 27607
 TEL 919.866.9511 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE
 01/15/2024

DRAWN BY
 331

DESIGNED BY
 E. ANGE

CHECKED BY
 B. BLACKMON


SCALE
 1" = 150'

TIMMONS GROUP
 NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
 751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA
OVERALL SITE PLAN


JOB NO.
 49084
 SHEET NO.
 C2.0

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.



LEGEND

- PROPERTY LINE
- ADJACENT PROPERTY LINE
- PERIMETER BUFFER
- PROPOSED RIGHT-OF-WAY
- PROPOSED LOT LINE
- DRAINAGE EASEMENT
- SANITARY SEWER EASEMENT
- EXISTING WETLANDS
- NEUSE RIPARIAN BUFFER
- ACTIVE OPEN SPACE
- PASSIVE OPEN SPACE
- PHASE LINE
- PAVED PUBLIC GREENWAY
- PAVED PRIVATE TRAIL



OWNER: ESTRADA, JILBER VELAZQUEZ
PIN: 2705-60-1533
DB: 017278
EXISTING USE: VACANT
EXISTING ZONING: R2

OWNER: PARKER, LARRY N
PIN: 2705-50-9203
DB: 017718
EXISTING USE: SINGLE-FAMILY RESIDENTIAL
EXISTING ZONING: R2

OWNER: LONG, RANDAL
PIN: 2705-50-6134
DB: 000574
EXISTING USE: SINGLE-FAMILY RESIDENTIAL
EXISTING ZONING: R2

OWNER: HILL, TIMOTHY GORDON HILL, LILLIAN AVENT
PIN: 2705-61-0110
DB: 00589
EXISTING USE: SINGLE-FAMILY RESIDENTIAL
EXISTING ZONING: R2

OWNER: FOX, JEFFERY M FOX, PENNY M
PIN: 2705-60-1920
DB: 011335
EXISTING USE: SINGLE-FAMILY RESIDENTIAL
EXISTING ZONING: R2

OWNER: HOLLAND, JIMMY LEON HOLLAND, HELEN M
PIN: 2705-51-8284
DB: 003248
EXISTING USE: SINGLE-FAMILY RESIDENTIAL
EXISTING ZONING: R2

OWNER: VILLALPANDO, MIGUEL ANGEL
PIN: 2705-51-6356
DB: 017231
EXISTING USE: VACANT
EXISTING ZONING: R2

OWNER: CHURCH OF GOD EASTERN NC STATE OFFICE
PIN: 2705-51-8689
DB: 008901
EXISTING USE: EXEMPT
EXISTING ZONING: R2

OWNER: MCNABB, IZNEZ PITTS HEIRS
PIN: 2705-52-6056
DB: 001779
EXISTING USE: VACANT
EXISTING ZONING: R2

THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102, Raleigh, NC 27607
TEL 919.866.9951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE	REVISION DESCRIPTION
01/15/2024	

DRAWN BY	331
DESIGNED BY	E. ANGE
CHECKED BY	B. BLACKMON
SCALE	1" = 60'

TIMMONS GROUP
NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA
DETAILED SITE PLAN SHEET 1 OF 4


JOB NO.	49084
SHEET NO.	C2.1

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part without the express written consent of TIMMONS GROUP. Any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.

OWNER: LONG, RANDALL S
 PIN: 2705-50-6134
 DB: 000574
 EXISTING USE: SINGLE-FAMILY RESIDENTIAL
 EXISTING ZONING: R2


OWNER: PARKER, LARRY N PARKER, TAMMY M
 PIN: 2704-59-7445
 DB: 018351
 EXISTING USE: VACANT
 EXISTING ZONING: R2

20' PRIVATE DRAINAGE EASEMENT




OWNER: PARKER, LARRY N PARKER, TAMMY M
 PIN: 2704-57-4743
 DB: 018351
 EXISTING USE: VACANT
 EXISTING ZONING: R2

OWNER: AGARWAL ASSOCIATES LLC
 PIN: 2704-48-4644
 DB: 015693
 EXISTING USE: VACANT
 EXISTING ZONING: R2



DEAD-END FIRE APPARATUS ACCESS ROAD TURNAROUND
 NOTE: TURNAROUNDS MUST ADHERE TO APPENDIX D OF NC FIRE CODE & WEIGHT CAPACITY OF 80,000 LBS.



LEGEND

(Dashed line)	PROPERTY LINE
(Dotted line)	ADJACENT PROPERTY LINE
(Thick dashed line)	PERIMETER BUFFER
(Thin dashed line)	PROPOSED RIGHT-OF-WAY
(Thin solid line)	PROPOSED LOT LINE
(Line with 'S')	DRAINAGE EASEMENT
(Line with 'SS')	SANITARY SEWER EASEMENT
(Hatched area)	EXISTING WETLANDS
(Wavy line)	NEUSE RIPARIAN BUFFER
(White area)	ACTIVE OPEN SPACE
(Grey area)	PASSIVE OPEN SPACE
(Blue dashed line)	PHASE LINE
(Green dashed line)	PAVED PUBLIC GREENWAY
(Black dashed line)	PAVED PRIVATE TRAIL



THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
 5410 Trinity Road, Suite 102, | Raleigh, NC 27607
 TEL 919.866.4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE	REVISION DESCRIPTION
01/15/2024 <td></td>	

DRAWN BY	331
DESIGNED BY	E. ANGE
CHECKED BY	B. BLACKMON
SCALE	1" = 60'

TIMMONS GROUP
 NORTH CAROLINA LICENSE NO. C-1652



ZEBULON SOUTH
 751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA

DETAILED SITE PLAN SHEET 2 OF 4

JOB NO.
49084

SHEET NO.
C.2.2

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.



LEGEND

- PROPERTY LINE
- ADJACENT PROPERTY LINE
- PERIMETER BUFFER
- PROPOSED RIGHT-OF-WAY
- PROPOSED LOT LINE
- DRAINAGE EASEMENT
- SANITARY SEWER EASEMENT
- EXISTING WETLANDS
- NEUSE RIPARIAN BUFFER
- ACTIVE OPEN SPACE
- PASSIVE OPEN SPACE
- PHASE LINE
- PAVED PUBLIC GREENWAY
- PAVED PRIVATE TRAIL

OWNER: HINTON, MARY E HEIRS HOLDER
PIN: 2705-30-6404
DB: 16-E
EXISTING USE: SINGLE-FAMILY RESIDENTIAL
EXISTING ZONING: R2

OWNER: RAPER, F WAYNE TRUSTEE
RAPER, JEAN D TRUSTEE
PIN: 2704-28-7413
DB: 008576
EXISTING USE: AGRICULTURE
EXISTING ZONING: R2

OWNER: CARRILO, JOSE SANTOS
CARRILO, MARY D
PIN: 2704-39-2692
DB: 012689
EXISTING USE: SINGLE-FAMILY RESIDENTIAL
EXISTING ZONING: R2

OWNER: SILBER, EVA TRUSTEE
EVA SILBER LIVING
PIN: 2704-29-7696
DB: 012573
EXISTING USE: AGRICULTURE
EXISTING ZONING: R2

OWNER: TISDALE, ALICE
KIRK DUNN
PIN: 2705-30-2076
DB: 018605
EXISTING USE: SINGLE-FAMILY RESIDENTIAL
EXISTING ZONING: R2

OWNER: SHAW, SHIRLEY D
PIN: 2705-30-3119
DB: 012721
EXISTING USE: SINGLE-FAMILY RESIDENTIAL
EXISTING ZONING: R2

OWNER: HICKS, MELVILLE
HOWARD JR
PIN: 2705-30-2314
DB: 004594
EXISTING USE: SINGLE-FAMILY RESIDENTIAL
EXISTING ZONING: R2

THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE	REVISION DESCRIPTION
01/15/2024	

DATE	01/15/2024
DRAWN BY	331
DESIGNED BY	E. ANGE
CHECKED BY	B. BLACKMON
SCALE	1" = 60'

TIMMONS GROUP

NORTH CAROLINA LICENSE NO. C-1652


ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA

DETAILED SITE PLAN SHEET 3 OF 4

JOB NO.	49084
SHEET NO.	C2.3

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part without the express written consent of TIMMONS GROUP. Any purpose whatsoever, including, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.

S:\331\49084-Zebulon_South\DWG\Sheet\Master Plan_49084-331-C2.3-MASTER SITE PLAN.dwg | Plotted by Beth Blackmon



OWNER: VINSON, MARTHA H
PIN: 2705-41-0911
DB: 016651
EXISTING USE: VACANT
EXISTING ZONING: R4

OWNER: MCCULLERS, JAMIE
PIN: 2705-31-6119
DB: 018030
EXISTING USE: SINGLE-FAMILY RESIDENTIAL
EXISTING ZONING: R4

OWNER: GARCIA, LAURA A REYES, GERARDO REYES
PIN: 2705-31-6027
DB: 017794
EXISTING USE: SINGLE-FAMILY RESIDENTIAL
EXISTING ZONING: R4

OWNER: CONYERS, BEVERLY A CONYERS, CASSANDRA L
PIN: 2705-30-6922
DB: 006099
EXISTING USE: SINGLE-FAMILY RESIDENTIAL
EXISTING ZONING: R4


OWNER: BRADSHAW, BETTIE SUE
PIN: 2705-30-6724
DB: 006981
EXISTING USE: SINGLE-FAMILY RESIDENTIAL
EXISTING ZONING: R2

OWNER: STANCIL, L J
PIN: 2705-30-5694
DB: 002104
EXISTING USE: SINGLE-FAMILY RESIDENTIAL
EXISTING ZONING: R2

OWNER: BLOUNT, BARBARA ANN
PIN: 2705-30-5594
DB: 004961
EXISTING USE: SINGLE-FAMILY RESIDENTIAL
EXISTING ZONING: R2

OWNER: HINTON, MARY E HEIRS HOLDER
PIN: 2705-30-6404
DB: 16-E
EXISTING USE: SINGLE-FAMILY RESIDENTIAL
EXISTING ZONING: R2

OWNER: SANTOS, ALEJANDRO WILIBALDO ROSALES
PIN: 2705-31-5336
DB: 015231
EXISTING USE: SINGLE-FAMILY RESIDENTIAL
EXISTING ZONING: R4



LEGEND

- PROPERTY LINE
- ADJACENT PROPERTY LINE
- PERIMETER BUFFER
- PROPOSED RIGHT-OF-WAY
- PROPOSED LOT LINE
- DRAINAGE EASEMENT
- SANITARY SEWER EASEMENT
- EXISTING WETLANDS
- NEUSE RIPARIAN BUFFER
- ACTIVE OPEN SPACE
- PASSIVE OPEN SPACE
- PHASE LINE
- PAVED PUBLIC GREENWAY
- PAVED PRIVATE TRAIL

S:\331\49084-Zebulon_South\DWG\Sheet\Master\Plan_49084-331-C2.0-MASTER SITE PLAN.dwg | Plotted by Beth Blackmon



THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE
01/15/2024

DRAWN BY
331

DESIGNED BY
E. ANGE

CHECKED BY
B. BLACKMON

SCALE
1" = 60'

TIMMONS GROUP

NORTH CAROLINA LICENSE NO. C-1652

JOB NO.
49084

SHEET NO.
C2.4

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA
DETAILED SITE PLAN SHEET 4 OF 4

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.





LEGEND

- PROPERTY LINE
- ADJACENT PROPERTY LINE
- PERIMETER BUFFER
- PROPOSED RIGHT-OF-WAY
- PROPOSED LOT LINE
- DRAINAGE EASEMENT
- SANITARY SEWER EASEMENT
- EXISTING WETLANDS
- NEUSE RIPARIAN BUFFER
- ACTIVE OPEN SPACE
- PASSIVE OPEN SPACE
- PHASE LINE
- PUBLIC GREEN WAY
- PAVED PRIVATE TRAIL


UTILITY LEGEND

- FORCEMAIN
- SANITARY SEWER
- SANITARY MANHOLE
- EXISTING SAN. SEWER
- EXISTING SAN. MANHOLE
- PROPOSED WATERMAIN
- EXISTING WATERMAIN
- WATER VALVE
- FIRE HYDRANT
- BLOWOFF ASSEMBLY



CORPUD STANDARD UTILITY NOTES

1. ALL MATERIALS & CONSTRUCTION METHODS SHALL BE IN ACCORDANCE WITH CITY OF RALEIGH DESIGN STANDARDS, DETAILS & SPECIFICATIONS (REFERENCE: CORPUD HANDBOOK, CURRENT EDITION)
2. UTILITY SEPARATION REQUIREMENTS:
 - a) A DISTANCE OF 100' SHALL BE MAINTAINED BETWEEN SANITARY SEWER & ANY PRIVATE OR PUBLIC WATER SUPPLY SOURCE SUCH AS AN IMPOUNDED RESERVOIR USED AS A SOURCE OF DRINKING WATER. IF ADEQUATE LATERAL SEPARATION CANNOT BE ACHIEVED, FERROUS SANITARY SEWER PIPE SHALL BE SPECIFIED & INSTALLED TO WATERLINE SPECIFICATIONS. HOWEVER, THE MINIMUM SEPARATION SHALL NOT BE LESS THAN 25' FROM A PRIVATE WELL OR 50' FROM A PUBLIC WELL.
 - b) WHEN INSTALLING WATER &/OR SEWER MAINS, THE HORIZONTAL SEPARATION BETWEEN UTILITIES SHALL BE 10'. IF THIS SEPARATION CANNOT BE MAINTAINED DUE TO EXISTING CONDITIONS, THE VARIATION ALLOWED IS THE WATER MAIN IN A SEPARATE TRENCH WITH THE ELEVATION OF THE WATER MAIN AT LEAST 18" ABOVE THE TOP OF THE SEWER & MUST BE APPROVED BY THE PUBLIC UTILITIES DIRECTOR. ALL DISTANCES ARE MEASURED FROM OUTSIDE DIAMETER TO OUTSIDE DIAMETER
 - c) WHERE IT IS IMPOSSIBLE TO OBTAIN PROPER SEPARATION, OR ANYTIME A SANITARY SEWER PASSES OVER A WATERMAIN, DIP MATERIALS OR STEEL ENCASUREMENT EXTENDED 10' ON EACH SIDE OF CROSSING MUST BE SPECIFIED & INSTALLED TO WATERLINE SPECIFICATIONS
 - d) 5.0' MINIMUM HORIZONTAL SEPARATION IS REQUIRED BETWEEN ALL SANITARY SEWER & STORM SEWER FACILITIES, UNLESS DIP MATERIAL IS SPECIFIED FOR SANITARY SEWER
 - e) MAINTAIN 18" MIN. VERTICAL SEPARATION AT ALL WATERMAIN & RCP STORM DRAIN CROSSINGS; MAINTAIN 24" MIN. VERTICAL SEPARATION AT ALL SANITARY SEWER & RCP STORM DRAIN CROSSINGS. WHERE ADEQUATE SEPARATIONS CANNOT BE ACHIEVED, SPECIFY DIP MATERIALS & A CONCRETE CRADLE HAVING 6" MIN. CLEARANCE (PER CORPUD DETAILS W-41 & S-49)
 - f) ALL OTHER UNDERGROUND UTILITIES SHALL CROSS WATER & SEWER FACILITIES WITH 18" MIN. VERTICAL SEPARATION REQUIRED
3. ANY NECESSARY FIELD REVISIONS ARE SUBJECT TO REVIEW & APPROVAL OF AN AMENDED PLAN &/OR PROFILE BY THE CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT PRIOR TO CONSTRUCTION
4. CONTRACTOR SHALL MAINTAIN CONTINUOUS WATER & SEWER SERVICE TO EXISTING RESIDENCES & BUSINESSES THROUGHOUT CONSTRUCTION OF PROJECT. ANY NECESSARY SERVICE INTERRUPTIONS SHALL BE PRECEDED BY A 24 HOUR ADVANCE NOTICE TO THE CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT
5. 3.0' MINIMUM COVER IS REQUIRED ON ALL WATER MAINS & SEWER FORCEMAINS. 4.0' MINIMUM COVER IS REQUIRED ON ALL REUSE MAINS
6. IT IS THE DEVELOPER'S RESPONSIBILITY TO ABANDON OR REMOVE EXISTING WATER & SEWER SERVICES NOT BEING USED IN REDEVELOPMENT OF A SITE UNLESS OTHERWISE DIRECTED BY THE CITY OF RALEIGH PUBLIC UTILITIES DEPARTMENT. THIS INCLUDES ABANDONING TAP AT MAIN & REMOVAL OF SERVICE FROM ROW OR EASEMENT PER CORPUD HANDBOOK PROCEDURE
7. INSTALL 3/4" COPPER WATER SERVICES WITH METERS LOCATED AT ROW OR WITHIN A 2'X2' WATERLINE EASEMENT IMMEDIATELY ADJACENT. NOTE: IT IS THE APPLICANT'S RESPONSIBILITY TO PROPERLY SIZE THE WATER SERVICE FOR EACH CONNECTION TO PROVIDE ADEQUATE FLOW & PRESSURE
8. INSTALL 4" PVC SEWER SERVICES @ 1.0% MINIMUM GRADE WITH CLEANOUTS LOCATED AT ROW OR EASEMENT LINE & SPACED EVERY 75' LINEAR FEET MAXIMUM
9. PRESSURE REDUCING VALVES ARE REQUIRED ON ALL WATER SERVICES EXCEEDING 80 PSI; BACKWATER VALVES ARE REQUIRED ON ALL SANITARY SEWER SERVICES HAVING BUILDING DRAINS LOWER THAN 1.0' ABOVE THE NEXT UPSTREAM MANHOLE
10. ALL ENVIRONMENTAL PERMITS APPLICABLE TO THE PROJECT MUST BE OBTAINED FROM NCDWQ, USACE &/OR FEMA FOR ANY RIPARIAN BUFFER, WETLAND &/OR FLOODPLAIN IMPACTS (RESPECTIVELY) PRIOR TO CONSTRUCTION.
11. NCDOT / RAILROAD ENCROACHMENT AGREEMENTS ARE REQUIRED FOR ANY UTILITY WORK (INCLUDING MAIN EXTENSIONS & SERVICE TAPS) WITHIN STATE OR RAILROAD ROW PRIOR TO CONSTRUCTION
12. GREASE INTERCEPTOR / OIL WATER SEPARATOR SIZING CALCULATIONS & INSTALLATION SPECIFICATIONS SHALL BE APPROVED BY THE CORPUD FOG PROGRAM COORDINATOR PRIOR TO ISSUANCE OF A BUILDING PERMIT. CONTACT TIM BEASLEY AT (919) 996-2334 OR TIMOTHY BEASLEY@RALEIGHNC.GOV FOR MORE INFORMATION
13. CROSS-CONNECTION CONTROL PROTECTION DEVICES ARE REQUIRED BASED ON DEGREE OF HEALTH HAZARD INVOLVED AS LISTED IN APPENDIX B OF THE RULES GOVERNING PUBLIC WATER SYSTEMS IN NORTH CAROLINA. THESE GUIDELINES ARE THE MINIMUM REQUIREMENTS. THE DEVICES SHALL MEET AMERICAN SOCIETY OF SANITARY ENGINEERING (ASSE) STANDARDS OR BE ON THE UNIVERSITY OF SOUTHERN CALIFORNIA APPROVAL LIST. THE DEVICES SHALL BE INSTALLED AND TESTED (BOTH INITIAL AND PERIODIC TESTING THEREAFTER) IN ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS OR THE LOCAL CROSS-CONNECTION CONTROL PROGRAM, WHICHEVER IS MORE STRINGENT. CONTACT JOANIE HARTLEY AT (919) 996-5923 OR JOANIE.HARTLEY@RALEIGHNC.GOV FOR MORE INFORMATION



- UTILITY SEPARATION NOTES:**
1. WHEN INSTALLING WATER &/OR SEWER MAINS, THE HORIZONTAL SEPARATION BETWEEN UTILITIES SHALL BE 10'. IF SEPARATION CANNOT BE MAINTAINED DUE TO EXISTING CONDITIONS, THE VARIATION ALLOWED IS THE WATER MAIN IN A SEPARATE TRENCH WITH THE ELEVATION OF THE WATER MAIN AT LEAST 18" ABOVE THE TOP OF THE SEWER & MUST BE APPROVED BY THE PUBLIC UTILITIES DIRECTOR. ALL DISTANCES ARE MEASURED FROM OUTSIDE DIAMETER TO OUTSIDE DIAMETER.
 2. WHERE IT IS IMPOSSIBLE TO OBTAIN PROPER SEPARATION, OR ANYTIME A SANITARY SEWER PASSES OVER A WATER MAIN, DIP MATERIALS OR STEEL ENCASUREMENT EXTENDED 10' ON EACH SIDE OF CROSSING MUST BE SPECIFIED & INSTALLED TO WATERLINE SPECIFICATIONS.
 3. 5.0' MINIMUM HORIZONTAL SEPARATION IS REQUIRED BETWEEN ALL SANITARY SEWER & STORM SEWER FACILITIES, UNLESS DIP MATERIAL IS SPECIFIED FOR SANITARY SEWER.
 4. MAINTAIN 18" MINIMUM VERTICAL SEPARATION AT ALL WATERMAIN & RCP STORM DRAINAGE CROSSINGS; MAINTAIN 24" MINIMUM VERTICAL SEPARATION AT ALL SANITARY SEWER & RCP STORM DRAIN CROSSINGS.
 5. ALL OTHER UNDERGROUND UTILITIES SHALL CROSS WATER & SEWER FACILITIES WITH 18" MINIMUM VERTICAL SEPARATION REQUIRED

ALL CONSTRUCTION TO BE IN ACCORDANCE WITH ALL TOWN OF ZEBULON, CITY OF RALEIGH, AND NCDOT STANDARDS, SPECIFICATIONS, AND DETAILS.

THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 | FAX 919.833.8124 | www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE	REVISION DESCRIPTION
01/15/2024 <td></td>	

DESIGNED BY
E. ANGE

CHECKED BY
B. BLACKMON

SCALE
1" = 150'

TIMMONS GROUP


NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA

OVERALL UTILITY PLAN

JOB NO.	49084
SHEET NO.	C3.0

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.




ALL CONSTRUCTION TO BE IN ACCORDANCE WITH ALL TOWN OF ZEBULON, CITY OF RALEIGH, AND NCDOT STANDARDS, SPECIFICATIONS, AND DETAILS.

LEGEND

	PROPERTY LINE
	ADJACENT PROPERTY LINE
	PERIMETER BUFFER
	PROPOSED RIGHT-OF-WAY
	PROPOSED LOT LINE
	DRAINAGE EASEMENT
	SANITARY SEWER EASEMENT
	EXISTING WETLANDS
	NEUSE RIPARIAN BUFFER
	ACTIVE OPEN SPACE
	PASSIVE OPEN SPACE
	PHASE LINE
	PUBLIC GREEN WAY
	PAVED PRIVATE TRAIL

UTILITY LEGEND

	FORCEMAIN
	SANITARY SEWER
	SANITARY MANHOLE
	EXISTING SAN. SEWER
	EXISTING SAN. MANHOLE
	PROPOSED WATERMAIN
	EXISTING WATERMAIN
	WATER VALVE
	FIRE HYDRANT
	BLOWOFF ASSEMBLY



THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.9511 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE
01/15/2024

DRAWN BY
331

DESIGNED BY
E. ANGE

CHECKED BY
B. BLACKMON

SCALE
1" = 60'

TIMMONS GROUP

NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA

DETAILED UTILITY PLAN SHEET 1 OF 4

JOB NO.
49084


SHEET NO.
C3.1

REVISION DESCRIPTION

DATE

YOUR VISION ACHIEVED THROUGH OURS.

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.




LEGEND

- PROPERTY LINE
- ADJACENT PROPERTY LINE
- PERIMETER BUFFER
- PROPOSED RIGHT-OF-WAY
- PROPOSED LOT LINE
- DRAINAGE EASEMENT
- SANITARY SEWER EASEMENT
- EXISTING WETLANDS
- NEUSE RIPARIAN BUFFER
- ACTIVE OPEN SPACE
- PASSIVE OPEN SPACE
- PHASE LINE
- PUBLIC GREEN WAY
- PAVED PRIVATE TRAIL

UTILITY LEGEND

- SAN FORCEMAIN
- SANITARY SEWER
- SANITARY MANHOLE
- EXISTING SAN. SEWER
- EXISTING SAN. MANHOLE
- W PROPOSED WATERMAIN
- EXISTING WATERMAIN
- WATER VALVE
- FIRE HYDRANT
- BLOWOFF ASSEMBLY

ALL CONSTRUCTION TO BE IN ACCORDANCE WITH ALL TOWN OF ZEBULON, CITY OF RALEIGH, AND NCDOT STANDARDS, SPECIFICATIONS, AND DETAILS.



THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.


DATE
01/15/2024
DRAWN BY
331
DESIGNED BY
E. ANGE
CHECKED BY
B. BLACKMON
SCALE
1" = 60'

TIMMONS GROUP
NORTH CAROLINA LICENSE NO. C-1652


ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA
DETAILED UTILITY PLAN SHEET 3 OF 4

JOB NO.
49084
SHEET NO.
C3.3

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.



S:\331\49084-Zebulon_South DMG Sheet\Master Plan\49084-331-C3.C-UTILITY PLAN.dwg | Plotted by Beth Blackmon



LEGEND

	PROPERTY LINE
	ADJACENT PROPERTY LINE
	PERIMETER BUFFER
	PROPOSED RIGHT-OF-WAY
	PROPOSED LOT LINE
	DRAINAGE EASEMENT
	SANITARY SEWER EASEMENT
	EXISTING WETLANDS
	NEUSE RIPARIAN BUFFER
	ACTIVE OPEN SPACE
	PASSIVE OPEN SPACE
	PHASE LINE
	PUBLIC GREEN WAY
	PAVED PRIVATE TRAIL

UTILITY LEGEND

	FORCEMAIN
	SANITARY SEWER
	SANITARY MANHOLE
	EXISTING SAN. SEWER
	EXISTING SAN. MANHOLE
	PROPOSED WATERMAIN
	EXISTING WATERMAIN
	WATER VALVE
	FIRE HYDRANT
	BLOWOFF ASSEMBLY

ALL CONSTRUCTION TO BE IN ACCORDANCE WITH ALL TOWN OF ZEBULON, CITY OF RALEIGH, AND NCDOT STANDARDS, SPECIFICATIONS, AND DETAILS.

THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE
01/15/2024
DRAWN BY
331
DESIGNED BY
E. ANGE
CHECKED BY
B. BLACKMON
SCALE
1" = 60'

TIMMONS GROUP
NORTH CAROLINA LICENSE NO. C-1652


ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA
DETAILED UTILITY PLAN SHEET 4 OF 4

JOB NO.
49084
SHEET NO.
C3.4

REVISION DESCRIPTION	DATE


These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.

S:\3149084-Zebulon_South DMC Street Master Plan 49084-331-C4.0-STRM.dwg | Plotted by Beth Blackmon



LEGEND

- PROPERTY LINE
- ADJACENT PROPERTY LINE
- PERIMETER BUFFER
- PROPOSED RIGHT-OF-WAY
- PROPOSED LOT LINE
- DRAINAGE EASEMENT
- SANITARY SEWER EASEMENT
- EXISTING WETLANDS
- NEUSE RIPARIAN BUFFER
- PHASE LINE
- PUBLIC GREEN WAY
- PAVED PRIVATE TRAIL
- LIMITS OF DISTURBANCE



THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.9511 FAX 919.833.8124 www.timmons.com

DATE	REVISION DESCRIPTION
01/15/2024	YOUR VISION ACHIEVED THROUGH OURS.

DATE	01/15/2024
DRAWN BY	331
DESIGNED BY	E. ANGE
CHECKED BY	B. BLACKMON
SCALE	1" = 150'

TIMMONS GROUP


NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA

OVERAL GRADING & DRAINAGE PLAN


JOB NO. 49084
SHEET NO. C4.0

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.



LEGEND

- PROPERTY LINE
- ADJACENT PROPERTY LINE
- PERIMETER BUFFER
- PROPOSED RIGHT-OF-WAY
- PROPOSED LOT LINE
- DRAINAGE EASEMENT
- SANITARY SEWER EASEMENT
- EXISTING WETLANDS
- NEUSE RIPARIAN BUFFER
- PHASE LINE
- PUBLIC GREEN WAY
- PAVED PRIVATE TRAIL
- LIMITS OF DISTURBANCE



S:\331\49084-Zebulon_South DMG Street Master Plan 49084-331-C4.0-STRM.dwg | Plotted by Beth Blackmon

THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE
01/15/2024

DRAWN BY
331

DESIGNED BY
E. ANGE

CHECKED BY
B. BLACKMON

SCALE
1" = 60'

TIMMONS GROUP

NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA


DETAILED GRADING & DRAINAGE PLAN SHEET 1 OF 4

JOB NO.
49084

SHEET NO.
C4.1


REVISION DESCRIPTION	DATE

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.



LEGEND

- PROPERTY LINE
- ADJACENT PROPERTY LINE
- PERIMETER BUFFER
- PROPOSED RIGHT-OF-WAY
- PROPOSED LOT LINE
- DRAINAGE EASEMENT
- SANITARY SEWER EASEMENT
- EXISTING WETLANDS
- NEUSE RIPARIAN BUFFER
- PHASE LINE
- PUBLIC GREEN WAY
- PAVED PRIVATE TRAIL
- LIMITS OF DISTURBANCE



TIMMONS GROUP

NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH

751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA

DETAILED GRADING & DRAINAGE PLAN SHEET 2 OF 4

JOB NO. 49084


SHEET NO. C4.2

YOUR VISION ACHIEVED THROUGH OURS.	REVISION DESCRIPTION
DATE	DATE
DRAWN BY	DATE
DESIGNED BY	DRAWN BY
CHECKED BY	DESIGNED BY
SCALE	CHECKED BY
1" = 60'	SCALE
1" = 60'	1" = 60'

THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.833.8124 www.timmons.com


YOUR VISION ACHIEVED THROUGH OURS.

S:\331\49084-Zebulon_South\DWG\Sheet\Master_Plan_49084-331-C4.0-STRM.dwg | Plotted by Beth Blackmon



LEGEND

	PROPERTY LINE
	ADJACENT PROPERTY LINE
	PERIMETER BUFFER
	PROPOSED RIGHT-OF-WAY
	PROPOSED LOT LINE
	DRAINAGE EASEMENT
	SANITARY SEWER EASEMENT
	EXISTING WETLANDS
	NEUSE RIPARIAN BUFFER
	PHASE LINE
	PUBLIC GREEN WAY
	PAVED PRIVATE TRAIL
	LIMITS OF DISTURBANCE



THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
 5410 Trinity Road, Suite 102 | Raleigh, NC 27607
 TEL 919.866.4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

REVISION DESCRIPTION	DATE

DATE	01/15/2024
DRAWN BY	331
DESIGNED BY	E. ANGE
CHECKED BY	B. BLACKMON
SCALE	1" = 60'

TIMMONS GROUP

NORTH CAROLINA LICENSE NO. C-1652



ZEBULON SOUTH
 751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA

DETAILED GRADING & DRAINAGE PLAN SHEET 3 OF 4

JOB NO.	49084
SHEET NO.	C4.3

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.

S:\331\49084-Zebulon_South DMC Street Master Plan 49084-331-C4.3-STRM.dwg | Plotted by Beth Blackmon



THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE
01/15/2024
DRAWN BY
331
DESIGNED BY
E. ANGE
CHECKED BY
B. BLACKMON
SCALE
1" = 60'

TIMMONS GROUP

NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA
DETAILED GRADING & DRAINAGE PLAN SHEET 4 OF 4

REVISION DESCRIPTION

DATE

DATE



DATE

DATE

DATE

JOB NO.
49084
SHEET NO.
C4.4

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.




LEGEND


- PROPERTY LINE
- ADJACENT PROPERTY LINE
- PERIMETER BUFFER
- PROPOSED RIGHT-OF-WAY
- PROPOSED LOT LINE
- DRAINAGE EASEMENT
- SANITARY SEWER EASEMENT
- EXISTING WETLANDS
- NEUSE RIPARIAN BUFFER
- PUBLIC GREEN WAY
- PAVED PRIVATE TRAIL

STREET TREE PLANT SCHEDULE

SYMBOL	QTY	BOTANICAL NAME	COMMON NAME	MINIMUM INSTALLED SIZE
	96	ACER SACCHARUM 'LEGACY'	SUGAR MAPLE	2.5" CAL.
	94	FRAXINUS AMERICANA	WHITE ASH	2.5" CAL.
	113	CARPINUS BETULUS 'FASTIGIATA'	FASTIGIATA EUROPEAN HORNBEEAM	2.5" CAL.
	95	NYSSA SYLVATICA	BLACK TUPELO	2.5" CAL.
	92	QUERCUS LYRATA	OVERCUP OAK	2.5" CAL.



TYPICAL FOUNDATION PLANTING DETAIL
EVERGREEN SHRUBS OR DECORATIVE GRASSES WITH A MIN. HEIGHT OF 18" SHALL BE LOCATED WITHIN 10' OF ANY BUILDING FOUNDATION WALL VISIBLE FROM A PUBLIC STREET, EXCLUDING ALLEYS.



S:\3149084-Zebulon_South DMC Street Master Plan 49084-331-C5-C-PLNT.dwg | Plotted by Beth Blackmon



TIMMONS GROUP

NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH

751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA

OVERALL LANDSCAPE PLAN

JOB NO. 49084

SHEET NO. C5.0


THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.


REVISION DESCRIPTION

DATE	DESCRIPTION
01/15/2024	

S:\31\49084-Zebulon_South DMC Sheet Master Plan 49084-331-C5-C-PLNT.dwg | Plotted by Beth Blackmon



MODIFIED TYPE D STREETScape BUFFER
FOR S ARENDELL AVE:
100% EVERGREEN SHRUBS
75% EVERGREEN UNDERSTORY TREES



LEGEND

	PROPERTY LINE
	ADJACENT PROPERTY LINE
	PERIMETER BUFFER
	PROPOSED RIGHT-OF-WAY
	PROPOSED LOT LINE
	DRAINAGE EASEMENT
	SANITARY SEWER EASEMENT
	EXISTING WETLANDS
	NEUSE RIPARIAN BUFFER
	PUBLIC GREEN WAY
	PAVED PRIVATE TRAIL

DEDICATION OF LAND FOR FIRE STATION
108,104 SF
2.48 AC



THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE	01/15/2024
DRAWN BY	331
DESIGNED BY	E. ANGE
CHECKED BY	B. BLACKMON
SCALE	1" = 60'



TIMMONS GROUP

NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA
DETAILED LANDSCAPE PLAN SHEET 1 OF 4

JOB NO.	49084
SHEET NO.	C5.1

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.



LEGEND

	PROPERTY LINE
	ADJACENT PROPERTY LINE
	PERIMETER BUFFER
	PROPOSED RIGHT-OF-WAY
	PROPOSED LOT LINE
	DRAINAGE EASEMENT
	SANITARY SEWER EASEMENT
	EXISTING WETLANDS
	NEUSE RIPARIAN BUFFER
	PUBLIC GREEN WAY
	PAVED PRIVATE TRAIL



THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE: 01/15/2024
DRAWN BY: 331
DESIGNED BY: E. ANGE
CHECKED BY: B. BLACKMON
SCALE: 1" = 60'

TIMMONS GROUP
NORTH CAROLINA LICENSE NO. C-1652



ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA
DETAILED LANDSCAPE PLAN SHEET 2 OF 4

JOB NO. 49084
SHEET NO. C5.2

REVISION DESCRIPTION

S:\331\49084-Zebulon_South DMC Sheet Master Plan_49084-331-C5.dwg | Plotted by Beth Blackmon

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.



LEGEND

	PROPERTY LINE
	ADJACENT PROPERTY LINE
	PERIMETER BUFFER
	PROPOSED RIGHT-OF-WAY
	PROPOSED LOT LINE
	DRAINAGE EASEMENT
	SANITARY SEWER EASEMENT
	EXISTING WETLANDS
	NEUSE RIPARIAN BUFFER
	PUBLIC GREEN WAY
	PAVED PRIVATE TRAIL



THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE
01/15/2024

DRAWN BY
331

DESIGNED BY
E. ANGE

CHECKED BY
B. BLACKMON

SCALE
1" = 60'

TIMMONS GROUP

NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA



DETAILED LANDSCAPE PLAN SHEET 3 OF 4

JOB NO.
49084

SHEET NO.
C5.3

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.

S:\331\49084-Zebulon_South\DMC\Sheet\Master Plan\49084-331-C5.C-PLN1.dwg | Plotted by Beth Blackmon



LEGEND

	PROPERTY LINE
	ADJACENT PROPERTY LINE
	PERIMETER BUFFER
	PROPOSED RIGHT-OF-WAY
	PROPOSED LOT LINE
	DRAINAGE EASEMENT
	SANITARY SEWER EASEMENT
	EXISTING WETLANDS
	NEUSE RIPARIAN BUFFER
	PUBLIC GREEN WAY
	PAVED PRIVATE TRAIL



THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866-4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE	REVISION DESCRIPTION
01/15/2024 <td></td>	

DRAWN BY
331

DESIGNED BY
E. ANGE

CHECKED BY
B. BLACKMON

SCALE
1" = 60'

TIMMONS GROUP


NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA

DETAILED LANDSCAPE PLAN SHEET 4 OF 4

JOB NO.	49084
SHEET NO.	C5.4

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.




LEGEND

- PROPERTY LINE
- ADJACENT PROPERTY LINE
- PERIMETER BUFFER
- PROPOSED RIGHT-OF-WAY
- PROPOSED LOT LINE
- DRAINAGE EASEMENT
- SANITARY SEWER EASEMENT
- EXISTING WETLANDS
- NEUSE RIPARIAN BUFFER
- ACTIVE OPEN SPACE
- PASSIVE OPEN SPACE
- PUBLIC GREEN WAY
- PAVED PRIVATE TRAIL

LIGHTING LEGEND

- LED STREET LIGHTS (7,000 LUMENS LED 75 ROADWAY LIGHT)
- ALUMINUM POLE - HEIGHT 30'



1 FIXTURE 'A' DETAIL
SCALE: N.T.S.

Outdoor Lighting

MITCHELL TOP HAT LED

Light source: LED (white)
Wattage: 50 watts
Lumens: 5,463
Light pattern: ESNA Type III | Type V
IESNA cutoff classification: Semi-cutoff
BUG rating: Type III B2USG3 | Type V B3USG3
Color temperature: 3,000K | 4,000K

POLE AVAILABLE	MOUNTING HEIGHT	COLOR
Aluminum	12'	Black
Colored concrete	12'	Black
Victorian concrete	12'	Black, Gray-green
Washington concrete	12'	Black, Gray

FEATURES

- Turnkey operation
- Little or no installation cost
- Design services by lighting professionals included
- Maintenance, electricity & warranty included
- One low monthly cost on your electric bill

BENEFITS

- Provides hands-free installation and service
- Frees up capital for other projects
- Meets industry standards and lighting ordinances
- Eliminates high and unexpected repair bills
- Convenience and savings for you

For additional information, contact us at 800.444.ENERGY or visit www.dukeenergy.com

THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 | FAX 919.833.8124 | www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE: 01/15/2024
DRAWN BY: 331
DESIGNED BY: E. ANGE
CHECKED BY: B. BLACKMON
SCALE: 1" = 150'

TIMMONS GROUP
NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA

LIGHTING PLAN

JOB NO. 49084
SHEET NO. C6.0

Page 73


LEGEND

- PROPERTY LINE
- - - ADJACENT PROPERTY LINE
- PERIMETER BUFFER
- PROPOSED RIGHT-OF-WAY
- PROPOSED LOT LINE
- DRAINAGE EASEMENT
- SANITARY SEWER EASEMENT
- EXISTING WETLANDS
- NEUSE RIPARIAN BUFFER
- PUBLIC GREEN WAY
- PAVED PRIVATE TRAIL

SCALE 1"=150'

0 150' 300'

83 QVN



SIGN LEGEND

- ALL SITE SIGNAGE SHALL BE IN ACCORDANCE WITH THE CURRENT MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND NCDOT STANDARDS.

SIGN	MUTCD STD.	SIZE
STOP	R1-1	30"x30"
25 MPH	R2-1	24"x30"
ROAD CLOSED	R11-2	48"x30"
STREET NAME	D3-1	VARIES"x12"
PEDESTRIAN CROSSING	W11-2	30"
PEDESTRIAN CROSSING	W16-7P	30"
- ALL SIGNS SHALL BE MOUNTED WITH 7-FT MIN. VERTICAL CLEARANCE TO THE BOTTOM OF THE SIGN ON 3-LB. GALV. STEEL U-CHANNEL POST SET IN 3-FT DEEP x 12-IN DIA. CONCRETE FOOTING.
- ALL SIGNAGE SHALL BE FIELD STAKED AND THE LOCATIONS APPROVED BY THE TOWN OF ZEBULON AND/OR NCDOT PRIOR TO SIGN INSTALLATION.
- CONTRACTOR SHALL PROVIDE TRAFFIC CONTROL AS REQUIRED BY THE TOWN OF ZEBULON THE CURRENT MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND ALL NCDOT STANDARDS AND SPECIFICATIONS.

S:\31\49084-Zebulon_South DMC Street Master Plan 49084-331-C7.0-STRP.dwg | Plotted by Beth Blackmon



THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE	REVISION DESCRIPTION
01/15/2024 <td></td>	

DRAWN BY
331

DESIGNED BY
E. ANGE

CHECKED BY
B. BLACKMON

SCALE
1" = 150'

TIMMONS GROUP

NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA


OVERALL SIGNS & MARKINGS PLAN

JOB NO.
49084

SHEET NO.
C7.0

Page 74

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.




SIGN LEGEND

- ALL SITE SIGNAGE SHALL BE IN ACCORDANCE WITH THE CURRENT MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND NCDOT STANDARDS.
 - ALL SIGNS SHALL BE MOUNTED WITH 7-FT MIN. VERTICAL CLEARANCE TO THE BOTTOM OF THE SIGN ON 3/4" GALV. STEEL U-CHEMEL POST SET IN 3-FT DEEP x 12-IN DIA. CONCRETE FOOTING.
 - ALL SIGNAGE SHALL BE FIELD STAKED AND THE LOCATIONS APPROVED BY THE TOWN OF ZEBULON AND/OR NCDOT PRIOR TO SIGN INSTALLATION.
 - CONTRACTOR SHALL PROVIDE TRAFFIC CONTROL AS REQUIRED BY THE TOWN OF ZEBULON THE CURRENT MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND ALL NCDOT STANDARDS AND SPECIFICATIONS.
- | SIGN | MUTCD STD. | SIZE |
|---------------------|------------|------------|
| STOP | R1-1 | 30"x30" |
| 25 MPH | R2-1 | 24"x30" |
| ROAD CLOSED | R11-2 | 48"x30" |
| STREET NAME | O3-1 | VARIES*12" |
| PEDESTRIAN CROSSING | W11-2 | 30" |
| PEDESTRIAN CROSSING | W16-7P | 30" |

LEGEND

- PROPERTY LINE
- ADJACENT PROPERTY LINE
- PERIMETER BUFFER
- PROPOSED RIGHT-OF-WAY
- PROPOSED LOT LINE
- DRAINAGE EASEMENT
- SANITARY SEWER EASEMENT
- EXISTING WETLANDS
- NEUSE RIPARIAN BUFFER
- PUBLIC GREEN WAY
- PAVED PRIVATE TRAIL



THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
 5410 Trinity Road, Suite 102 | Raleigh, NC 27607
 TEL 919.866.9951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DESIGNED BY
E. ANGE

CHECKED BY
B. BLACKMON

SCALE
1" = 60'

TIMMONS GROUP
 NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
 751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA
DETAILED SIGNS & MARKINGS PLAN SHEET 1 OF 4


JOB NO.
49084

SHEET NO.
C7.1

DATE	REVISION DESCRIPTION
01/15/2024 <td></td>	

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.


S:\331\49084-Zebulon_South\DMC\Sheet\Master Plan\49084-331-C7.0-STRP.dwg | Plotted by Beth Blackmon



SIGN LEGEND

- ALL SITE SIGNAGE SHALL BE IN ACCORDANCE WITH THE CURRENT MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND NCDOT STANDARDS.

SIGN	MUTCD STD.	SIZE
STOP	R1-1	30"x30"
25 MPH	R2-1	24"x30"
ROAD CLOSED	R11-2	48"x30"
STREET NAME	D3-1	VARIES"x12"
PEDESTRIAN CROSSING	W11-2	30"
PEDESTRIAN CROSSING	W16-7P	30"
- ALL SIGNS SHALL BE MOUNTED WITH 7-FT MIN. VERTICAL CLEARANCE TO THE BOTTOM OF THE SIGN ON S.L.B. GALV. STEEL U-CHANNEL POST SET IN 3-FT DEEP x 12-IN DIA. CONCRETE FOOTING.
- ALL SIGNAGE SHALL BE FIELD STAKED AND THE LOCATIONS APPROVED BY THE TOWN OF ZEBULON AND/OR NCDOT PRIOR TO SIGN INSTALLATION.
- CONTRACTOR SHALL PROVIDE TRAFFIC CONTROL AS REQUIRED BY THE TOWN OF ZEBULON THE CURRENT MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND ALL NCDOT STANDARDS AND SPECIFICATIONS.



LEGEND

- PROPERTY LINE
- ADJACENT PROPERTY LINE
- PERIMETER BUFFER
- PROPOSED RIGHT-OF-WAY
- PROPOSED LOT LINE
- DRAINAGE EASEMENT
- SANITARY SEWER EASEMENT
- EXISTING WETLANDS
- NEUSE RIPARIAN BUFFER
- PUBLIC GREEN WAY
- PAVED PRIVATE TRAIL

SCALE 1"=60'

811 Know what's below. Call before you dig.

THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE: 01/15/2024
DRAWN BY: 331
DESIGNED BY: E. ANGE
CHECKED BY: B. BLACKMON
SCALE: 1" = 60'


TIMMONS GROUP
NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA

DETAILED SIGNS & MARKINGS PLAN SHEET 2 OF 4

JOB NO. 49084
SHEET NO. C7.2

Page 76



LEGEND

- PROPERTY LINE
- ADJACENT PROPERTY LINE
- PERIMETER BUFFER
- PROPOSED RIGHT-OF-WAY
- PROPOSED LOT LINE
- DRAINAGE EASEMENT
- SANITARY SEWER EASEMENT
- EXISTING WETLANDS
- NEUSE RIPARIAN BUFFER
- PUBLIC GREEN WAY
- PAVED PRIVATE TRAIL

SIGN LEGEND

- ALL SITE SIGNAGE SHALL BE IN ACCORDANCE WITH THE CURRENT MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND NCDOT STANDARDS.

SIGN	MUTCD STD.	SIZE
STOP	R1-1	30"x30"
25 MPH	R2-1	24"x30"
ROAD CLOSED	R11-2	48"x30"
STREET NAME	D3-1	VARIES"x12"
PEDESTRIAN CROSSING	W11-2	30"
PEDESTRIAN CROSSING	W16-7P	30"
- ALL SIGNS SHALL BE MOUNTED WITH 7 FT MIN. VERTICAL CLEARANCE TO THE BOTTOM OF THE SIGN ON 3-LB. GALV. STEEL U-CHANNEL POST SET IN 3-FT DEEP x 12-IN DIA. CONCRETE FOOTING.
- ALL SIGNAGE SHALL BE FIELD STAKED AND THE LOCATIONS APPROVED BY THE TOWN OF ZEBULON AND/OR NCDOT PRIOR TO SIGN INSTALLATION.
- CONTRACTOR SHALL PROVIDE TRAFFIC CONTROL AS REQUIRED BY THE TOWN OF ZEBULON THE CURRENT MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND ALL NCDOT STANDARDS AND SPECIFICATIONS.

811 Know what's below. Call before you dig.

SCALE 1"=60'

0 60' 120'

68 QVN

THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE
01/15/2024

DRAWN BY
331

DESIGNED BY
E. ANGE

CHECKED BY
B. BLACKMON

SCALE
1" = 60'

TIMMONS GROUP

NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA

DETAILED SIGNS & MARKINGS PLAN SHEET 3 OF 4


JOB NO.
49084

SHEET NO.
C7.3

REVISION DESCRIPTION


S:\331\49084-Zebulon_South\DWG\Sheet\Master Plan\49084-331-C7.0-Strip.dwg | Plotted by Beth Blackmon

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.



LEGEND

	PROPERTY LINE
	ADJACENT PROPERTY LINE
	PERIMETER BUFFER
	PROPOSED RIGHT-OF-WAY
	PROPOSED LOT LINE
	DRAINAGE EASEMENT
	SANITARY SEWER EASEMENT
	EXISTING WETLANDS
	NEUSE RIPARIAN BUFFER
	PUBLIC GREEN WAY
	PAVED PRIVATE TRAIL



SIGN LEGEND

- ALL SITE SIGNAGE SHALL BE IN ACCORDANCE WITH THE CURRENT MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND NCDOT STANDARDS.

SIGN	MUTCD STD.	SIZE
STOP	R1-1	30"x30"
25 MPH	R2-1	24"x30"
ROAD CLOSED	R11-2	48"x30"
STREET NAME	D3-1	VARIES"x12"
PEDESTRIAN CROSSING	W11-2	30"
PEDESTRIAN CROSSING	W16-7P	30"

- ALL SIGNS SHALL BE MOUNTED WITH 7-FT MIN. VERTICAL CLEARANCE TO THE BOTTOM OF THE SIGN ON 3-LB. GALV. STEEL U-CHANNEL POST SET IN 3-FT DEEP x 12-IN DIA. CONCRETE FOOTING.
- ALL SIGNAGE SHALL BE FIELD STAKED AND THE LOCATIONS APPROVED BY THE TOWN OF ZEBULON AND/OR NCDOT PRIOR TO SIGN INSTALLATION.
- CONTRACTOR SHALL PROVIDE TRAFFIC CONTROL AS REQUIRED BY THE TOWN OF ZEBULON THE CURRENT MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND ALL NCDOT STANDARDS AND SPECIFICATIONS.



TIMMONS GROUP
NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA

DETAILED SIGNS & MARKINGS PLAN SHEET 4 OF 4

JOB NO. 49084
SHEET NO. C7.4

YOUR VISION ACHIEVED THROUGH OURS.

THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.933.8124 www.timmons.com


DATE	REVISION DESCRIPTION
01/15/2024	

DATE: 01/15/2024
DRAWN BY: 331
DESIGNED BY: E. ANGE
CHECKED BY: B. BLACKMON
SCALE: 1" = 60'

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.



POLLINATOR GARDEN AREA SCALE: 1"=30'



FIRE PIT AREA SCALE: 1"=30'



TOT-LOT AREA SCALE: 1"=30'



FOOD TRUCK AREA SCALE: 1"=30'

NOTE:
AMENITY CENTER AND POCKET PARK DESIGNS ARE CONCEPTUAL IN NATURE AND SUBJECT TO CHANGE BASED UPON FINAL DESIGN AND REVIEW. ELEMENTS SHOWN ARE INTENDED TO DEPICT POSSIBLE OPEN SPACE CONFIGURATIONS AND ARRANGEMENT OF SITE ELEMENTS.

THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.	REVISION DESCRIPTION
DATE	
01/15/2024	
DRAWN BY	
331	
DESIGNED BY	
E. ANGE	
CHECKED BY	
B. BLACKMON	
SCALE	
AS SHOWN	

TIMMONS GROUP

NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA

DETAILED AMENITY PLAN

JOB NO.	49084
SHEET NO.	C8.0

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.

S:\331\49084-Zebulon_South\DWG\Sheet\Master Plan\49084-331-C8.0-AMENITY.dwg | Plotted by Justin Smith



CLUBHOUSE AREA SCALE: 1"=30'



DOG PARK AREA SCALE: 1"=40'

NOTE:
AMENITY CENTER AND POCKET PARK DESIGNS ARE CONCEPTUAL IN NATURE AND SUBJECT TO CHANGE BASED UPON FINAL DESIGN AND REVIEW. ELEMENTS SHOWN ARE INTENDED TO DEPICT POSSIBLE OPEN SPACE CONFIGURATIONS AND ARRANGEMENT OF SITE ELEMENTS.

S:\331\49084-Zebulon_South\DWG\Sheet\Master Plan\49084-331-C8.0-AMENITY.dwg | Plotted by Justin Smith

THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE
01/15/2024

DRAWN BY
331

DESIGNED BY
E. ANGE

CHECKED BY
B. BLACKMON

SCALE
AS SHOWN

TIMMONS GROUP

NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA

DETAILED AMENITY PLAN

REVISION DESCRIPTION

DATE

JOB NO.
49084

SHEET NO.
C8.1

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.



THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866.4951 FAX 919.833.8124 www.timmons.com

YOUR VISION ACHIEVED THROUGH OURS.

DATE	01/15/2024
DRAWN BY	331
DESIGNED BY	E. ANGE
CHECKED BY	B. BLACKMON
SCALE	N/A

TIMMONS GROUP
NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH
751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA

SINGLE FAMILY CONCEPTUAL ELEVATIONS

JOB NO.	49084
SHEET NO.	C9.1

These plans and associated documents are the exclusive property of TIMMONS GROUP and may not be reproduced in whole or in part and shall not be used for any purpose whatsoever, inclusive, but not limited to construction, bidding, and/or construction staking without the express written consent of TIMMONS GROUP.

S:\331\49084-Zebulon\DWG\Sheet\Master Plan\49084-331-C0.C-COVR.dwg | Plotted by Beth Blackmon



TIMMONS GROUP

NORTH CAROLINA LICENSE NO. C-1652

ZEBULON SOUTH

751 S WAKEFIELD STREET, ZEBULON, WAKE COUNTY, NORTH CAROLINA

CONCEPTUAL AMENITY

JOB NO.
49084

SHEET NO.
C9.3

YOUR VISION ACHIEVED THROUGH OURS.

DATE	01/15/2024
DRAWN BY	331
DESIGNED BY	E. ANGE
CHECKED BY	B. BLACKMON
SCALE	N/A

REVISION DESCRIPTION

THIS DRAWING PREPARED AT THE
RALEIGH OFFICE
5410 Trinity Road, Suite 102 | Raleigh, NC 27607
TEL 919.866-4951 FAX 919.833-8124 www.timmons.com

ZEBULON SOUTH

Comprehensive Planned Development Document

715 S. Wakefield Street and S. Arendell Avenue
Zebulon, North Carolina



5410 Trinity Road
Suite 102
Raleigh, NC 27607

P 919.866.4951
F 919.859.5663
www.timmons.com

Zebulon South

Prepared For:

TOWN OF ZEBULON

November 2022

August 2023

November 2023

January 2024

Prepared By:

TIMMONS GROUP

5410 Trinity Road, Suite 102
Raleigh, NC 27607

PARKER POE

301 Fayetteville Street, Suite 1400
Raleigh, NC 27601

Developer:

DEACON DEVELOPMENT GROUP

PO Box 1080

Wake Forest, NC 27588

Timmons Group Project No. 49084

Copyright © 2023 by TIMMONS GROUP

All rights reserved. This document or any portion thereof may not be reproduced or used in any manner whatsoever without the express written consent of TIMMONS GROUP.



5410 Trinity Road
Suite 102
Raleigh, NC 27607

P 919.866.4951
F 919.859.5663
www.timmons.com

Table of Contents

1.0 Introduction.....	2
2.0 Vicinity Map.....	3
3.0 Permitted Uses	4
4.0 Design Controls.....	4
5.0 Architectural Standards.....	5
6.0 Parking and Loading	9
7.0 Signs.....	9
8.0 Infrastructure.....	9
8.1 Public Water	9
8.2 Sanitary Sewer	10
8.3 Streets and Alleys	10
8.4 Pedestrian Connectivity.....	10
9.0 Stormwater Management	10
10.0 Natural Resources and Environmental Data	11
11.0 Pocket Parks and Open Space	11
12.0 Homeowner’s Association	12
13.0 Residential Lot Landscaping	12
14.0 Consistency with Comprehensive Plan and Land Use Map.....	12
15.0 Compliance with the UDO	13
16.0 Preliminary Residential Plan Review	13
17.0 Additional Zoning Conditions	13
18.0 Fire Station Land Dedication	14

1.0 Introduction

Zebulon South is a proposed residential community utilizing the Town of Zebulon Planned Development Zoning as outlined in the Unified Development Ordinance (UDO). The assemblage is made up of three parcels with frontage on both S. Wakefield Street and S. Arendell Avenue. The total existing tract area is about 118.6 acres.

The development is bordered to the north by an existing solar farm. To the east across S. Arendell Avenue are existing single-family homes and a church. South and southeast of the property are existing single-family homes and agricultural fields as well as wooded properties. Existing single-family homes and agricultural fields are located west of the property.

Zebulon South PD will be a phased development of a high-quality master planned community that will provide a variety of housing types and amenities. By utilizing the PD zoning, the master plan containing site specific regulations will guide the development resulting in a well-integrated mix of housing types, lot sizes and densities with open space and preservation of environmentally sensitive areas. The flexibility offered by a PD zoning will result in a more efficient use of the land and network of utilities and streets.

The proposed community will consist of single family detached and attached residential development. The current zoning is R-2 and R-4. The Grow Zebulon Comprehensive Land Use Plan (LUP) designations are General Residential (GR) and Suburban Residential (SR) for the property. The LUP specifically identifies a PD as being a primary land use type in the SR and GR LUP classifications. The development will have an integrated mix of housing types, consistent with the LUP's recommendations for providing a diverse stock of residential choices. The diverse housing choices will promote varied price points, consistent with the LUP. The proposed zoning is Planned Development (PD) which is consistent with the LUP designations.

With over 50% open space (five times the minimum requirement) and at least 15% tree save (three times the minimum requirement), Zebulon South preserves a significant amount of environmentally sensitive areas in the design of the Master Plan, consistent with Land Use and Development Policy E, General Policies G1 and G6, Residential Policy R4, and Parks and Open Space Policy P5. The preserved areas, to a large degree, are located on the perimeter of the development, allowing for concentration of infrastructure improvements in the central area of the development. The Master Plan utilizes existing wetlands, open space and larger lots as buffer for the development, mitigating effects of the development on the surrounding community. Open space, common amenities and an integrated system of walking trails, including a publicly accessible greenway, support a high quality of life for the residents in and around the development. Open space shall exceed the Town of Zebulon minimum requirement for PD zoning.

The development includes the construction of a collector street connecting S. Wakefield Street and S. Arendell Street as shown on the Grow Zebulon Comprehensive Transportation Plan, at a location where it will clearly be a safe distance from the Perry Curtis/S. Arendell intersection, improving connectivity for the community. This is consistent with Land Use and Development Goal 3, Land Use and Development Policy G, General Policy G3, and Residential Policy R3. The internal street network includes three access points to existing public roads promoting access options for residents of the development.

Finally, the proposed project will provide an additional benefit for all current and future area residents: dedication of land for a needed second fire station in the growing southern Zebulon. The location of the land dedication is shown on the master plan, is centrally located to serve growth that is already occurring in Southern Zebulon, and will be an important step for the development of Zebulon's second fire station.

2.0 Vicinity Map

Zebulon South PD is located between S. Wakefield Street and S. Arendell Ave as shown on the vicinity map in Figure 1.



FIGURE 1

3.0 Permitted Uses

Zebulon South PD proposes to allow the development of residential uses including Single Family Detached and Single Family Attached along with accessory uses as permitted in the R6 zoning district. Figure 2 below provides a listing of the proposed permitted uses. The uses are subject to the regulations of the Town of Zebulon UDO.

Use Category	Specific Use	PD
Residential Uses	Single Family Detached and permitted accessory uses	P
	Single Family Attached and permitted accessory uses	P

FIGURE 2

4.0 Design Controls

Development Area - 118.6 acres

Density:

Maximum Density: 2.95 dwelling units per acre
 Units: 350 dwelling units
 (maximum 210 SF detached & 140 SF attached)

Building Height:

Maximum Building Height / # of stories: 50 feet / 3 stories

Building Setbacks:

Single Family Detached Front Loaded:

Front: 20'
 Side: 5'
 Corner Side: 10'
 Rear: 15'

Single Family Detached Rear Loaded:

Front: 10' max
 Side: 3'
 Corner Side: 10'
 Rear: 20'

Single Family Attached Rear Loaded:

Front: 10' max
 Building Separation: 10'
 Rear: 20'

Buffers:

- Streetscape Buffers: 15' Type C Streetscape Buffer (Wakefield St)
 15' Modified Type D* Streetscape Buffer (Arendell Ave)
 *For additional opacity, this buffer shall be comprised of
 100% evergreen shrubs and 75% evergreen understory trees
- Perimeter Buffers: 20' Type B Perimeter Buffer

Existing vegetation shall be utilized to the extent possible. All streetscape and perimeter buffers shall be provided in accordance with the Town of Zebulon UDO. Landscaped perimeter and street buffers shall include native and adaptive species only.

Disturbance within the buffer is only allowed as follows:

- a. Construction of driveways, public streets and walkways perpendicular to the buffer strip shall be allowed where such construction is necessary for safe ingress and egress to the site. The nature and limits of such construction must be designated on the approved master subdivision plan.
- b. Notwithstanding any other provision pertaining to buffers, City of Raleigh public utilities and easements shall be allowed, parallel and otherwise, within buffers, and the area within such easements shall still count towards buffer and undisturbed buffer calculations.

5.0 Architectural Standards

To encourage multiple architectural styles, buildings will be any variety of Craftsman, Traditional, Colonial, etc. While each of the architectural offerings proposed will have its own identity, a number of common threads will link the homes in the development, including color palettes, materials, roofing, and decorative garage doors. Elevations have been included in an effort to represent the bulk, massing, scale and architectural style of the development.

Requirements for All Homes:

Roofs:

Roof lines shall vary to reduce the scale of the structure and add visual interest. Roof shapes (flat, hip, mansard, gable, or shed for example) and material shall be architecturally compatible with façade elements and the rest of the structure. Shed roofs may be used on porches and dormers.

3-tab/235 shingles are not permitted.

Façades:

The principal structure's front façade must incorporate recesses and projections along at least 50% of the length of the façade. Windows, awnings, and porch area shall total at least 50% of the façade length abutting a public street.

Façades shall incorporate a repeating pattern of change in color, texture, and material modules.

No venting will be provided on any front facades except that when a bathroom is located on the front of the unit, a vent of a similar color to either the siding or the trim may be provided on the front of the unit.

Entryways:

Doors shall have built-in windows; alternatively, a solid door is allowed provided side lights (side windows) are installed immediately adjacent to the solid door. Double front doors are allowed as an option.

Front doors shall be illuminated.

Variations in color schemes and textures are encouraged in order to articulate entryways so as to give greater recognition to these features.

An option to include an overhang on rear exterior doors shall be provided. When this option is chosen by homeowner, the overhang shall extend at least 24 inches.

Windows:

All street-facing exterior windows shall have trim and screens. Trim shall be a minimum of 3 inches wide.

Materials and Color Palette:

Predominant exterior building materials shall be high quality materials including brick, wood, stone, fiber cement, and/or wood composite.

Vinyl siding is not permitted; however, vinyl windows, decorative elements and trim are permitted.

Trim color shall be distinct from façade color.

Front and side porches with open foundations shall have brick or stone piers and openings shall be fully screened with evergreen plantings.

A varied color palette shall be utilized on homes throughout the subdivision and shall include siding, trim, shutter, and accent colors complementing the siding colors.

Porch railings, if included on homes, shall be a complimentary color of the house and shall be made of either aluminum, or composite material.

Accessory buildings, if constructed, shall be of similar materials and colors as the primary single-family home.

All homes will have two or more of the following design features on the front façade (not including foundation):

- a. stone
- b. brick
- c. lap siding
- d. shakes
- e. board and batten
- f. window pediments
- g. recessed windows
- h. side and/or front window box bays
- i. roof gables
- j. roof dormers
- k. roofline cornices
- l. metal roofing as accent
- m. columns
- n. shutters
- o. other decorative features approved by the Planning Director

Screening:

All residential structures shall have screening by vinyl privacy fence installed on the sides or rear of the structure to prevent visibility of roll out refuse carts from the public right-of-way or adjacent properties.

Vegetative screening for HVAC units shall be provided.

Requirements for Single-family Detached Front Loaded Homes:

1. Each home shall have a minimum of one story and a maximum of three stories.
2. Each home may have a raised slab foundation. Raised slab foundation shall contain stone or brick.
3. Finished floor elevations shall comply with UDO Section 4.3.3.P.1.
4. UDO 4.3.3.P.2 - Single-family detached dwellings shall be configured so that each side of the dwelling includes some form of ingress or egress capable of allowing emergency exit from or entrance into the dwelling. Windows, doors, or other wall penetrations shall be credited towards these standards. Skylights shall also be credited towards these standards in cases where there is sufficient access to the ground from the room.

5. Front porches shall extend beyond the front plane of the garage by a minimum of 12” on 25% of the homes constructed. Front Porches shall be allowed to extend beyond the minimum front setback a maximum of 10”.
6. Garage doors must have windows, decorative details or carriage-style hardware.
7. Each garage will either have one light on each side or two lights above the garage door.
8. Eaves shall project at least 8 inches from the wall of the structure.
9. All gutter downspouts shall discharge to the side or rear of the structure.
10. The front elevation and all sides that abut a public street shall contain a minimum of 10% masonry (brick or stone) and shall contain a minimum of two siding materials (i.e. stone and hardiplank or brick and shake).
11. A minimum 18-inch masonry (brick or stone) water table on the front façade shall be provided.
12. On at least 30% of units, masonry (brick or stone) shall extend the full height of the ground floor.
13. Each front porch shall contain a covered stoop.
14. No single family detached home shall be constructed with a front elevation or color palette that is identical to the home on either side of it.

Requirements for Single-family Detached Rear Loaded Homes:

15. Each home shall have a minimum of one story and a maximum of three stories.
16. Each home may have a raised slab foundation or crawl space. Raised slab foundation shall contain stone or brick.
17. Finished floor elevations shall comply with UDO Section 4.3.3.P.1.
18. UDO 4.3.3.P.2 - Single-family detached dwellings shall be configured so that each side of the dwelling includes some form of ingress or egress capable of allowing emergency exit from or entrance into the dwelling. Windows, doors, or other wall penetrations shall be credited towards these standards. Skylights shall also be credited towards these standards in cases where there is sufficient access to the ground from the room.
19. Eaves shall project at least 8 inches from the wall of the structure.
20. All gutter downspouts shall discharge to the side or rear of the structure.
21. The front elevation of each unit shall contain a minimum of 10% masonry (brick or stone) and shall contain a minimum of two siding materials (i.e. stone and hardiplank or brick and shake).
22. A minimum 24-inch masonry (brick or stone) water table on the front façade shall be provided.
23. All sides of a principal structure that face an abutting public street shall have architectural and decorative features as described above.
24. No single family detached home shall be constructed with a front elevation or color palette that is identical to the home on either side of it.

Requirements for Single-family Attached Rear Loaded Homes:

25. Each home shall have a minimum of two stories and a maximum of three stories.
26. Each home may have a raised slab foundation.

27. The front elevation and all sides that abut a public street shall contain a minimum of 10% masonry (brick or stone) and shall contain a minimum of two siding materials (i.e. stone and hardiplank or brick and shake).
28. No two consecutive units within a single building shall contain the exact same front elevation regarding materials or color palette.
29. All sides of a principal structure that face an abutting public street shall have architectural and decorative features as described above.
30. The building façade cannot be a single mass; it must be broken up by home articulations of at least 12 inches, at minimum, between every two homes.
31. The roofline of each attached building cannot be a single mass; it must be broken up either horizontally and/or vertically between, at a minimum every two homes.

Requirements for Amenities:

A mail kiosk shall be located adjacent to the clubhouse and pool. The kiosk shelter shall be designed with similar architectural style, materials and color palette as the homes in the neighborhood. Cluster mailboxes shall meet the requirements of Section 6.12.7 of the Town of Zebulon UDO.

The clubhouse shall match residential buildings with regard to style, materials and color palette.

Architectural Guidelines:

We commit to the architectural requirements in Section 5.2.4 of the UDO. We will work with Town Planning and Building staff to provide additional architectural features with the exception of Section 5.2.4.E.3.e. Garage doors will not be required to be located at least two or more feet behind the front porch or the primary entrance to the dwelling.

6.0 Parking and Loading

All parking and loading areas shall comply with applicable requirements of the Town of Zebulon UDO Section 5.8. Guest parking shall be constructed for each phase to meet the requirements of that phase, and the total number of guest parking spaces shall exceed the minimum requirement by 76 spaces, which is almost double the requirement.

7.0 Signs

All signage shall comply with applicable standards and requirements of the Town of Zebulon UDO Section 5.11.

8.0 Infrastructure

8.1 Public Water

Public water will be provided via extensions of the existing City of Raleigh water system. Existing water is located in S. Arendell Avenue closer to the Town of Zebulon near Temple Johnson Road. Water infrastructure will be extended from the current terminus and along the

site frontage of S. Arendell Avenue and S. Wakefield Street. Infrastructure shall be extended throughout the site as required for development to provide public water to all lots.

8.2 Sanitary Sewer

Public sanitary sewer will be provided via extensions of the existing City of Raleigh sanitary system. A pump station will be constructed on site. Existing gravity sanitary sewer is located north of the site closer to the Town of Zebulon near Temple Johnson Road. The forcemain connection will be made to this existing gravity sewer. The gravity sanitary sewer infrastructure will be extended throughout the site as required.

8.3 Streets and Alleys

All streets shall be in conformance with the Town of Zebulon Transportation Plan and shall be constructed to Town of Zebulon standards and specifications. The project proposes an 70' right-of-way two-lane collector street with on-street parking protected by bump-outs and 10' multiuse paths on either side for additional pedestrian and cyclist safety, and has been shown on the Master Plan connecting S. Wakefield Street and S. Arendell Avenue. This section will create the connectivity envisioned in the CTP, with a cross section that will fit in the proposed neighborhood. The collector street construction shall follow the phasing of the project. Each section shall be constructed within the phase which it is located.

The ultimate cross section of S. Arendell Avenue is an 80' right-of-way 2-lane median divided roadway. The ultimate cross section of S. Wakefield Street starts as an 80' right-of-way 2-lane median divided roadway that transitions on the south side of the proposed collector street to a 100' right-of-way 4-lane median divided roadway. This project shall construct half of the cross-section along the property frontage. The Parks and Recreation Master Plan proposes a greenway along each of these roads. These greenways shall be incorporated as a 10' mixed use path along the roadway in place of a traditional 5' sidewalk.

Alleys shall be located within a 20' right-of-way with 10' of asphalt pavement width.

8.4 Pedestrian Connectivity

Zebulon South has over 6 miles of greenways, multiuse paths, trails, and sidewalks. Sidewalks shall be provided on both sides of all streets throughout Zebulon South PD. Alleys shall not have sidewalks. Multiuse paths will also be provided on Wakefield St and S Arendell Ave, and will connect the greenway to Wakefield St. Bike lanes are provided on both sides of Road A. The neighborhood sections shall also be connected for pedestrians by several 6' paved private trails.

The public greenway shown on the Town's Comprehensive Transportation Plan shall be constructed through the site along the north side of the development. A private trail shall connect the sidewalk system to the public greenway approximately as shown on the Master Plan.

9.0 Stormwater Management

The proposed development will meet all applicable requirements and standards as outlined in the Town of Zebulon Street and Storm Drainage Standard and Specifications Manual. Zebulon

South PD will meet all stormwater quantity and quality reduction requirements. Proposed stormwater control measures (SCMs) will typically consist of wet ponds and other approved measures. SCMs will be located within open space areas and be maintained by the HOA. At least one stormwater control pond shall contain a fountain. At least seventy-five percent (75%) of any required plants in the Stormwater Control Measure ponds, excluding grasses, shall be pollinator plants such as native milkweeds and other nectar-rich flowers.

10.0 Natural Resources and Environmental Data

The development site consists mostly of agricultural fields along with wooded areas surrounding the streams, wetlands and existing pond.

Existing streams and wetlands have been delineated and buffered as required by Town, State and Federal agencies. The site is located within the Neuse River Basin. Any impacts requiring permits shall be obtained and permitted through the Town of Zebulon, NC Division of Water Resources and US Army Corps of Engineers as applicable.

No special flood hazard areas are located onsite per FEMA FIRM Map 3720270500k & 3720270400L dated 7/19/2022.

11.0 Pocket Parks and Open Space

Active and passive open spaces and recreational features will provide the residents with excellent on-site amenities. An integrated system of walking trails traverses open space and environmentally sensitive areas providing a unique amenity for the development. The development provides over eleven acres of open space, including over five acres of active open space. An on-site swimming pool and clubhouse provide pedestrian accessible amenities for the residents of the development.

Pool:

- Minimum 1,000 square foot water surface area

Clubhouse:

- No meeting space, bathrooms and changing rooms only

Tot Lot:

- Minimum 600 square feet including ASTM fall zones
- IPEMA Certified Playground Equipment
- Target age: 2-12 years

Dog Park:

- Minimum 6,000 square feet of fenced area
- Fence shall be a minimum of 4' tall galvanized or vinyl-coated chain link fence
- Shall include a minimum of two benches, one trash can and one dog waste station

Pocket Park:

- Minimum of 8,000 square feet of area for multi-purpose play
- May include benches, paths, trashcans and enhanced landscaping
- Located adjacent to the greenway, along the Arendell/Wakefield St connector
- Pollinator Garden

Private Trails:

- Minimum 6' wide nature trail connecting from sidewalk system to Public Greenway as illustrated on Master Plan. At least two dog waste stations will be provided along trails.

12.0 Homeowner's Association

Prior to the issuance of the first certificate of occupancy for the development, a Homeowner's Association (HOA) shall be formed to govern the affairs of the development. The HOA shall be responsible for maintaining the common areas of the development including any shared stormwater facilities, landscaping, hardscape structures (such as signage, irrigation, lighting, and fountains) and recreation amenities. The Homeowners Association shall appoint one resident to the advisory board at 25% resident occupied, one resident at 50% occupied and one resident at 75% occupied.

13.0 Residential Lot Landscaping

Individual residential lots shall be landscaped per Town of Zebulon UDO for foundation plantings and site landscaping.

Foundation plantings consisting of evergreen shrubs or decorative grasses with a minimum height of 18 inches shall be located within 10 feet of any foundation wall visible from a public street excluding alleys. Shrubs shall maintain a maximum on-center placement of three feet.

Site landscaping consisting of one canopy tree for every 2,000 square feet of lot area is required. Canopy trees may be located anywhere within the residential lot except where limited by easements, sight distance triangles or buffer areas.

HVACs and ground-based mechanical equipment shall be screened utilizing evergreen shrubs on sides visible from a public street.

14.0 Consistency with Comprehensive Plan and Land Use Map

Zebulon South PD is consistent with the Town of Zebulon Comprehensive Plan and Land Use Map goals and objectives. The development is located in SR and GR land use categories where PD zoning is a recommended land use type particularly where a mix of housing types and varying densities is proposed.

Proposing both single-family detached and attached product supports the Town's desire for a variety of housing types and price points. This draws new residents and provides additional housing choices for existing residents.

The site design incorporates in a variety of lot sizes supporting the goal of increasing a diverse housing stock for the Town. The variety ensures additional housing choices as well as a variety of price points.

Providing more concentrated development while preserving environmentally sensitive areas and perimeter buffers provides a transition to the existing single-family homes and agricultural properties adjacent to the development.

The integrated system of streets, sidewalks, trails and greenways provide a cohesive pedestrian and vehicular network adhering to the Town's Comprehensive Transportation Plan and provided a thoughtfully planned neighborhood.

15.0 Compliance with the UDO

This Master Plan shall be the primary governing document for the development of Zebulon South PD. All standards and regulations in this Master Plan shall control over general standards of the UDO. Provided, however, that if a specific regulation is not addressed in this Master Plan, UDO regulations shall control. Zebulon South PD will comply with all other relevant portions of the Town of Zebulon Unified Development Ordinance.

16.0 Preliminary Residential Plan Review

Pursuant to UDO Section 3.5.5.B.4, the applicant requests an exemption from subsequent residential preliminary plan review. This PD includes a master plan that is detailed and meets the requirements for a residential preliminary plan. Therefore, upon approval of this PD, the applicant shall be exempt from subsequent residential preliminary plan review.

17.0 Additional Zoning Conditions

In addition to conditions contained throughout the visual and written document, additional written voluntary conditions have been offered to ensure a quality development.

1. Uses shall be limited to single family detached, single family attached, and accessory uses as permitted in the R6 zoning district.
2. Minimum driveway stem length shall be 20'.
3. Single family detached rear load lots shall have a minimum lot size of 4,800 sf.
4. Single family detached front load lots shall have a minimum lot size of 6,000 sf.
5. Single family attached lots shall have a minimum lot size of 1,260 sf.
6. The minimum lot width for front loaded lots shall be 50' reduced from 70'.

7. All single family detached rear loaded homes shall have a sidewalk connection from the front door or porch to the public sidewalk.
8. The clubhouse and pool shall be completed before the 150th Certificate of Occupancy for any dwelling is issued.
9. Zebulon South will apply a maximum 35% impervious requirement for the development as a whole (based on total acreage).
10. The applicant commits to provide a minimum 15% Tree Save, three times the minimum requirement.
11. All planned improvements to roadways and right-of-way owned and maintained by the NC Department of Transportation (NCDOT), including improvements that require off-site property acquisition and/or easements, are subject to NCDOT approval during subsequent phases of development. If any improvements are not approved by NCDOT, alternative designs may be administratively approved by Town staff.
12. If a bus pickup location is approved by Wake County Public Schools in the neighborhood, one bust stop area, including a shelter, a bench, a trash can, and at least 5 bicycle spaces shall be provided with the second phase of development.
13. To support community gatherings and active neighborhoods, the applicant commits to providing one neighborhood congregation area, to include:
 - a. a minimum of two (2) larger parking spaces designed for food trucks or delivery vehicles (mobile vendors), with an electrical outlet available;
 - b. one (1) covered seating area with at least 10 designated public seating spaces will be provided adjacent to the Mobile Vendor spaces.
 - c. at least one (1) outdoor grill will be provided adjacent to the covered seating area,

This area may be classified as active open space under UDO § 5.7.

14. A single family detached home shall be developed and donated as part of Built to Honor, Wounded Warrior Homes, Operation Coming Home, Operation Finally Home, or similar organization providing homes to veterans. Developer shall be entitled to a waiver of all Town of Zebulon permit fees for this home.
15. Final alignment of the greenway will be reviewed and approved by TRC during construction drawings.
16. Unless not approved by Wake County, the grave site(s) located at 0 N Arendell Ave (PIN 2705513114) shall be relocated prior to approval of construction drawings.

18.0 Fire Station Land Dedication

The owner shall designate, for the benefit of the Town, a minimum of 2 acres of land (including any existing and future right-of-way) located on Hwy 96/Arendell Ave abutting the property

lines of Wake County PINs 2705410911 (Deed book 16651/page 25) and 2705520074 (Deed book 9289/page 1838) for the future development of a Town of Zebulon Fire Station (the “Fire Station Land”). The location of the Fire Station Land is identified on the Master Plan, and the surveyed boundary line will be identified and approved by the Town prior to Final Plat approval for the phase of development adjacent to the Fire Station Land. After approval of the boundary line, but no later than the approval of the Final Plat for the phase of development adjacent to the Fire Station Land, the developer shall dedicate to the Town an easement (or superior title) by deed or other instrument, approved by the Town Attorney as to form, for the Fire Station Land. The actual design, construction, and installation of the fire station and associated amenities shall be done by the Town, or another public entity and are not commitments of this zoning case. This zoning condition may also be satisfied by the Town Manager, or his/her designee, stating, in writing, that the Fire Station Land is no longer needed by the Town because the Town has acquired an alternative site for the new fire station or otherwise does not wish to accept the land for the development of a fire station. This condition will expire and be of no effect on the date that is ten (10) years from the effective date of the rezoning if a Final Plat has not been filed on or before that date.



MUNICIPAL UTILITY ALLOCATION POLICY

Statement of Purpose and Goals

Introduction

Drinking water supplies throughout the greater City of Raleigh distribution system are finite, subject to disruption by drought and/or other calamity and Zebulon’s allocation is contractually limited. The Town staff, the Planning Board, and the Board of Commissioners have given a great deal of thought and study as to the best utilization of this valuable resource to benefit current and future citizens.

The Town of Zebulon’s municipal water and sewer capacity is a valuable resource that must be conserved and apportioned to new development projects that promote the Town’s policy of ensuring a diversified tax base and housing supply. Such an allocation policy will tend to promote diversity of housing available to a wide cross section of citizens of diverse socio-economic backgrounds and promote economic viability and sustainability by providing for retail and other commercial development within the Town of Zebulon.

In order to preserve and enhance property values, manage its limited water supply as a vital natural resource, promote economic development, and incentivize smart growth practices, the allocation of Zebulon’s potable water capacity shall hereafter be in accordance with this policy.

Land Use and the Tax Base

The local government expense of providing fire and police protection, schools, parks, social services, water and sewage systems and other essential public services to residential neighborhoods is generally greater than the ad valorem tax revenue generated by such neighborhoods. On the other hand, the cost of providing services to commercial and industrial development is generally less than the tax revenue accruing to the local government. Having a predominantly residential tax base would require the Town of Zebulon over time to assess a higher tax levy to raise funds to provide essential services or to reduce the level of public services provided. This is one reason among many why local governments including Zebulon strive to achieve a balance of both residential and non-residential growth.

Zebulon’s historical development is transitioning from industrial to residential, leading to a current tax base of approximately 40% residential and 60% commercial/industrial. The following table shows Zebulon’s tax base over the past five years ¹

Zebulon Tax Base (Past Five Years)

Fiscal Year	Commercial	Residential
2021-2022	60%	40%
2020-2021	65%	35%
2019-2020	72%	28%
2018-2019	73%	27%
2017-2018	71%	29%

¹ “Tax Base Components | Wake County Government,” *Wake County North Carolina*, <https://www.wakegov.com/departments-government/tax-administration/data-files-statistics-and-reports/tax-base-components>

As shown in the table above, the residential tax base has steadily increased proportionally over the past five years. This trend in the tax base data, combined with the vested planned residential development in the coming years, demonstrates the need for the Town to address this shift through policy. The Zebulon Board of Commissioners believes that it is fiscally responsible and otherwise in the public interest to promote and encourage non-residential development in the jurisdiction as an alternative to rapid residential development to keep the ratio between the two development types well balanced. A goal of maintaining a tax base of 60% residential and 40% commercial/industrial is hereby established.

Development Goals for the Full Build-Out of Zebulon

Communities without a wide variety of housing types and styles also put pressure on the Wake County Public School System which remains committed to having students of a wide range of socio-economic backgrounds attend each local school. In addition to the goal of maintaining a balanced tax base, the Town of Zebulon is committed to achieving a balance of housing types within its jurisdiction.

This commitment is consistent with both the Town’s Strategic Plan and Comprehensive Plan. The *Town of Zebulon: Vision 2030 Strategic Plan* lists “Growing Smart” as one of its three focus areas, calling for the planning of appropriate land uses and affordability of the community. The *Grow Zebulon Comprehensive Land Use Plan* identifies six guiding principles for the town. Two of those principles are “Zebulon will be BALANCED” and “Zebulon will be PRUDENT.” A balance should be achieved for the Town’s tax base, its land uses, and its housing types to allow for an affordable community with employment and business opportunities that will help the community prosper. The achievement of balance in Zebulon will contribute to the Town being prudent. As stated previously, a local government’s cost of providing services to commercial properties is generally less than that of residential properties. Having a balanced tax base that is not proportionally over-saturated with residential properties will contribute to keeping the Town financially sound.

Below are three development goals that are integral to the utility allocation policy and the future of the Town. These development goals apply to the entire, future Zebulon jurisdiction including the ETJ, short-range and long-range urban service areas.

GOAL #1: Maintain 60%-40% ratio of residential to non-residential tax values.

<u>Upon Adoption-January 2021</u> 60% Residential - 40% Non-Residential
--

GOAL #2: Residential Housing Percentage Breakdown
SFD|TH|MF – 75%|10%|15% (Note – Duplex counted as MF)

<u>Upon Adoption-January 2021</u> 80.5% 0.5% 19%

GOAL #3: Encourage Mixed Use Development to improve pedestrian connectivity to non-residential activity.

Policy and Procedures

Water Allocation

All existing parcels of real property within the corporate limits of Zebulon, regardless of proposed acreage, shape, or location as of the adoption of this ordinance are entitled to **115 gallons per day** of water allocation to build and sustain a single family or a limited business or commercial use. No additional water allocation will be awarded for proposed development except in accordance with the requirements of this policy.

Wastewater Connection

All projects considered for utility allocation must provide a wastewater system connection with adequate receiving capacity, as determined by the Wake County Health Department and/or City of Raleigh Public Utilities Department and approved by the Town of Zebulon Planning Director.

General Conditions & Requirements

- All proposed projects must be within the existing corporate limits or have filed a valid and complete petition for Voluntary Annexation.
- All proposed projects under consideration must have a complete application submitted for the appropriate Master Plan, Subdivision, Site Plan, Special Use Permit, Conditional Zoning Request, Zoning Compliance Permit, Building Permit, or any other necessary approval.
- All projects are subject to a Utility Allocation or Developer's Agreement approved by the Town's Board of Commissioners. If the Developer/Applicant fails to meet all terms of that agreement the unused allocation will be reclaimed, no new building permits will be issued, and no new connections to the water or wastewater systems will be permitted. Active building permits will have certificates of occupancy held until mitigating measures are agreed to by all parties.
- Projects with proven vested rights upon adoption of this ordinance will be permitted to finish their projects as previously approved.
- Public water may be utilized for irrigation purposes so long as the Primary Use associated with the site has previously gained water allocation through the Town.
- Any third parties who buy land to build upon are bound by the approved Utility Allocation Agreement or Development Agreement for that property. If the agreement is not fulfilled, the above terms and conditions still apply regardless of who owns the land.

Compliance Required

This policy allocates municipal water in gallons per day for new development proposals, master plans, site plans, building plans, and/or structures seeking construction approval. Each phase of a phased development must comply with the terms and development schedule of an approved Utility Allocation Agreement before the next phase can begin or the development risks loss of previously reserved allocation.

Previously dedicated but unused allocation can be reclaimed by the Town's Board of Commissioners for:

- (1) the lack of compliance with any existing Utility Allocation or Developer's Agreement;
- (2) violation of applicable town policy provision, ordinance standard, condition of approval;
- (3) violation of federal or state regulation; or
- (4) other good cause.

Utility Allocation Application Process

Upon receiving a new development proposal requesting water capacity, the Planning Staff shall direct the Developer/Applicant to demonstrate the project's qualifications. A Developer/Applicant shall state on the appropriate application, and stipulate within an approved Utility Allocation Agreement, the use or uses proposed to be built as part of the project along with the construction design and materials. Town action on the request will be deferred until the application is complete and the requested information has been provided.

Proposed projects shall complete the UTILITY ALLOCATION WORKSHEET according to its instructions to determine the total number of points achieved. The Utility Allocation Application package will be reviewed for completeness and compliance by the Technical Review Committee (TRC) in conjunction with the applicable development approval for the subject property (conditional rezoning, planned development, site plan, etc.).

Qualification for water allocation is judged by:

- The level of developer investment
- Anticipated increases in the Town's ad valorem tax base
- Construction and dedication of public infrastructure
- Provision of employment opportunities for Zebulon citizens
- Provisions of diversified housing stock
- Preservation of open space
- Protection of existing tree canopy
- Conservation of existing habitat
- The provision of recreational amenities for current or future Zebulon residents

Projects must be awarded **60 TOTAL POINTS** or more to merit water allocation.

Points are awarded in two categories, BASE POINTS and BONUS POINTS. BONUS POINTS are broken down into six categories.

1. Nonconformity Abatement and Public Infrastructure Improvements
2. Green Development Standards
3. Gateway and Transit Improvements
4. Amenities
5. Affordable Housing
6. Other

Unless a project can gain all necessary BONUS POINTS from a single improvement identified in the approved list, improvements must be made from at least two of the categories of BONUS POINTS.

All features and/or improvements that earn a projects BONUS POINTS must be clearly shown on a development plan for each application type.

Expiration of Allocation Award

A developer/applicant who has secured allocation according to this policy and hasn't progressed in construction plan approval, building permit approval, or on-site construction for a period of 12 months will lose the award of allocation without benefit.

Annual Review of Policy & Appeals

This policy shall be reviewed in January of each year and, when appropriate, readjusted by the Town's Board of Commissioners. The Town's overall progress on policy goals will be considered and the multipliers and/or point thresholds readjusted accordingly.

Appeals of any provision of this ordinance shall be decided upon by the Town's Board of Commissioners upon receiving a recommendation from the Planning Board.

BASE POINTS: List of Preferred Land Uses and Required Characteristics:

The uses listed below have been determined to be the most desirable and important uses for the Town of Zebulon to promote and maintain economic and housing diversity. Only projects that completely meet the stated performance characteristics will be considered for utility allocation. Please select one of the following Base Point classifications.

60 Base Points	<p>Single Family Homes (Expedited Subdivision or Recombination) Newly constructed Single Family Homes built upon new lots created via the minor subdivision, exempt subdivision, expedited subdivision (3 or fewer lots) or recombination process.</p>
60 Base Points	<p>Change of Use This category captures renovation, rehabilitation, up-fit or retrofit of existing buildings or portions of buildings that pre-date this policy and require a code summary sheet, change in building occupancy, certificate of occupancy, building permit and/or building inspections and do not increase the utility demand from the previous use of the building.</p>
45 Base Points	<p>Business Office/Finance/ Insurance / Professional Services Center - Large Qualifying projects must exceed 100,000 square feet of heated floor space and create at least 150 employment positions that exceed the average annual Wake County salary according to Wake County Economic Development or the Employment Security Commission. Employees perform professional, scientific, and technical services for others. Such services require a high degree of expertise and training and provide high salaried employment opportunities. Examples include software engineering, legal, medical, accounting, consulting, architectural, biomedical, chemical, research and development, and administrative services. Finance or Insurance Centers shall also pool financial risks by underwriting insurance and annuities. Some establishments support employee benefit programs. Examples include bank or credit union headquarters, brokerages, investments, insurance, financing, and data processing establishments.</p>
45 Base Points	<p>Manufacturing/Industrial Employment Center Manufacturing or Industrial establishments in this category exceed 200,000 square feet of floor space located in plants, factories, or mills and employ power-</p>

	<p>driven machines and materials-handling equipment. They may also employ workers who assemble or create new products by hand, without the characteristic machinery-intensive enterprise. Many manufacturing establishments process products of agriculture, forestry, fishing, mining, or quarrying as well as products of other manufacturing establishments. Most manufacturing establishments have some form of captive services (e.g., research and development, and administrative operations, such as accounting, payroll, or management) in conjunction on-site.</p>
45 Base Points	<p>Governmental Uses/Public Administration This category encompasses centers for all government functions; it includes federal, state, and local government agencies that administer, oversee, and manage public programs and budgets and have executive, legislative, or judicial authority. Establishments develop policy, create laws, adjudicate civil and criminal legal cases, and provide for public safety and national defense.</p>
40 Base Points	<p>Single Use Retail Newly constructed single use, stand-alone building used primarily for retail, restaurant, or similar commercial use.</p>
40 Base Points	<p>Hotels, Motels, or other Accommodation Service Establishments This category serves lodging and short-term accommodations for travelers. They may offer a wide range of services, from overnight sleeping space to full-service hotel suites. They may offer these services in conjunction with other activities, such as entertainment or recreation. Stays in these establishments are generally less than one month. This classification does not include boarding or rooming houses.</p>
40 Base Points	<p>Arts/Entertainment/Museums These establishments operate facilities or provide services for a variety of cultural, entertainment, and performing art functions. Establishments include those that produce, promote, or participate in live performances, events, or exhibits intended for public viewing; those that preserve and exhibit objects and sites of historical, cultural, or educational interest; and those that operate facilities or provide services to serve activities associated with the aforementioned.</p>
40 Base Points	<p>Amusement, Sports or Recreational Establishment Establishments in this category operate either indoor or outdoor facilities offering family activities (i.e. sports, recreation, or amusement) and provide services, such as facilitating amusement in places operated by others, operating recreational sports groups and leagues. Examples include golf courses, indoor sports venues, bowling alleys, miniature golf courses, athletic clubs, skating rinks and arcades. This category may be used in conjunction with a commercial or residential development as a mixed use development.</p>
40 Base Points	<p>Mixed Use Development (Transit Oriented) Newly constructed or substantially rehabilitated collection of vertically mixed retail, office and residential uses in multi-story buildings centered within a one-half mile radius of an existing rail or bus transit station or the intersection of</p>

	Horton Street and North Arendell Avenue in Downtown Zebulon. In order to qualify as mixed use, developments must dedicate at least one-third of the total heated square footage to residential use and the remainder to a mix of retail and office uses. All three use types must be represented and at least 10% of the heated square footage must be dedicated to street level, storefront retail uses.
40 Base Points	Mixed Use Development (Urban Infill) Newly constructed or substantially rehabilitated collection of mixed retail, office and residential uses in a multi-story building on a previously developed parcel within the corporate limits. In order to qualify as mixed use, developments must dedicate at least one-third of the total heated square footage to residential use and the remainder to a mix of retail and office uses. All three use types must be represented and at least 10% of the heated square footage must be dedicated to street level, storefront retail uses.
40 Base Points	Mixed Use Development (Greenfield) Newly constructed collection of mixed retail, office and residential uses in a multi-story building or buildings on a previously undeveloped parcel. In order to qualify as mixed use, developments must dedicate at least one-third of the total heated square footage to residential use and the remainder to a mix of retail and office uses. All three use types must be represented and at least 10% of the heated square footage must be dedicated to street level, storefront retail uses.
35 Base Points	Housing Services for the Elderly Establishments This category offers housing services for the aged, not requiring a license from the North Carolina Department of Health and Human Services, such as independent retirement housing, multi-unit assisted housing with services (MAHS), and continuing care retirement centers. All facilities must provide, but not necessarily be limited to, the following services/facilities: On-site laundry facilities, on site management, guaranteed transportation services at least four days per week, on-site exercise facilities, on-site computer access, and a clubhouse/common lounge area for all residents.
35 Base Points	Mixture of Use Development (Retail/Office-Institutional/Commercial) Newly constructed collection of horizontally arranged uses including retail, office-institutional and commercial within a master planned project on a previously undeveloped parcel or parcels totaling at least 10 acres. Mixture of use projects must include at least two (2) use types with at least 25% of the space devoted to each use type included in the development.
30 Base Points	Retail/Commercial Center Newly constructed center of at least 50,000 square feet, typically containing an anchor such as a grocery store and other smaller spaces and/or outparcels for subordinate uses. Uses are entirely consumer-driven and include all manner of retail, service and office possibilities.
30 Base Points	Business Office/Finance/ Insurance / Professional Services Center – Medium Qualifying projects must exceed 50,000 square feet of heated floor space and create at least 75 employment positions that exceed the average annual Wake County salary according to Wake County Economic Development or the

	<p>Employment Security Commission. Employees perform professional, scientific, and technical services for others. Such services require a high degree of expertise and training and provide high salaried employment opportunities. Examples include software engineering, legal, medical, accounting, consulting, architectural, biomedical, chemical, research and development, and administrative services. Finance or Insurance Centers shall also pool financial risks by underwriting insurance and annuities. Some establishments support employee benefit programs. Examples include bank or credit union headquarters, brokerages, investments, insurance, financing, and data processing establishments.</p>
30 Base Points	<p>Business Office/Finance/ Insurance / Professional Services Center – Small Qualifying projects 50,000 square feet of heated floor space or less. Employees perform professional, scientific, and technical services for others. Such services require a high degree of expertise and training and provide high salaried employment opportunities. Examples include software engineering, legal, medical, accounting, consulting, architectural, biomedical, chemical, research and development, and administrative services. Finance or Insurance Centers shall also pool financial risks by underwriting insurance and annuities. Some establishments support employee benefit programs. Examples include bank or credit union headquarters, brokerages, investments, insurance, financing, and data processing establishments.</p>
30 Base Points	<p>Multi-Tenant Retail Center Newly constructed center 50,000 square feet or less, typically containing a more than one tenant space within a single structure. Uses are entirely consumer-driven and include all manner of retail, service and office possibilities.</p>
30 Base Points	<p>Single Use Office Newly constructed single use, stand-alone building used primarily for office and professional.</p>
30 Base Points	<p>Bungalow Court or Pocket Neighborhood Newly constructed Bungalow Court or Pocket Neighborhood per the standards of the Unified Development Ordinance.</p>
30 Base Points	<p>Distribution/Trucking Center Newly constructed center of at least 500,000 square feet where products and resources are transported to and delivered from via truck or rail.</p>
25 Base Points	<p>Warehouse Newly constructed center of at least 500,000 square feet where products and resources are stored.</p>
25 Base Points	<p>Religious Institutions Any facility such as a church, temple, synagogue, mosque or monastery used for worship by a non-profit organization and their customarily related uses.</p>
20 Base Points	<p>Intensive Industrial Uses: Uses classified as Special Land Uses within the Industrial Classification.</p>

20 Base Points	Multi-Family Residential & Condo Units
20 Base Points	Major Subdivision 4- 25 Lots Any subdivision of land of four (4) – 25 Lots.
10 Base Points	Major Subdivision 26 lots or more Any subdivision of land of 26 or more lots. 10
Board Determination	All Other Uses Not Categorized This category of use captures all other uses not categorized elsewhere. Allocations for such uses are left to the discretion of the Town’s Board of Commissioners upon recommendation of the Planning Board and acted on a case-by-case basis.

BONUS POINTS

Proposed projects can gain BONUS POINTS by agreeing to provide any of the following items over and above the UDO or Standard Specification requirements for their development proposal.

NOTE: No bonus points are given for UDO requirements.

CATEGORY 1 – Non-Conformity Abatement and Public Infrastructure Improvements

Section 1A - Abatement of Nonconformities		(Max - 3 points)
	Abatement of any existing non-conforming structures	3
	Abatement of any existing non-conforming use of land	2
	Abatement of any existing non-conforming lots	1

Section 1B - Roadway Infrastructure Not Warranted by TIA/UDO/CTP		(Max - 10 points)
	Construction of full cross section of existing off-site public street	5
	Nearby intersection improvements	5
	Traffic signal improvements	4
	Signage or striping improvements	1

Section 1C - Off-Site Public Greenway Improvements		(Max - 10 points)
	Construct more than 4000 linear feet of 10-foot-wide path	10
	Construct more than 3000 linear feet of 10-foot-wide path	8
	Construct more than 2000 linear feet of 10-foot-wide path	6
	Construct more than 1000 linear feet of 10-foot-wide path	4
	Construct 500 to 1000 linear feet of 10-foot-wide path	2

Section 1D – Off-Site Bike-Ped Improvements		(Max – 5 points)
	Construction of off-site sidewalk improvements (Subject to TRC Approval)	2
	Construction of off-site bike lane improvements (Subject to TRC Approval)	3

CATEGORY 2. Green Development Standards/ Building & Site Design

Section 2A - Conservation of Natural Habitat Meeting Active Open Space Requirements as Defined in the UDO		(Max - 10 points)
	One point per acre up to 10 acres	1 - 10

Section 2B - Parking		(Max – 15 points)
	Structured Parking Facilities - must reduce footprint by 20%	10
	EV Charging Stations (two-port)	5
	Provision of on-street public parking (1 point per stall up to 10 Max)	1 - 10 10

Section 2C - Stormwater SCM's		(Max – 10 points)
	Stormwater - Restored Riparian Buffer	10
	Construct a fountain or other stormwater amenity within the BMP/SCM (as approved by Staff)	4 4
	Stormwater - Landscaped Green Roof	5
	Stormwater - Underground capture system for on-site irrigation	5
	Stormwater - Bioretention	5
	Stormwater - Wetland	5 5
	Exclusive use of porous pavement in parking areas where suitable	2

Section 2D - Building/Site Design		(Max - 20 points)
	Compliance with residential design guidelines per Section 5.2 of the UDO	10 10
	Non-Residential building design that incorporates an active upper story.	5
	Pedestrian oriented and walkable site design which promotes alternatives to vehicular travel within the development. (Subject to TRC Approval)	5

Section 2E - Infill/Redevelopment		(Max – 16 points)
	Development or Redevelopment within DTC	10
	Development or Redevelopment within DTP	6
	Redevelopment of previously vacant building space over 20,000 square feet	6
	Redevelopment of previously vacant building space under 20,000 square feet	5

Section 2F - Historic Preservation		
	Historic Structure Preservation via Deed Restriction (Determined by TRC)	10
	Restoration of Historic Structure (Must be approved by TRC)	5

Section 2G – LEED Certification		(Max – 10 points)
	LEED Certification for Neighborhood Development (LEED ND)	10
	Platinum LEED Certification	10
	Gold LEED Certification	8
	Silver LEED Certification	6
	Bronze LEED Certification	4
	LEED Certified Certification	2

CATEGORY 3 – Outdoor Enhancement and Transit Improvements

Section 3A – Outdoor Enhancement		(Max – 12 points)
	Construction of a Parkway Street Section on a Collector level street	5

	Construction or Preservation of Gateway Landscaping or Structure (Subject to Comprehensive Plan Consistency and TRC approval)	5	
	Outdoor Display of Public Art (Subject to TRC Approval)	4	
	Public Facing Outdoor Mural (Subject to TRC Approval)	4	
	Maintenance of Roadside Gateway Plant Bed (requires maintenance agreement)	3	
	Planting Pollinator Garden (225 Square Foot Minimum)	3	3
	Exclusive use of xeriscaping techniques and drought tolerant species	3	
	Enhanced Roadside Landscaping (Subject to TRC Approval)	2	
	Enhanced Buffer Landscaping (Subject to TRC Approval)	2	
	Construction of a Parkway Street Section on a Local level street	2	
	Installation of Native Shade Tree Species (per Tree up to 10 Trees)	1	9

Section 3B – Transit (Pursuant to location being adjacent to a planned or active transit route)		(Max - 8 points)	
	Provision of more than 50 designated Park & Ride Stalls	8	
	Provision of 25 designated Park & Ride Stalls	5	
	Provision of 10 designated Park & Ride Stalls	3	
	Provision of mass transit easement w/ structure (bus stop with shelter & bench)	2	

CATEGORY 4 - Amenities

Section 4A - Private Greenway		(Max - 3 points)	
	Construction of more than 3000 linear feet private greenway meeting Town of Zebulon standards	3	
	Construction of more than 2000 linear feet of private greenway meeting Town of Zebulon standards	2	2
	Construction of more than 1000 linear feet of private greenway meeting Town of Zebulon standards	1	

Section 4B – Pool (Combinations may be approved by TRC)		(Max - 8 points)	
	Olympic Pool and Aquatic Center	8	
	Junior Olympic Pool	5	
	Lap Pool (four lane minimum)	3	
	Resort Style Pool	2	2
	Any Other Pool	1	

Section 4C - Outdoor Deck/Patio		(Max - 3 points)	
	Deck/Patio - More than 3000 square feet	3	
	Deck/Patio - More than 2000 square feet	2	
	Deck/Patio - More than 1000 square feet	1	1

Section 4D - Pool Amenities		(Max - 2 points)	
------------------------------------	--	------------------	--

	Jacuzzi/Hot Tub/Whirlpool	2
	Water Playground with apparatus	2
	Sauna/Steam room	2

Section 4E - Clubhouse		(Max - 10 points)
	Commercial Coffee Shop with at least 10 designated public seating spaces.	10
	With full kitchen and over 4000 square feet of meeting space	10
	With full kitchen and less than 4000 square feet of meeting space	9
	Meeting space without kitchen more than 3500 square feet	8
	Meeting space without kitchen 2500 - 3499 square feet	7
	Meeting Space without kitchen 1500 - 2499 square feet	5
	Meeting Space without kitchen less than 1500 square feet	4
	No meeting space, bathrooms and changing rooms only	3 3
	Outdoor Kitchen or Grills	2 2

Section 4F - Additional Active Recreation		(Max - 10 points)
	Gymnasium (regulation size indoor basketball court)	10
	Baseball/Softball Field (regulation size)	5
	Football/Soccer Field (regulation size)	5
	Skate Park	5
	Tennis Courts (two regulation courts, fenced)	5
	Multi-Use Hardcourt (two regulation basketball courts, street hockey, fenced)	5
	Pickleball Court (three regulation courts, fenced)	5
	Pocket Park – 5,000 square feet	3 3
	IPEMA Certified Playground Equipment	4 4
	Lighted Field of Play for nighttime use	3
	Electronic Scoreboard or Covered Dugouts or Bleachers	3
	Community Garden – 15-foot by 15-foot, with water access and potting shed.	3

Section 4G – Additional Urban Open Space Enhancements (Within Non Residential Zoning Districts)		(Max – 10 points)
	Fountain	2
	Canopy Including Fixed Permanent Seating	2
	Drinking Fountain with Pet Fountain	2
	Permanent Game Tables	1
	Permanent Tables with Shade Cover	1
	All Weather Bulletin Board	1
	Covered or Internal Bicycle Parking	1
	Artist-Design Bicycle Racks	1
	Little Free Library	1
	Drinking Fountain	1
	Public Work Bike Stand With Tools	1

CATEGORY 5 – Affordable Housing

Inclusion of a percentage of the provided housing stock of a proposed development cost no more than 30% of a household income not exceeding 80% of the Area Median Income (AMI)		(Max – 10 Points)
	15% Affordable Housing	10
	10% Affordable Housing	5

CATEGORY 6 – Other

(Max 5 Points)

	Integrated public safety operation systems (EX. Flock Safety or others as approved by the Police Department)	3
	Smart Waste and Recycling Stations	2

Total 68



Date: January 23, 2024

To: Adam Culpepper, Senior Planner, Town of Zebulon
Andrew Suriano, Managing Partner, Deacon Development Group
Beth Blackmon, Senior Project Manager, Timmons Group
Jeff Hochanadel, Principal, Timmons Group
Ashley Honeycutt Terrazas, Associate, Parker Poe

From: Sravya Suryadevara, PE, Traffic Engineering Director, WSP USA Inc.

Subject: Zebulon South Supplemental Traffic Impact Analysis Review

Per your request, WSP has performed a review of the Zebulon South development traffic impact study resubmitted by Timmons Group, dated January 2024 and the supplemental memo, also dated January 2024. We have the following comments:

- Based on the updated site plan, the number of units has changed for the site since the TIA was completed. Please add a note in the body of the TIA report discussing this change and confirming that the analysis is still valid because it is more conservative than the current site plan.
- Please confirm site access locations in the Build Synchro files matches the site plan. If Site Access 2 is within 165 feet of Perry Curtis Road, this access will need to be right-in/right-out only. This is based on the 2003 NCDOT's Policy on Street and Driveway Access.
- For tables 3-1, 3-2, and 5-1 in the TIA and tables 1 and 2 in the supplemental, please provide a footnote to describe the meaning of the “#” symbol in the queue lengths.
- For tables 3-1, 3-2, 5-1, and 5-2 in the TIA and tables 1 and 2 in the supplemental, please designate which intersections are unsignalized/signalized to aid in the differentiation of queues which are in feet and queues which are number of cars.
- For tables 3-1, 3-2, 5-1, and 5-2 in the TIA and tables 1 and 2 in the supplemental, please add units for queues.
- Include NCDOT comments from July 2022 referenced in section 6 in the appendix of the TIA if available.
- Please add a complete list of recommended improvements to the supplemental memo for clarity, even though the recommendations do not change from the TIA.
- The following comment responses were provided by Timmons Group based on the initial submittal review. Please add these explanations in the body of the TIA report to provide a full picture of the analysis methodology:
 - Include discussion on why count data was not balanced between intersections and why Perry Curtis Road volumes were used for site access 1 and 2.
TG Response: Traffic volumes were not balanced to the presence of commercial site driveways and various side streets. To provide the most accurate analyses, corridor volumes were not balanced. Site Access 1 and 2 volumes were balanced with Perry Curtis due to the driveways’ proximities.
 - Please provide justification for the 3% growth rate used for background volume development.
TG Response: The 3% growth rate is based on published AADTs.



- In the Build scenario turn lane analysis, it's mentioned that both S Wakefield Street and NC 96 will have 2026 AADTs higher than 4,000 vpd. Please clarify if this is based on the existing AADT value and an assumption of growth or if this is based on the existing AADT including an assumed growth rate.

TG Response: NC-96's AADT currently exceeds 4,000 VPD. Per future projections, this value is not projected to decrease. S Wakefield Street AADT projections are based on recent AADT counts (grown at 3% annually to 2026) and 30% of daily site trips on S Wakefield Street north of Site Access 3.

- Site access roads are listed as needing 100-feet of IPS. Please ~~define IPS as internal protected stem in the text and~~ reference the standards that guide this recommendation.

TG Response: ~~IPS was defined as "internal protected stem" in the updated TIA.~~ IPS requirements are defined in the NCDOT's Driveway Manual.

- The alignment of the S Wakefield Street/Morphius Bridge and Pully Gordon Road intersection is not ideal for safe operations, but no improvements are required currently.

We do not anticipate any of the above comments to impact the analysis or recommendations in the TIA. If you have any questions about this review, please do not hesitate to contact me at (984) 389-2944 or sravya.suryadevara@wsp.com.



January 2nd, 2023

Michael Clark
Planning Director
Town of Zebulon
1003 N. Arendell Avenue
Zebulon, NC 27597
919-823-1808
mclark@townofzebulon.org

RE: Zebulon South Memo

Dear Mr. Clark,

This memorandum is a supplement to the Zebulon South Traffic Impact Analysis (TIA). The TIA was initially scoped with the Town of Zebulon (Town) and NCDOT in March 2022. Originally sealed June 28th, 2022, the NCDOT provided final comments on July 26th, 2022. On November 27th, 2023, WSP provided Town comments to Timmons Group. The TIA was updated and resubmitted (sealed January 2nd, 2023). At the time of scoping, there were no approved area developments that would contribute trips during the Background or Build analyses. In the interim, the Chamblee Lake Planned Development TIA was approved. Due to traffic concerns expressed by Town Council and area citizens, the project team determined that additional analyses should be conducted including the proposed Chamblee Lake Planned Development. This memorandum's purpose is to determine 1) the Zebulon South Development site trip impacts to study area intersections (including the Chamblee Lake Planned Development), and 2) if improvement recommendations are changed from the original TIA.

The following intersections were analyzed:

- NC-97 (Gannon Ave) / SR-2349 (South Wakefield Street);
- NC-97 (Gannon Ave) / NC-96 (Arendell Ave);
- NC-96 (Arendell Ave) / SR-2348 (West Barbee Street);
- NC-96 (Arendell Ave) / Site Access 1*;
- NC-96 (Arendell Ave) / Site Access 2*;
- NC-96 (Arendell Ave) / SR-2347 (Perry Curtis Road); and
- SR-2349 (South Wakefield Street) / Site Access 3*.

* Build conditions only

Upgraded 2026 Background and Build + Improvement AM and PM peak hour capacity analyses were performed including the Chamblee Lake Planned Development site trips. As discussed below, it was determined that with the Chamblee Lake Planned Development site trip addition, all study area intersection approaches are projected to perform acceptably. Therefore, no additional improvement recommendations were necessary.



2026 Background

Table 1 below summarizes the intersection LOS and delay based on existing intersection geometry (see **Figure A**) and the 2026 Background traffic volumes (see **Figure D**). 2026 Background volumes were calculated by summing 2026 ambient traffic volumes (**Figure B – Zebulon South TIA Figure 3-1**) and Chamblee Lake Planned Development traffic volumes (**Figure C[^] and Appendix B**). The corresponding SYNCHRO outputs are located in **Appendix A**. As shown in **Table 1**, all intersection approaches are projected to operate acceptably during both 2026 Background peak hours. Optimized timings were used for all signalized intersection analyses (adhering to NCDOT minimum cycle length requirements).

[^] For purposes of analysis (and to be more conservative), it was assumed that all traffic projected along Horton Street turned right onto NC-96 south of NC-97. Traffic was then split between northbound left and through at NC-97. All traffic wishing to travel west (towards US-264) will likely utilize NC-39.



**Table 1: Intersection Approach Level of Service and Delay
2026 Background Traffic Volumes**

Intersection	Approach / Overall	AM PEAK HOUR		PM PEAK HOUR		Movement	Turn Lane Storage (ft)	AM PEAK HOUR	PM PEAK HOUR
		Delay ¹ (sec/veh)	LOS ¹	Delay ¹ (sec/veh)	LOS ¹			*95th Percentile Queue Length	*95th Percentile Queue Length
1: S Wakefield Street & NC-97 (Gannon Avenue)	Eastbound	22.4	C	31.1	C	EB Left	125	10	11
		EB Thru/Right	380	#744					
		EB Approach	--	--					
	Westbound	13.9	B	11.3	B	WB Left	125	63	72
		WB Thru/Right	265	237					
		WB Approach	--	--					
	Northbound	31.8	C	46.4	D	NB Left/Thru/Right		199	169
Southbound	23.4	C	31.2	C	SB Left/Thru/Right		35	63	
Overall	20.2	C	25.1	C	Overall		--	--	
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)	Eastbound	33.2	C	38.0	D	EB Left	200	46	73
		EB Thru	367	#336					
		EB Right	100	100					
	Westbound	23.6	C	28.4	C	WB Left	350	#238	#276
		WB Thru/Right	166	348					
		WB Approach	--	--					
	Northbound	40.1	D	38.7	D	NB Left	125	124	96
Southbound	29.7	C	27.8	C	NB Thru/Right		#352	#462	
Overall	31.5	C	33.2	C	Overall		--	--	
3: NC-96 (Arendell Avenue) & Barbee Street	Eastbound	14.9	B	22.1	C	EB Left/Thru/Right		0.5	1.9
	Westbound	14.1	B	16.7	C	EB Approach		--	--
	Northbound	1.0	A	1.0	A	WB Left/Thru/Right		0.1	0.2
	Southbound	0.2	A	0.1	A	WB Approach		--	--
	Overall					NB Left/Thru/Right		0.1	0.1
6: NC-96 (Arendell Avenue) & Perry Curtis Road	Westbound	11.1	B	11.1	B	NB Approach		--	--
	Northbound	0.0	A	0.0	A	SB Left/Thru/Right		0	0
	Southbound	1.8	A	2.6	A	SB Approach		--	--
	Overall					Overall		0.6	0.4

¹ Overall intersection LOS and delay not reported for TWSC intersections.
* - 95th percentile queues for unsignalized intersections reported in number of vehicles.

2026 Build + Improvements

The Zebulon South trip generation and distribution are located in the Zebulon South TIA (see **Section 4** and **Figure 4-2**, respectively). 2026 Build traffic volumes (see **Figure E**) were calculated by summing the 2026 Background traffic volumes (**Figure D**) and projected Zebulon South site trips (**Figure 4-2 – Zebulon South TIA**). **Table 2** below summarizes the intersection LOS and delay based on the future lane configuration (see **Figure F**) and 2026 Build traffic volumes (see **Figure E**). The corresponding SYNCHRO outputs are located in **Appendix A**. As shown in **Table 2**, all intersection approaches are projected to operate acceptably during the 2026 Build + Improvements AM and PM peak hours. Optimized timings were used for all signalized intersection analyses (adhering to NCDOT minimum cycle length requirements). Because all approaches are projected to operate acceptably, no additional study area intersection improvements are recommended.



TIMMONS GROUP

YOUR VISION ACHIEVED THROUGH OURS.

**Table 2: Intersection Approach Level of Service and Delay
2026 Build + Improvements Traffic Volumes**

Intersection	Approach / Overall	AM PEAK HOUR		PM PEAK HOUR		Movement	Turn Lane Storage (ft)	AM PEAK HOUR	PM PEAK HOUR
		Delay ¹ (sec/veh)	LOS ¹	Delay ¹ (sec/veh)	LOS ¹			*95th Percentile Queue Length	*95th Percentile Queue Length
1: S Wakefield Street & NC-97 (Gannon Avenue)	Eastbound	25.1	C	41.0	D	EB Left	125	10	11
						EB Thru/Right		405	#825
						EB Approach		--	--
	Westbound	15.9	B	12.9	B	WB Left	125	68	90
						WB Thru/Right		287	244
						WB Approach		--	--
	Northbound	35.1	D	54.8	D	NB Left/Thru/Right		#273	#232
Southbound	23.0	C	30.9	C	SB Left/Thru/Right		35	63	
Overall	23.0	C	31.9	C	Overall		--	--	
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)	Eastbound	38.5	D	47.1	D	EB Left	200	48	77
						EB Thru		#439	#389
						EB Right	100	76	121
	Westbound	27.9	C	33.2	C	WB Left	350	#268	#321
						WB Thru/Right		185	385
						WB Approach		--	--
	Northbound	41.6	D	40.2	D	NB Left	125	134	106
						NB Thru/Right		#407	#494
	Southbound	27.7	C	28.0	C	SB Left	250	36	#83
						SB Thru/Right		200	243
					SB Approach		--	--	
Overall	34.8	C	37.4	D	Overall		--	--	
3: NC-96 (Arendell Avenue) & Barbee Street	Eastbound	17.0	C	30.0	D	EB Left/Thru/Right		0.6	2.8
	Westbound	16.1	C	20.2	C	WB Left/Thru/Right		0.1	0.2
	Northbound	0.9	A	1.0	A	NB Left/Thru/Right		0.1	0.2
	Southbound	0.2	A	0.1	A	SB Left/Thru/Right		0	0
4: NC-96 (Arendell Avenue) & Site Access 1	Eastbound	13.1	B	16.0	C	EB Left/Right		0.4	0.3
	Northbound	0.1	A	0.3	A	EB Approach		--	--
	Southbound	0.0	A	0.0	A	NB Left/Thru		0	0
						NB Approach		--	--
5: NC-96 (Arendell Avenue) & Site Access 2	Eastbound	12.3	B	14.9	B	SB Thru		0	0
	Northbound	0.1	A	0.6	A	SB Right	50	0	0
	Southbound	0.0	A	0.0	A	SB Approach		--	--
						SB Approach		--	--
6: NC-96 (Arendell Avenue) & Perry Curtis Road	Westbound	11.3	B	11.3	B	WB Left/Right		0.7	0.5
	Northbound	0.0	A	0.0	A	WB Approach		--	--
	Southbound	1.9	A	2.6	A	NB Thru/Right		0	0
7: S Wakefield Street & Site Access 3	Westbound	10.1	B	9.9	A	NB Approach		--	--
	Northbound	0.0	A	0.0	A	SB Left/Thru		0.1	0.4
	Southbound	1.1	A	1.8	A	SB Approach		--	--
						SB Approach	50	0	0.1

¹ Overall intersection LOS and delay not reported for TWSC intersections.

* - 95th percentile queues for unsignalized intersections reported in number of vehicles.



Conclusions

Per the provided analyses, it was determined that inclusion of Chamblee Lake Planned Development site trips does not result in changes to original Zebulon South TIA recommendations.

Should you have any questions regarding this memorandum, please do not hesitate to contact me.

Sincerely,

1/2/24

Jeffrey P. Hochanadel, PE, PTOE
Principal | North Carolina Transportation Group Leader



LIST OF TABLES

Table 1 – Intersection Approach Level of Service and Delay –
2026 Background Traffic Volumes

Table 2 – Intersection Approach Level of Service and Delay –
2026 Build + Improvements Traffic Volumes

LIST OF FIGURES

FIGURE A – EXISTING LANE CONFIGURATION

FIGURE B – 2026 AMBIENT TRAFFIC VOLUMES

FIGURE C – CHAMBLEE LAKE PLANNED DEVELOPMENT TRAFFIC VOLUMES

FIGURE D – 2026 BACKGROUND TRAFFIC VOLUMES

FIGURE E – 2026 BUILD TRAFFIC VOLUMES

FIGURE F – FUTURE LANE CONFIGURATION


APPENDICES

Appendix A – Synchro Output

Appendix B – Chamblee Lake Planned Development



NOT TO SCALE



LEGEND:


- Existing Road
- - - Proposed Road
- Signalized Intersection
- Unsignalized Intersection
- Existing Lane Configuration



Zebulon South Traffic Impact Analysis

2022 Existing Lane Configuration

Figure A



LEGEND:

- Existing Road
- - - Proposed Road
- XX AM Peak Hour Volume (vph)
- (XX) PM Peak Hour Volume (vph)




Zebulon South Traffic Impact Analysis

2026 Ambient Traffic Volumes

Figure B



NOT TO SCALE




Zebulon South Traffic Impact Analysis

Chamblee Lake Planned Development Traffic Volumes

Figure C



NOT TO SCALE



LEGEND:


- Existing Road
- - - Proposed Road
- XX AM Peak Hour Volume (vph)
- (XX) PM Peak Hour Volume (vph)



Zebulon South Traffic Impact Analysis

2026 Background Traffic Volumes

Figure D



LEGEND:


- Existing Road
- - - Proposed Road
- XX AM Peak Hour Volume (vph)
- (XX) PM Peak Hour Volume (vph)



Zebulon South Traffic Impact Analysis

2026 Build Traffic Volumes

Figure E



LEGEND:

	Existing Road
	Proposed Road
	Signalized Intersection
	Unsignalized Intersection
	Existing Lane Configuration
	Proposed Lane Configuration

Appendix A – Synchro Output

2026 Background Traffic Volumes

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/14/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	6	494	41	46	550	4	91	10	113	4	5	19
Future Volume (vph)	6	494	41	46	550	4	91	10	113	4	5	19
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		-1%			0%			3%			1%	
Storage Length (ft)	125		0	125		0	0		0	0		0
Storage Lanes	1		0	1		0	0		0	0		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Frt		0.988			0.999			0.929			0.909	
Flt Protected	0.950			0.950				0.979			0.994	
Satd. Flow (prot)	1778	1850	0	1770	1861	0	0	1669	0	0	1675	0
Flt Permitted	0.432			0.950				0.848			0.952	
Satd. Flow (perm)	809	1850	0	1770	1861	0	0	1445	0	0	1604	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			25			25	
Link Distance (ft)		774			1453			1831			462	
Travel Time (s)		15.1			28.3			49.9			12.6	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	7	549	46	51	611	4	101	11	126	4	6	21
Shared Lane Traffic (%)												
Lane Group Flow (vph)	7	595	0	51	615	0	0	238	0	0	31	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes							
Headway Factor	0.99	0.99	0.99	1.00	1.00	1.00	1.02	1.02	1.02	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	Perm	NA		Prot	NA		Perm		NA		Perm	NA
Protected Phases		2		1	6			8			4	
Permitted Phases	2						8			4		
Detector Phase	2	2		1	6		8	8		4	4	
Switch Phase												
Minimum Initial (s)	10.0	10.0		7.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	17.0	17.0		14.0	17.0		14.0	14.0		14.0	14.0	
Total Split (s)	47.0	47.0		14.0	61.0		29.0	29.0		29.0	29.0	
Total Split (%)	52.2%	52.2%		15.6%	67.8%		32.2%	32.2%		32.2%	32.2%	
Maximum Green (s)	40.0	40.0		7.0	54.0		22.0	22.0		22.0	22.0	
Yellow Time (s)	5.0	5.0		5.0	5.0		5.0	5.0		5.0	5.0	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)	-2.0	-2.0		-2.0	-2.0		-2.0	-2.0		-2.0	-2.0	
Total Lost Time (s)	5.0	5.0		5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag	Lag	Lag		Lead								
Lead-Lag Optimize?	Yes	Yes		Yes								
Vehicle Extension (s)	3.0	3.0		3.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	Min	Min		None	Min		None	None		None	None	
Act Effect Green (s)	28.8	28.8		10.3	35.5			17.7			17.7	
Actuated g/C Ratio	0.45	0.45		0.16	0.55			0.27			0.27	
v/c Ratio	0.02	0.72		0.18	0.60			0.60			0.07	
Control Delay	13.3	22.6		35.1	12.1			31.8			23.4	

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/14/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Queue Delay	0.0	0.0		0.0	0.0			0.0			0.0	
Total Delay	13.3	22.6		35.1	12.1			31.8			23.4	
LOS	B	C		D	B			C			C	
Approach Delay		22.4			13.9			31.8			23.4	
Approach LOS		C			B			C			C	
Queue Length 50th (ft)	2	221		21	142			94			10	
Queue Length 95th (ft)	10	380		63	265			199			35	
Internal Link Dist (ft)		694			1373			1751			382	
Turn Bay Length (ft)	125			125								
Base Capacity (vph)	575	1317		281	1518			612			680	
Starvation Cap Reductn	0	0		0	0			0			0	
Spillback Cap Reductn	0	0		0	0			0			0	
Storage Cap Reductn	0	0		0	0			0			0	
Reduced v/c Ratio	0.01	0.45		0.18	0.41			0.39			0.05	

Intersection Summary

Area Type: Other

Cycle Length: 90

Actuated Cycle Length: 64.6

Natural Cycle: 60

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 0.72

Intersection Signal Delay: 20.2


Intersection LOS: C

Intersection Capacity Utilization 65.7%

ICU Level of Service C

Analysis Period (min) 15

Splits and Phases: 1: S Wakefield Street & NC-97 (Gannon Avenue)



Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)


12/14/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	46	446	82	221	349	19	119	225	138	25	208	33
Future Volume (vph)	46	446	82	221	349	19	119	225	138	25	208	33
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		2%			-2%			-2%			2%	
Storage Length (ft)	200		100	350		0	125		0	250		0
Storage Lanes	1		1	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fr _t			0.850		0.992			0.943			0.979	
Fl _t Protected	0.950			0.950			0.950			0.950		
Satd. Flow (prot)	1752	1844	1567	1787	1866	0	1787	1774	0	1752	1805	0
Fl _t Permitted	0.522			0.950			0.463			0.259		
Satd. Flow (perm)	963	1844	1567	1787	1866	0	871	1774	0	478	1805	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			20			35	
Link Distance (ft)		1453			677			1822			478	
Travel Time (s)		28.3			13.2			62.1			9.3	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	51	496	91	246	388	21	132	250	153	28	231	37
Shared Lane Traffic (%)												
Lane Group Flow (vph)	51	496	91	246	409	0	132	403	0	28	268	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			12			12	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes						Yes	
Headway Factor	1.01	1.01	1.01	0.99	0.99	0.99	0.99	0.99	0.99	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	Perm	NA	Perm	Prot	NA		Perm	NA		Perm	NA	
Protected Phases		2		1	6			8			4	
Permitted Phases	2		2				8			4		
Detector Phase	2	2	2	1	6		8	8		4	4	
Switch Phase												
Minimum Initial (s)	10.0	10.0	10.0	7.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	24.0	24.0	24.0	14.0	17.0		24.0	24.0		14.0	14.0	
Total Split (s)	37.0	37.0	37.0	22.0	59.0		31.0	31.0		31.0	31.0	
Total Split (%)	41.1%	41.1%	41.1%	24.4%	65.6%		34.4%	34.4%		34.4%	34.4%	
Maximum Green (s)	30.0	30.0	30.0	15.0	52.0		24.0	24.0		24.0	24.0	
Yellow Time (s)	5.0	5.0	5.0	5.0	5.0		5.0	5.0		5.0	5.0	
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)	-2.0	-2.0	-2.0	-2.0	-2.0		-2.0	-2.0		-2.0	-2.0	
Total Lost Time (s)	5.0	5.0	5.0	5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag	Lag	Lag	Lag	Lead								
Lead-Lag Optimize?	Yes	Yes	Yes	Yes								
Vehicle Extension (s)	3.0	3.0	3.0	2.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	Min	Min	Min	None	Min		None	None		None	None	
Walk Time (s)	7.0	7.0	7.0				7.0	7.0				
Flash Dont Walk (s)	10.0	10.0	10.0				10.0	10.0				
Pedestrian Calls (#/hr)	0	0	0				0	0				
Act Effct Green (s)	27.0	27.0	27.0	15.5	47.6		22.9	22.9		22.9	22.9	

Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)

12/14/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Actuated g/C Ratio	0.33	0.33	0.33	0.19	0.59		0.28	0.28		0.28	0.28	
v/c Ratio	0.16	0.81	0.17	0.72	0.37		0.53	0.80		0.21	0.52	
Control Delay	21.4	36.7	21.0	45.9	10.1		35.5	41.7		28.7	29.8	
Queue Delay	0.0	0.0	0.0	0.0	0.0		0.0	0.0		0.0	0.0	
Total Delay	21.4	36.7	21.0	45.9	10.1		35.5	41.7		28.7	29.8	
LOS	C	D	C	D	B		D	D		C	C	
Approach Delay		33.2			23.6			40.1			29.7	
Approach LOS		C			C			D			C	
Queue Length 50th (ft)	20	245	35	129	109		61	203		12	123	
Queue Length 95th (ft)	46	367	69	#238	166		124	#352		36	203	
Internal Link Dist (ft)		1373			597			1742			398	
Turn Bay Length (ft)	200		100	350			125			250		
Base Capacity (vph)	391	749	637	385	1311		287	585		158	596	
Starvation Cap Reductn	0	0	0	0	0		0	0		0	0	
Spillback Cap Reductn	0	0	0	0	0		0	0		0	0	
Storage Cap Reductn	0	0	0	0	0		0	0		0	0	
Reduced v/c Ratio	0.13	0.66	0.14	0.64	0.31		0.46	0.69		0.18	0.45	

Intersection Summary

Area Type:	Other
Cycle Length:	90
Actuated Cycle Length:	80.8
Natural Cycle:	65
Control Type:	Actuated-Uncoordinated
Maximum v/c Ratio:	0.81
Intersection Signal Delay:	31.5
Intersection LOS:	C
Intersection Capacity Utilization:	78.5%
ICU Level of Service:	D
Analysis Period (min):	15
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	

Splits and Phases: 2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)



Zebulon South TIA
3: NC-96 (Arendell Avenue) & Barbee Street

12/14/2023

Intersection

Int Delay, s/veh 2.2

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔			↔			↔			↔	
Traffic Vol, veh/h	34	4	18	4	4	4	48	330	4	4	167	20
Future Vol, veh/h	34	4	18	4	4	4	48	330	4	4	167	20
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	38	4	20	4	4	4	53	367	4	4	186	22

Major/Minor	Minor2		Minor1		Major1		Major2					
Conflicting Flow All	684	682	197	692	691	369	208	0	0	371	0	0
Stage 1	205	205	-	475	475	-	-	-	-	-	-	-
Stage 2	479	477	-	217	216	-	-	-	-	-	-	-
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	4.12	-	-
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	2.218	-	-
Pot Cap-1 Maneuver	363	372	844	358	368	677	1363	-	-	1188	-	-
Stage 1	797	732	-	570	557	-	-	-	-	-	-	-
Stage 2	568	556	-	785	724	-	-	-	-	-	-	-
Platoon blocked, %								-	-	-	-	-
Mov Cap-1 Maneuver	343	352	844	332	348	677	1363	-	-	1188	-	-
Mov Cap-2 Maneuver	343	352	-	332	348	-	-	-	-	-	-	-
Stage 1	758	729	-	542	530	-	-	-	-	-	-	-
Stage 2	532	529	-	759	721	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	14.9	14.1	1	0.2
HCM LOS	B	B		

Minor Lane/Major Mvmt	NBL	NBT	NBREBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	1363	-	-	425	407	1188	-
HCM Lane V/C Ratio	0.039	-	-	0.146	0.033	0.004	-
HCM Control Delay (s)	7.7	0	-	14.9	14.1	8	0
HCM Lane LOS	A	A	-	B	B	A	A
HCM 95th %tile Q(veh)	0.1	-	-	0.5	0.1	0	-

Zebulon South TIA
6: NC-96 (Arendell Avenue) & Perry Curtis Road

12/14/2023

Intersection

Int Delay, s/veh 3.1

Movement WBL WBR NBT NBR SBL SBT

Lane Configurations 

Traffic Vol, veh/h 21 93 231 6 35 119

Future Vol, veh/h 21 93 231 6 35 119

Conflicting Peds, #/hr 0 0 0 0 0 0

Sign Control Stop Stop Free Free Free Free

RT Channelized - None - None - None

Storage Length 0 - - - - -

Veh in Median Storage, # 0 - 0 - - 0

Grade, % 0 - 0 - - 0

Peak Hour Factor 90 90 90 90 90 90

Heavy Vehicles, % 2 2 2 2 2 2

Mvmt Flow 23 103 257 7 39 132

Major/Minor Minor1 Major1 Major2

Conflicting Flow All 471 261 0 0 264 0

Stage 1 261 - - - - -

Stage 2 210 - - - - -

Critical Hdwy 6.42 6.22 - - 4.12 -

Critical Hdwy Stg 1 5.42 - - - - -

Critical Hdwy Stg 2 5.42 - - - - -

Follow-up Hdwy 3.518 3.318 - - 2.218 -

Pot Cap-1 Maneuver 551 778 - - 1300 -

Stage 1 783 - - - - -

Stage 2 825 - - - - -

Platoon blocked, % - - - - -

Mov Cap-1 Maneuver 533 778 - - 1300 -

Mov Cap-2 Maneuver 533 - - - - -

Stage 1 783 - - - - -

Stage 2 799 - - - - -

Approach WB NB SB

HCM Control Delay, s 11.1 0 1.8

HCM LOS B

Minor Lane/Major Mvmt NBT NBRWBLn1 SBL SBT

Capacity (veh/h) - - 717 1300 -

HCM Lane V/C Ratio - - 0.177 0.03 -

HCM Control Delay (s) - - 11.1 7.9 0

HCM Lane LOS - - B A A

HCM 95th %tile Q(veh) - - 0.6 0.1 -

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/05/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	10	705	113	55	581	4	90	10	68	7	19	29
Future Volume (vph)	10	705	113	55	581	4	90	10	68	7	19	29
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		-1%			0%			3%			1%	
Storage Length (ft)	125		0	125		0	0		0	0		0
Storage Lanes	1		0	1		0	0		0	0		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Frt		0.979			0.999			0.945			0.929	
Flt Protected	0.950			0.950				0.974			0.993	
Satd. Flow (prot)	1778	1833	0	1770	1861	0	0	1689	0	0	1710	0
Flt Permitted	0.418			0.950				0.815			0.956	
Satd. Flow (perm)	783	1833	0	1770	1861	0	0	1413	0	0	1646	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			25			25	
Link Distance (ft)		774			1453			1831			462	
Travel Time (s)		15.1			28.3			49.9			12.6	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	11	783	126	61	646	4	100	11	76	8	21	32
Shared Lane Traffic (%)												
Lane Group Flow (vph)	11	909	0	61	650	0	0	187	0	0	61	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes							
Headway Factor	0.99	0.99	0.99	1.00	1.00	1.00	1.02	1.02	1.02	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	Perm	NA		Prot	NA		Perm	NA		Perm	NA	
Protected Phases		2		1	6			8			4	
Permitted Phases	2						8			4		
Detector Phase	2	2		1	6		8	8		4	4	
Switch Phase												
Minimum Initial (s)	10.0	10.0		7.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	17.0	17.0		14.0	17.0		14.0	14.0		14.0	14.0	
Total Split (s)	52.0	52.0		14.0	66.0		24.0	24.0		24.0	24.0	
Total Split (%)	57.8%	57.8%		15.6%	73.3%		26.7%	26.7%		26.7%	26.7%	
Maximum Green (s)	45.0	45.0		7.0	59.0		17.0	17.0		17.0	17.0	
Yellow Time (s)	5.0	5.0		5.0	5.0		5.0	5.0		5.0	5.0	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)	-2.0	-2.0		-2.0	-2.0		-2.0	-2.0		-2.0	-2.0	
Total Lost Time (s)	5.0	5.0		5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag	Lag	Lag		Lead								
Lead-Lag Optimize?	Yes	Yes		Yes								
Vehicle Extension (s)	3.0	3.0		3.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	Min	Min		None	Min		None	None		None	None	
Act Effect Green (s)	46.7	46.7		9.2	57.2			16.2			16.2	
Actuated g/C Ratio	0.56	0.56		0.11	0.68			0.19			0.19	
v/c Ratio	0.03	0.89		0.31	0.51			0.68			0.19	
Control Delay	10.7	31.4		42.3	8.4			46.4			31.2	

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/05/2023




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Queue Delay	0.0	0.0		0.0	0.0			0.0			0.0	
Total Delay	10.7	31.4		42.3	8.4			46.4			31.2	
LOS	B	C		D	A			D			C	
Approach Delay		31.1			11.3			46.4			31.2	
Approach LOS		C			B			D			C	
Queue Length 50th (ft)	3	452		32	153			97			29	
Queue Length 95th (ft)	11	#744		72	237			169			63	
Internal Link Dist (ft)		694			1373			1751			382	
Turn Bay Length (ft)	125			125								
Base Capacity (vph)	448	1051		194	1385			327			381	
Starvation Cap Reductn	0	0		0	0			0			0	
Spillback Cap Reductn	0	0		0	0			0			0	
Storage Cap Reductn	0	0		0	0			0			0	
Reduced v/c Ratio	0.02	0.86		0.31	0.47			0.57			0.16	

Intersection Summary


Area Type: Other
 Cycle Length: 90
 Actuated Cycle Length: 83.6
 Natural Cycle: 80
 Control Type: Actuated-Uncoordinated
 Maximum v/c Ratio: 0.89
 Intersection Signal Delay: 25.1
 Intersection LOS: C
 Intersection Capacity Utilization 70.4%
 ICU Level of Service C
 Analysis Period (min) 15
 # 95th percentile volume exceeds capacity, queue may be longer.
 Queue shown is maximum after two cycles.

Splits and Phases: 1: S Wakefield Street & NC-97 (Gannon Avenue)



Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)

12/05/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	66	352	108	245	494	57	102	341	154	51	254	50
Future Volume (vph)	66	352	108	245	494	57	102	341	154	51	254	50
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		2%			-2%			-2%			2%	
Storage Length (ft)	200		100	350		0	125		0	250		0
Storage Lanes	1		1	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fr _t			0.850		0.985			0.953			0.975	
Fl _t Protected	0.950			0.950			0.950			0.950		
Satd. Flow (prot)	1752	1844	1567	1787	1853	0	1787	1793	0	1752	1798	0
Fl _t Permitted	0.433			0.950			0.418			0.170		
Satd. Flow (perm)	799	1844	1567	1787	1853	0	786	1793	0	313	1798	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			20			35	
Link Distance (ft)		1453			677			1822			478	
Travel Time (s)		28.3			13.2			62.1			9.3	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	73	391	120	272	549	63	113	379	171	57	282	56
Shared Lane Traffic (%)												
Lane Group Flow (vph)	73	391	120	272	612	0	113	550	0	57	338	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			12			12	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes						Yes	
Headway Factor	1.01	1.01	1.01	0.99	0.99	0.99	0.99	0.99	0.99	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	Perm	NA	Perm	Prot	NA		Perm	NA		Perm	NA	
Protected Phases		2		1	6			8			4	
Permitted Phases	2		2				8			4		
Detector Phase	2	2	2	1	6		8	8		4	4	
Switch Phase												
Minimum Initial (s)	10.0	10.0	10.0	7.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	24.0	24.0	24.0	14.0	17.0		24.0	24.0		14.0	14.0	
Total Split (s)	30.0	30.0	30.0	22.0	52.0		38.0	38.0		38.0	38.0	
Total Split (%)	33.3%	33.3%	33.3%	24.4%	57.8%		42.2%	42.2%		42.2%	42.2%	
Maximum Green (s)	23.0	23.0	23.0	15.0	45.0		31.0	31.0		31.0	31.0	
Yellow Time (s)	5.0	5.0	5.0	5.0	5.0		5.0	5.0		5.0	5.0	
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)	-2.0	-2.0	-2.0	-2.0	-2.0		-2.0	-2.0		-2.0	-2.0	
Total Lost Time (s)	5.0	5.0	5.0	5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag	Lag	Lag	Lag	Lead								
Lead-Lag Optimize?	Yes	Yes	Yes	Yes								
Vehicle Extension (s)	3.0	3.0	3.0	2.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	Min	Min	Min	None	Min		None	None		None	None	
Walk Time (s)	7.0	7.0	7.0				7.0	7.0				
Flash Dont Walk (s)	10.0	10.0	10.0				10.0	10.0				
Pedestrian Calls (#/hr)	0	0	0				0	0				
Act Effect Green (s)	22.2	22.2	22.2	16.2	43.5		29.5	29.5		29.5	29.5	

Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)

12/05/2023




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Actuated g/C Ratio	0.27	0.27	0.27	0.19	0.52		0.35	0.35		0.35	0.35	
v/c Ratio	0.34	0.79	0.29	0.78	0.63		0.41	0.86		0.52	0.53	
Control Delay	31.3	42.4	27.5	51.2	18.3		26.5	41.3		41.7	25.4	
Queue Delay	0.0	0.0	0.0	0.0	0.0		0.0	0.0		0.0	0.0	
Total Delay	31.3	42.4	27.5	51.2	18.3		26.5	41.3		41.7	25.4	
LOS	C	D	C	D	B		C	D		D	C	
Approach Delay		38.0			28.4			38.7			27.8	
Approach LOS		D			C			D			C	
Queue Length 50th (ft)	33	203	53	149	235		47	281		25	147	
Queue Length 95th (ft)	73	#336	100	#276	348		96	#462		#77	230	
Internal Link Dist (ft)		1373			597			1742			398	
Turn Bay Length (ft)	200		100	350			125			250		
Base Capacity (vph)	244	564	479	371	1065		317	724		126	726	
Starvation Cap Reductn	0	0	0	0	0		0	0		0	0	
Spillback Cap Reductn	0	0	0	0	0		0	0		0	0	
Storage Cap Reductn	0	0	0	0	0		0	0		0	0	
Reduced v/c Ratio	0.30	0.69	0.25	0.73	0.57		0.36	0.76		0.45	0.47	

Intersection Summary

Area Type:	Other
Cycle Length:	90
Actuated Cycle Length:	83.2
Natural Cycle:	75
Control Type:	Actuated-Uncoordinated
Maximum v/c Ratio:	0.86
Intersection Signal Delay:	33.2
Intersection LOS:	C
Intersection Capacity Utilization:	87.6%
ICU Level of Service:	E
Analysis Period (min):	15
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	

Splits and Phases: 2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)



Zebulon South TIA
3: NC-96 (Arendell Avenue) & Barbee Street

12/05/2023

Intersection

Int Delay, s/veh 3.7

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔			↔			↔			↔	
Traffic Vol, veh/h	51	5	73	4	4	7	36	268	4	9	437	47
Future Vol, veh/h	51	5	73	4	4	7	36	268	4	9	437	47
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	57	6	81	4	4	8	40	298	4	10	486	52

Major/Minor	Minor2		Minor1		Major1		Major2					
Conflicting Flow All	918	914	512	956	938	300	538	0	0	302	0	0
Stage 1	532	532	-	380	380	-	-	-	-	-	-	-
Stage 2	386	382	-	576	558	-	-	-	-	-	-	-
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	4.12	-	-
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	2.218	-	-
Pot Cap-1 Maneuver	252	273	562	238	264	740	1030	-	-	1259	-	-
Stage 1	531	526	-	642	614	-	-	-	-	-	-	-
Stage 2	637	613	-	503	512	-	-	-	-	-	-	-
Platoon blocked, %								-	-	-	-	-
Mov Cap-1 Maneuver	235	257	562	192	249	740	1030	-	-	1259	-	-
Mov Cap-2 Maneuver	235	257	-	192	249	-	-	-	-	-	-	-
Stage 1	506	520	-	612	585	-	-	-	-	-	-	-
Stage 2	596	584	-	421	506	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	22.1	16.7	1	0.1
HCM LOS	C	C		

Minor Lane/Major Mvmt	NBL	NBT	NBREBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	1030	-	-	352	324	1259	-
HCM Lane V/C Ratio	0.039	-	-	0.407	0.051	0.008	-
HCM Control Delay (s)	8.6	0	-	22.1	16.7	7.9	0
HCM Lane LOS	A	A	-	C	C	A	A
HCM 95th %tile Q(veh)	0.1	-	-	1.9	0.2	0	-

Zebulon South TIA
6: NC-96 (Arendell Avenue) & Perry Curtis Road

12/05/2023

Intersection

Int Delay, s/veh 2.8

Movement WBL WBR NBT NBR SBL SBT

Lane Configurations 

Traffic Vol, veh/h 11 63 168 15 133 281

Future Vol, veh/h 11 63 168 15 133 281

Conflicting Peds, #/hr 0 0 0 0 0 0

Sign Control Stop Stop Free Free Free Free

RT Channelized - None - None - None

Storage Length 0 - - - - -

Veh in Median Storage, # 0 - 0 - - 0

Grade, % 0 - 0 - - 0

Peak Hour Factor 90 90 90 90 90 90

Heavy Vehicles, % 2 2 2 2 2 2

Mvmt Flow 12 70 187 17 148 312

Major/Minor Minor1 Major1 Major2

Conflicting Flow All 804 196 0 0 204 0

Stage 1 196 - - - - -

Stage 2 608 - - - - -

Critical Hdwy 6.42 6.22 - - 4.12 -

Critical Hdwy Stg 1 5.42 - - - - -

Critical Hdwy Stg 2 5.42 - - - - -

Follow-up Hdwy 3.518 3.318 - - 2.218 -

Pot Cap-1 Maneuver 352 845 - - 1368 -

Stage 1 837 - - - - -

Stage 2 543 - - - - -

Platoon blocked, % - - - - -

Mov Cap-1 Maneuver 306 845 - - 1368 -

Mov Cap-2 Maneuver 306 - - - - -

Stage 1 837 - - - - -

Stage 2 472 - - - - -

Approach WB NB SB

HCM Control Delay, s 11.1 0 2.6

HCM LOS B

Minor Lane/Major Mvmt NBT NBRWBLn1 SBL SBT

Capacity (veh/h) - - 670 1368 -

HCM Lane V/C Ratio - - 0.123 0.108 -

HCM Control Delay (s) - - 11.1 8 0

HCM Lane LOS - - B A A

HCM 95th %tile Q(veh) - - 0.4 0.4 -

2026 Build + Improvement Traffic Volumes

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/05/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	6	499	52	51	567	4	126	10	130	4	5	19
Future Volume (vph)	6	499	52	51	567	4	126	10	130	4	5	19
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		-1%			0%			3%			1%	
Storage Length (ft)	125		0	125		0	0		0	0		0
Storage Lanes	1		0	1		0	0		0	0		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Frt		0.986			0.999			0.934			0.909	
Flt Protected	0.950			0.950				0.977			0.994	
Satd. Flow (prot)	1778	1846	0	1770	1861	0	0	1674	0	0	1675	0
Flt Permitted	0.405			0.950				0.833			0.951	
Satd. Flow (perm)	758	1846	0	1770	1861	0	0	1428	0	0	1602	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			25			25	
Link Distance (ft)		774			1453			1831			462	
Travel Time (s)		15.1			28.3			49.9			12.6	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	7	554	58	57	630	4	140	11	144	4	6	21
Shared Lane Traffic (%)												
Lane Group Flow (vph)	7	612	0	57	634	0	0	295	0	0	31	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes							
Headway Factor	0.99	0.99	0.99	1.00	1.00	1.00	1.02	1.02	1.02	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	Perm	NA		Prot	NA		Perm	NA		Perm	NA	
Protected Phases		2		1	6			8			4	
Permitted Phases	2						8			4		
Detector Phase	2	2		1	6		8	8		4	4	
Switch Phase												
Minimum Initial (s)	10.0	10.0		7.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	17.0	17.0		14.0	17.0		14.0	14.0		14.0	14.0	
Total Split (s)	46.0	46.0		14.0	60.0		30.0	30.0		30.0	30.0	
Total Split (%)	51.1%	51.1%		15.6%	66.7%		33.3%	33.3%		33.3%	33.3%	
Maximum Green (s)	39.0	39.0		7.0	53.0		23.0	23.0		23.0	23.0	
Yellow Time (s)	5.0	5.0		5.0	5.0		5.0	5.0		5.0	5.0	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)	-2.0	-2.0		-2.0	-2.0		-2.0	-2.0		-2.0	-2.0	
Total Lost Time (s)	5.0	5.0		5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag	Lag	Lag		Lead								
Lead-Lag Optimize?	Yes	Yes		Yes								
Vehicle Extension (s)	3.0	3.0		3.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	Min	Min		None	Min		None	None		None	None	
Act Effect Green (s)	30.6	30.6		10.1	37.4		21.0	21.0		21.0	21.0	
Actuated g/C Ratio	0.44	0.44		0.14	0.54		0.30	0.30		0.30	0.30	
v/c Ratio	0.02	0.76		0.22	0.64		0.68	0.68		0.68	0.06	
Control Delay	14.0	25.3		37.3	14.0		35.1	35.1		35.1	23.0	

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/05/2023




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Queue Delay	0.0	0.0		0.0	0.0			0.0			0.0	
Total Delay	14.0	25.3		37.3	14.0			35.1			23.0	
LOS	B	C		D	B			D			C	
Approach Delay		25.1			15.9			35.1			23.0	
Approach LOS		C			B			D			C	
Queue Length 50th (ft)	2	262		26	182			131			11	
Queue Length 95th (ft)	10	405		68	287			#273			35	
Internal Link Dist (ft)		694			1373			1751			382	
Turn Bay Length (ft)	125			125								
Base Capacity (vph)	483	1177		257	1463			575			646	
Starvation Cap Reductn	0	0		0	0			0			0	
Spillback Cap Reductn	0	0		0	0			0			0	
Storage Cap Reductn	0	0		0	0			0			0	
Reduced v/c Ratio	0.01	0.52		0.22	0.43			0.51			0.05	

Intersection Summary

Area Type: Other
 Cycle Length: 90
 Actuated Cycle Length: 69.7
 Natural Cycle: 65
 Control Type: Actuated-Uncoordinated
 Maximum v/c Ratio: 0.76
 Intersection Signal Delay: 23.0
 Intersection LOS: C
 Intersection Capacity Utilization 72.9%
 ICU Level of Service C
 Analysis Period (min) 15
 # 95th percentile volume exceeds capacity, queue may be longer.
 Queue shown is maximum after two cycles.

Splits and Phases: 1: S Wakefield Street & NC-97 (Gannon Avenue)



Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)

12/05/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	46	463	87	232	354	19	136	250	172	25	216	33
Future Volume (vph)	46	463	87	232	354	19	136	250	172	25	216	33
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		2%			-2%			-2%			2%	
Storage Length (ft)	200		100	350		0	125		0	250		0
Storage Lanes	1		1	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fr _t			0.850		0.992			0.939			0.980	
Fl _t Protected	0.950			0.950			0.950			0.950		
Satd. Flow (prot)	1752	1844	1567	1787	1866	0	1787	1767	0	1752	1807	0
Fl _t Permitted	0.520			0.950			0.466			0.205		
Satd. Flow (perm)	959	1844	1567	1787	1866	0	877	1767	0	378	1807	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			20			35	
Link Distance (ft)		1453			677			1822			478	
Travel Time (s)		28.3			13.2			62.1			9.3	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	51	514	97	258	393	21	151	278	191	28	240	37
Shared Lane Traffic (%)												
Lane Group Flow (vph)	51	514	97	258	414	0	151	469	0	28	277	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			12			12	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes						Yes	
Headway Factor	1.01	1.01	1.01	0.99	0.99	0.99	0.99	0.99	0.99	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	Perm	NA	Perm	Prot	NA		Perm	NA		Perm	NA	
Protected Phases		2		1	6			8			4	
Permitted Phases	2		2				8			4		
Detector Phase	2	2	2	1	6		8	8		4	4	
Switch Phase												
Minimum Initial (s)	10.0	10.0	10.0	7.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	24.0	24.0	24.0	14.0	17.0		24.0	24.0		14.0	14.0	
Total Split (s)	35.0	35.0	35.0	21.0	56.0		34.0	34.0		34.0	34.0	
Total Split (%)	38.9%	38.9%	38.9%	23.3%	62.2%		37.8%	37.8%		37.8%	37.8%	
Maximum Green (s)	28.0	28.0	28.0	14.0	49.0		27.0	27.0		27.0	27.0	
Yellow Time (s)	5.0	5.0	5.0	5.0	5.0		5.0	5.0		5.0	5.0	
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)	-2.0	-2.0	-2.0	-2.0	-2.0		-2.0	-2.0		-2.0	-2.0	
Total Lost Time (s)	5.0	5.0	5.0	5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag	Lag	Lag	Lag	Lead								
Lead-Lag Optimize?	Yes	Yes	Yes	Yes								
Vehicle Extension (s)	3.0	3.0	3.0	2.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	Min	Min	Min	None	Min		None	None		None	None	
Walk Time (s)	7.0	7.0	7.0				7.0	7.0				
Flash Dont Walk (s)	10.0	10.0	10.0				10.0	10.0				
Pedestrian Calls (#/hr)	0	0	0				0	0				
Act Effct Green (s)	27.4	27.4	27.4	15.3	47.8		26.3	26.3		26.3	26.3	

Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)

12/05/2023




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Actuated g/C Ratio	0.33	0.33	0.33	0.18	0.57		0.31	0.31		0.31	0.31	
v/c Ratio	0.16	0.86	0.19	0.79	0.39		0.55	0.85		0.24	0.49	
Control Delay	22.9	43.1	22.5	53.8	11.8		33.9	44.1		28.7	27.6	
Queue Delay	0.0	0.0	0.0	0.0	0.0		0.0	0.0		0.0	0.0	
Total Delay	22.9	43.1	22.5	53.8	11.8		33.9	44.1		28.7	27.6	
LOS	C	D	C	D	B		C	D		C	C	
Approach Delay		38.5			27.9			41.6			27.7	
Approach LOS		D			C			D			C	
Queue Length 50th (ft)	20	267	39	142	122		70	244		12	125	
Queue Length 95th (ft)	48	#439	76	#268	185		134	#407		36	200	
Internal Link Dist (ft)		1373			597			1742			398	
Turn Bay Length (ft)	200		100	350			125			250		
Base Capacity (vph)	346	666	566	344	1146		306	617		132	631	
Starvation Cap Reductn	0	0	0	0	0		0	0		0	0	
Spillback Cap Reductn	0	0	0	0	0		0	0		0	0	
Storage Cap Reductn	0	0	0	0	0		0	0		0	0	
Reduced v/c Ratio	0.15	0.77	0.17	0.75	0.36		0.49	0.76		0.21	0.44	

Intersection Summary

Area Type:	Other
Cycle Length:	90
Actuated Cycle Length:	84.2
Natural Cycle:	70
Control Type:	Actuated-Uncoordinated
Maximum v/c Ratio:	0.86
Intersection Signal Delay:	34.8
Intersection LOS:	C
Intersection Capacity Utilization:	83.4%
ICU Level of Service:	E
Analysis Period (min):	15
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	

Splits and Phases: 2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)



Zebulon South TIA
3: NC-96 (Arendell Avenue) & Barbee Street

12/05/2023

Intersection

Int Delay, s/veh 2.2

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔			↔			↔			↔	
Traffic Vol, veh/h	34	4	21	4	4	4	56	406	4	4	191	20
Future Vol, veh/h	34	4	21	4	4	4	56	406	4	4	191	20
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	38	4	23	4	4	4	62	451	4	4	212	22

Major/Minor	Minor2		Minor1		Major1			Major2				
Conflicting Flow All	812	810	223	822	819	453	234	0	0	455	0	0
Stage 1	231	231	-	577	577	-	-	-	-	-	-	-
Stage 2	581	579	-	245	242	-	-	-	-	-	-	-
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	4.12	-	-
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	2.218	-	-
Pot Cap-1 Maneuver	298	314	817	293	310	607	1333	-	-	1106	-	-
Stage 1	772	713	-	502	502	-	-	-	-	-	-	-
Stage 2	499	501	-	759	705	-	-	-	-	-	-	-
Platoon blocked, %								-	-	-	-	-
Mov Cap-1 Maneuver	278	293	817	267	290	607	1333	-	-	1106	-	-
Mov Cap-2 Maneuver	278	293	-	267	290	-	-	-	-	-	-	-
Stage 1	724	710	-	471	471	-	-	-	-	-	-	-
Stage 2	460	470	-	730	702	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	17	16.1	0.9	0.2
HCM LOS	C	C		

Minor Lane/Major Mvmt	NBL	NBT	NBREBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	1333	-	-	365	339	1106	-
HCM Lane V/C Ratio	0.047	-	-	0.18	0.039	0.004	-
HCM Control Delay (s)	7.8	0	-	17	16.1	8.3	0
HCM Lane LOS	A	A	-	C	C	A	A
HCM 95th %tile Q(veh)	0.1	-	-	0.6	0.1	0	-

Zebulon South TIA
4: NC-96 (Arendell Avenue) & Site Access 1

12/05/2023

Intersection

Int Delay, s/veh	1.2					
Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W			W	W	W
Traffic Vol, veh/h	42	8	4	366	168	13
Future Vol, veh/h	42	8	4	366	168	13
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	50
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	47	9	4	407	187	14

Major/Minor

	Minor2	Major1		Major2	
Conflicting Flow All	602	187	201	0	0
Stage 1	187	-	-	-	-
Stage 2	415	-	-	-	-
Critical Hdwy	6.42	6.22	4.12	-	-
Critical Hdwy Stg 1	5.42	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-
Follow-up Hdwy	3.518	3.318	2.218	-	-
Pot Cap-1 Maneuver	463	855	1371	-	-
Stage 1	845	-	-	-	-
Stage 2	666	-	-	-	-
Platoon blocked, %				-	-
Mov Cap-1 Maneuver	461	855	1371	-	-
Mov Cap-2 Maneuver	461	-	-	-	-
Stage 1	842	-	-	-	-
Stage 2	666	-	-	-	-

Approach

	EB	NB	SB
HCM Control Delay, s	13.1	0.1	0
HCM LOS	B		

Minor Lane/Major Mvmt

	NBL	NBTEBLn1	SBT	SBR
Capacity (veh/h)	1371	-	498	-
HCM Lane V/C Ratio	0.003	-	0.112	-
HCM Control Delay (s)	7.6	0	13.1	-
HCM Lane LOS	A	A	B	-
HCM 95th %tile Q(veh)	0	-	0.4	-

Zebulon South TIA
5: NC-96 (Arendell Avenue) & Site Access 2

12/05/2023

Intersection

Int Delay, s/veh 1.3

Movement EBL EBR NBL NBT SBT SBR

Lane Configurations	Y			4	↑	↑
Traffic Vol, veh/h	42	17	6	327	162	14
Future Vol, veh/h	42	17	6	327	162	14
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	50
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	47	19	7	363	180	16

Major/Minor Minor2 Major1 Major2

Conflicting Flow All	557	180	196	0	-	0
Stage 1	180	-	-	-	-	-
Stage 2	377	-	-	-	-	-
Critical Hdwy	6.42	6.22	4.12	-	-	-
Critical Hdwy Stg 1	5.42	-	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-	-
Follow-up Hdwy	3.518	3.318	2.218	-	-	-
Pot Cap-1 Maneuver	491	863	1377	-	-	-
Stage 1	851	-	-	-	-	-
Stage 2	694	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	488	863	1377	-	-	-
Mov Cap-2 Maneuver	488	-	-	-	-	-
Stage 1	846	-	-	-	-	-
Stage 2	694	-	-	-	-	-

Approach EB NB SB

HCM Control Delay, s	12.3	0.1	0
HCM LOS	B		

Minor Lane/Major Mvmt NBL NBTEBLn1 SBT SBR

Capacity (veh/h)	1377	-	558	-	-
HCM Lane V/C Ratio	0.005	-	0.117	-	-
HCM Control Delay (s)	7.6	0	12.3	-	-
HCM Lane LOS	A	A	B	-	-
HCM 95th %tile Q(veh)	0	-	0.4	-	-

Zebulon South TIA
6: NC-96 (Arendell Avenue) & Perry Curtis Road

12/05/2023

Intersection

Int Delay, s/veh 3.1

Movement WBL WBR NBT NBR SBL SBT

Lane Configurations	W		T			T
Traffic Vol, veh/h	21	96	237	6	43	136
Future Vol, veh/h	21	96	237	6	43	136
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	23	107	263	7	48	151

Major/Minor Minor1 Major1 Major2

Conflicting Flow All	514	267	0	0	270	0
Stage 1	267	-	-	-	-	-
Stage 2	247	-	-	-	-	-
Critical Hdwy	6.42	6.22	-	-	4.12	-
Critical Hdwy Stg 1	5.42	-	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-	-
Follow-up Hdwy	3.518	3.318	-	-	2.218	-
Pot Cap-1 Maneuver	521	772	-	-	1293	-
Stage 1	778	-	-	-	-	-
Stage 2	794	-	-	-	-	-
Platoon blocked, %			-	-	-	-
Mov Cap-1 Maneuver	500	772	-	-	1293	-
Mov Cap-2 Maneuver	500	-	-	-	-	-
Stage 1	778	-	-	-	-	-
Stage 2	761	-	-	-	-	-

Approach WB NB SB

HCM Control Delay, s	11.3	0	1.9
HCM LOS	B		

Minor Lane/Major Mvmt NBT NBRWBLn1 SBL SBT

Capacity (veh/h)	-	-	703	1293	-
HCM Lane V/C Ratio	-	-	0.185	0.037	-
HCM Control Delay (s)	-	-	11.3	7.9	0
HCM Lane LOS	-	-	B	A	A
HCM 95th %tile Q(veh)	-	-	0.7	0.1	-

Zebulon South TIA
7: S Wakefield Street & Site Access 3

12/05/2023

Intersection

Int Delay, s/veh 1.9

Movement WBL WBR NBT NBR SBL SBT

Lane Configurations 

Traffic Vol, veh/h 8 52 214 4 16 92

Future Vol, veh/h 8 52 214 4 16 92

Conflicting Peds, #/hr 0 0 0 0 0 0

Sign Control Stop Stop Free Free Free Free

RT Channelized - None - None - None

Storage Length 0 - - - 50 -

Veh in Median Storage, # 0 - 0 - - 0

Grade, % 0 - 0 - - 0

Peak Hour Factor 90 90 90 90 90 90

Heavy Vehicles, % 2 2 2 2 2 2

Mvmt Flow 9 58 238 4 18 102

Major/Minor Minor1 Major1 Major2

Conflicting Flow All 378 240 0 0 242 0

Stage 1 240 - - - - -

Stage 2 138 - - - - -

Critical Hdwy 6.42 6.22 - - 4.12 -

Critical Hdwy Stg 1 5.42 - - - - -

Critical Hdwy Stg 2 5.42 - - - - -

Follow-up Hdwy 3.518 3.318 - - 2.218 -

Pot Cap-1 Maneuver 624 799 - - 1324 -

Stage 1 800 - - - - -

Stage 2 889 - - - - -

Platoon blocked, % - - - - -

Mov Cap-1 Maneuver 615 799 - - 1324 -

Mov Cap-2 Maneuver 615 - - - - -

Stage 1 800 - - - - -

Stage 2 877 - - - - -

Approach WB NB SB

HCM Control Delay, s 10.1 0 1.1

HCM LOS B

Minor Lane/Major Mvmt NBT NBRWBLn1 SBL SBT

Capacity (veh/h) - - 768 1324 -

HCM Lane V/C Ratio - - 0.087 0.013 -

HCM Control Delay (s) - - 10.1 7.8 -

HCM Lane LOS - - B A -

HCM 95th %tile Q(veh) - - 0.3 0 -

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/05/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	10	724	150	73	592	4	113	10	79	7	19	29
Future Volume (vph)	10	724	150	73	592	4	113	10	79	7	19	29
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		-1%			0%			3%			1%	
Storage Length (ft)	125		0	125		0	0		0	0		0
Storage Lanes	1		0	1		0	0		0	0		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Frt		0.974			0.999			0.947			0.929	
Flt Protected	0.950			0.950				0.973			0.993	
Satd. Flow (prot)	1778	1823	0	1770	1861	0	0	1691	0	0	1710	0
Flt Permitted	0.413			0.950				0.812			0.953	
Satd. Flow (perm)	773	1823	0	1770	1861	0	0	1411	0	0	1641	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			25			25	
Link Distance (ft)		774			1453			1831			462	
Travel Time (s)		15.1			28.3			49.9			12.6	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	11	804	167	81	658	4	126	11	88	8	21	32
Shared Lane Traffic (%)												
Lane Group Flow (vph)	11	971	0	81	662	0	0	225	0	0	61	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes							
Headway Factor	0.99	0.99	0.99	1.00	1.00	1.00	1.02	1.02	1.02	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	Perm	NA		Prot	NA		Perm	NA		Perm	NA	
Protected Phases		2		1	6			8			4	
Permitted Phases	2						8			4		
Detector Phase	2	2		1	6		8	8		4	4	
Switch Phase												
Minimum Initial (s)	10.0	10.0		7.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	17.0	17.0		14.0	17.0		14.0	14.0		14.0	14.0	
Total Split (s)	52.0	52.0		14.0	66.0		24.0	24.0		24.0	24.0	
Total Split (%)	57.8%	57.8%		15.6%	73.3%		26.7%	26.7%		26.7%	26.7%	
Maximum Green (s)	45.0	45.0		7.0	59.0		17.0	17.0		17.0	17.0	
Yellow Time (s)	5.0	5.0		5.0	5.0		5.0	5.0		5.0	5.0	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)	-2.0	-2.0		-2.0	-2.0		-2.0	-2.0		-2.0	-2.0	
Total Lost Time (s)	5.0	5.0		5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag	Lag	Lag		Lead								
Lead-Lag Optimize?	Yes	Yes		Yes								
Vehicle Extension (s)	3.0	3.0		3.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	Min	Min		None	Min		None	None		None	None	
Act Effect Green (s)	48.3	48.3		9.1	59.1		17.5	17.5		17.5	17.5	
Actuated g/C Ratio	0.56	0.56		0.11	0.68		0.20	0.20		0.20	0.20	
v/c Ratio	0.03	0.96		0.44	0.52		0.79	0.79		0.18	0.18	
Control Delay	10.8	41.4		46.3	8.8		54.8	54.8		30.9	30.9	

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/05/2023




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Queue Delay	0.0	0.0		0.0	0.0			0.0			0.0	
Total Delay	10.8	41.4		46.3	8.8			54.8			30.9	
LOS	B	D		D	A			D			C	
Approach Delay		41.0			12.9			54.8			30.9	
Approach LOS		D			B			D			C	
Queue Length 50th (ft)	3	~557		44	164			121			29	
Queue Length 95th (ft)	11	#825		90	244			#232			63	
Internal Link Dist (ft)		694			1373			1751			382	
Turn Bay Length (ft)	125			125								
Base Capacity (vph)	430	1016		185	1318			311			362	
Starvation Cap Reductn	0	0		0	0			0			0	
Spillback Cap Reductn	0	0		0	0			0			0	
Storage Cap Reductn	0	0		0	0			0			0	
Reduced v/c Ratio	0.03	0.96		0.44	0.50			0.72			0.17	

Intersection Summary

Area Type:	Other
Cycle Length:	90
Actuated Cycle Length:	86.6
Natural Cycle:	90
Control Type:	Actuated-Uncoordinated
Maximum v/c Ratio:	0.96
Intersection Signal Delay:	31.9
Intersection LOS:	C
Intersection Capacity Utilization	83.8%
ICU Level of Service	E
Analysis Period (min)	15
~ Volume exceeds capacity, queue is theoretically infinite. Queue shown is maximum after two cycles.	
# 95th percentile volume exceeds capacity, queue may be longer. Queue shown is maximum after two cycles.	

Splits and Phases: 1: S Wakefield Street & NC-97 (Gannon Avenue)



Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)

12/05/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations													
Traffic Volume (vph)	66	363	127	282	512	57	113	357	176	51	282	50	
Future Volume (vph)	66	363	127	282	512	57	113	357	176	51	282	50	
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	
Grade (%)	2%						-2%		2%				
Storage Length (ft)	200	100		350	0		125	0		250	0		
Storage Lanes	1	1		1	0		1	0		1	0		
Taper Length (ft)	25	25				25				25			
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
Fr _t	0.850		0.985				0.950		0.977				
Fl _t Protected	0.950	0.950		0.950				0.950		0.950			
Satd. Flow (prot)	1752	1844	1567	1787	1853	0	1787	1787	0	1752	1802	0	
Fl _t Permitted	0.425	0.950				0.392				0.146			
Satd. Flow (perm)	784	1844	1567	1787	1853	0	737	1787	0	269	1802	0	
Right Turn on Red	No		No				No		No				
Satd. Flow (RTOR)													
Link Speed (mph)	35				35				20				
Link Distance (ft)	1453				677				1822				
Travel Time (s)	28.3				13.2				62.1				
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	
Adj. Flow (vph)	73	403	141	313	569	63	126	397	196	57	313	56	
Shared Lane Traffic (%)													
Lane Group Flow (vph)	73	403	141	313	632	0	126	593	0	57	369	0	
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No	
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right	
Median Width(ft)	12				12				12				
Link Offset(ft)	0				0				0				
Crosswalk Width(ft)	16				16				16				
Two way Left Turn Lane	Yes				Yes				Yes				
Headway Factor	1.01	1.01	1.01	0.99	0.99	0.99	0.99	0.99	0.99	1.01	1.01	1.01	
Turning Speed (mph)	15	9		15	9		15	9		15	9		
Turn Type	Perm	NA	Perm	Prot	NA	Perm		NA	Perm		NA		
Protected Phases	2		1				6		8				
Permitted Phases	2		2				8		4				
Detector Phase	2	2	2	1	6	8		8		4	4		
Switch Phase													
Minimum Initial (s)	10.0	10.0	10.0	7.0	10.0	7.0		7.0		7.0	7.0		
Minimum Split (s)	24.0	24.0	24.0	14.0	17.0	24.0		24.0		14.0	14.0		
Total Split (s)	27.0	27.0	27.0	23.0	50.0	40.0		40.0		40.0	40.0		
Total Split (%)	30.0%	30.0%	30.0%	25.6%	55.6%	44.4%		44.4%		44.4%	44.4%		
Maximum Green (s)	20.0	20.0	20.0	16.0	43.0	33.0		33.0		33.0	33.0		
Yellow Time (s)	5.0	5.0	5.0	5.0	5.0	5.0		5.0		5.0	5.0		
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0	2.0		2.0		2.0	2.0		
Lost Time Adjust (s)	-2.0	-2.0	-2.0	-2.0	-2.0	-2.0		-2.0		-2.0	-2.0		
Total Lost Time (s)	5.0	5.0	5.0	5.0	5.0	5.0		5.0		5.0	5.0		
Lead/Lag	Lag	Lag	Lag	Lead									
Lead-Lag Optimize?	Yes	Yes	Yes	Yes									
Vehicle Extension (s)	3.0	3.0	3.0	2.0	3.0	2.0		2.0		2.0	2.0		
Recall Mode	Min	Min	Min	None	Min	None		None		None	None		
Walk Time (s)	7.0	7.0	7.0										
Flash Dont Walk (s)	10.0	10.0	10.0										
Pedestrian Calls (#/hr)	0	0	0										
Act Effct Green (s)	21.3	21.3	21.3	17.5	43.9	32.1		32.1		32.1	32.1		

Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)

12/05/2023




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Actuated g/C Ratio	0.25	0.25	0.25	0.20	0.51		0.37	0.37		0.37	0.37	
v/c Ratio	0.38	0.88	0.36	0.86	0.67		0.46	0.89		0.57	0.55	
Control Delay	35.0	54.9	31.1	58.3	20.7		27.1	43.0		47.6	25.0	
Queue Delay	0.0	0.0	0.0	0.0	0.0		0.0	0.0		0.0	0.0	
Total Delay	35.0	54.9	31.1	58.3	20.7		27.1	43.0		47.6	25.0	
LOS	D	D	C	E	C		C	D		D	C	
Approach Delay		47.1			33.2			40.2			28.0	
Approach LOS		D			C			D			C	
Queue Length 50th (ft)	35	222	67	174	260		52	303		25	158	
Queue Length 95th (ft)	77	#389	121	#321	385		106	#494		#83	243	
Internal Link Dist (ft)		1373			597			1742			398	
Turn Bay Length (ft)	200		100	350			125			250		
Base Capacity (vph)	201	474	403	376	975		301	731		109	737	
Starvation Cap Reductn	0	0	0	0	0		0	0		0	0	
Spillback Cap Reductn	0	0	0	0	0		0	0		0	0	
Storage Cap Reductn	0	0	0	0	0		0	0		0	0	
Reduced v/c Ratio	0.36	0.85	0.35	0.83	0.65		0.42	0.81		0.52	0.50	

Intersection Summary

Area Type:	Other
Cycle Length:	90
Actuated Cycle Length:	86.1
Natural Cycle:	80
Control Type:	Actuated-Uncoordinated
Maximum v/c Ratio:	0.89
Intersection Signal Delay:	37.4
Intersection LOS:	D
Intersection Capacity Utilization:	90.8%
ICU Level of Service:	E
Analysis Period (min):	15
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	

Splits and Phases: 2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)



Zebulon South TIA
3: NC-96 (Arendell Avenue) & Barbee Street

12/05/2023

Intersection

Int Delay, s/veh 4.5

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔			↔			↔			↔	
Traffic Vol, veh/h	51	5	82	4	4	7	41	317	4	9	521	47
Future Vol, veh/h	51	5	82	4	4	7	41	317	4	9	521	47
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	57	6	91	4	4	8	46	352	4	10	579	52

Major/Minor	Minor2	Minor1	Major1	Major2
Conflicting Flow All	1077	1073	605	1120
Stage 1	625	625	-	446
Stage 2	452	448	-	674
Critical Hdwy	7.12	6.52	6.22	7.12
Critical Hdwy Stg 1	6.12	5.52	-	6.12
Critical Hdwy Stg 2	6.12	5.52	-	6.12
Follow-up Hdwy	3.518	4.018	3.318	3.518
Pot Cap-1 Maneuver	197	220	498	184
Stage 1	473	477	-	591
Stage 2	587	573	-	444
Platoon blocked, %				
Mov Cap-1 Maneuver	181	204	498	139
Mov Cap-2 Maneuver	181	204	-	139
Stage 1	445	471	-	556
Stage 2	541	539	-	354

Approach	EB	WB	NB	SB
HCM Control Delay, s	30	20.2	1	0.1
HCM LOS	D	C		

Minor Lane/Major Mvmt	NBL	NBT	NBREBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	951	-	-	293	254	1203	-
HCM Lane V/C Ratio	0.048	-	-	0.523	0.066	0.008	-
HCM Control Delay (s)	9	0	-	30	20.2	8	0
HCM Lane LOS	A	A	-	D	C	A	A
HCM 95th %tile Q(veh)	0.2	-	-	2.8	0.2	0	-

Zebulon South TIA
4: NC-96 (Arendell Avenue) & Site Access 1

12/05/2023

Intersection

Int Delay, s/veh 0.7

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	Y			4	↑	↑
Traffic Vol, veh/h	27	5	9	258	461	46
Future Vol, veh/h	27	5	9	258	461	46
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	50
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	30	6	10	287	512	51

Major/Minor

	Minor2	Major1	Major2		
Conflicting Flow All	819	512	563	0	0
Stage 1	512	-	-	-	-
Stage 2	307	-	-	-	-
Critical Hdwy	6.42	6.22	4.12	-	-
Critical Hdwy Stg 1	5.42	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-
Follow-up Hdwy	3.518	3.318	2.218	-	-
Pot Cap-1 Maneuver	345	562	1008	-	-
Stage 1	602	-	-	-	-
Stage 2	746	-	-	-	-
Platoon blocked, %				-	-
Mov Cap-1 Maneuver	341	562	1008	-	-
Mov Cap-2 Maneuver	341	-	-	-	-
Stage 1	595	-	-	-	-
Stage 2	746	-	-	-	-

Approach

	EB	NB	SB
HCM Control Delay, s	16	0.3	0
HCM LOS	C		

Minor Lane/Major Mvmt

	NBL	NBTEBLn1	SBT	SBR
Capacity (veh/h)	1008	-	363	-
HCM Lane V/C Ratio	0.01	-	0.098	-
HCM Control Delay (s)	8.6	0	16	-
HCM Lane LOS	A	A	C	-
HCM 95th %tile Q(veh)	0	-	0.3	-

Zebulon South TIA
5: NC-96 (Arendell Avenue) & Site Access 2

12/05/2023

Intersection

Int Delay, s/veh 0.9

Movement EBL EBR NBL NBT SBT SBR

Lane Configurations	Y			4	↑	↑
Traffic Vol, veh/h	27	11	18	240	419	47
Future Vol, veh/h	27	11	18	240	419	47
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	50
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	30	12	20	267	466	52

Major/Minor Minor2 Major1 Major2

Conflicting Flow All	773	466	518	0	-	0
Stage 1	466	-	-	-	-	-
Stage 2	307	-	-	-	-	-
Critical Hdwy	6.42	6.22	4.12	-	-	-
Critical Hdwy Stg 1	5.42	-	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-	-
Follow-up Hdwy	3.518	3.318	2.218	-	-	-
Pot Cap-1 Maneuver	367	597	1048	-	-	-
Stage 1	632	-	-	-	-	-
Stage 2	746	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	359	597	1048	-	-	-
Mov Cap-2 Maneuver	359	-	-	-	-	-
Stage 1	618	-	-	-	-	-
Stage 2	746	-	-	-	-	-

Approach EB NB SB

HCM Control Delay, s	14.9	0.6	0
HCM LOS	B		

Minor Lane/Major Mvmt NBL NBTEBLn1 SBT SBR

Capacity (veh/h)	1048	-	406	-	-
HCM Lane V/C Ratio	0.019	-	0.104	-	-
HCM Control Delay (s)	8.5	0	14.9	-	-
HCM Lane LOS	A	A	B	-	-
HCM 95th %tile Q(veh)	0.1	-	0.3	-	-

Zebulon South TIA
6: NC-96 (Arendell Avenue) & Perry Curtis Road

12/05/2023

Intersection

Int Delay, s/veh 2.9

Movement WBL WBR NBT NBR SBL SBT

Lane Configurations 

Traffic Vol, veh/h 11 72 186 15 138 292

Future Vol, veh/h 11 72 186 15 138 292

Conflicting Peds, #/hr 0 0 0 0 0 0

Sign Control Stop Stop Free Free Free Free

RT Channelized - None - None - None

Storage Length 0 - - - - -

Veh in Median Storage, # 0 - 0 - - 0

Grade, % 0 - 0 - - 0

Peak Hour Factor 90 90 90 90 90 90

Heavy Vehicles, % 2 2 2 2 2 2

Mvmt Flow 12 80 207 17 153 324

Major/Minor Minor1 Major1 Major2

Conflicting Flow All 846 216 0 0 224 0

Stage 1 216 - - - - -

Stage 2 630 - - - - -

Critical Hdwy 6.42 6.22 - - 4.12 -

Critical Hdwy Stg 1 5.42 - - - - -

Critical Hdwy Stg 2 5.42 - - - - -

Follow-up Hdwy 3.518 3.318 - - 2.218 -

Pot Cap-1 Maneuver 333 824 - - 1345 -

Stage 1 820 - - - - -

Stage 2 531 - - - - -

Platoon blocked, % - - - - -

Mov Cap-1 Maneuver 287 824 - - 1345 -

Mov Cap-2 Maneuver 287 - - - - -

Stage 1 820 - - - - -

Stage 2 457 - - - - -

Approach WB NB SB

HCM Control Delay, s 11.3 0 2.6

HCM LOS B

Minor Lane/Major Mvmt NBT NBRWBLn1 SBL SBT

Capacity (veh/h) - - 660 1345 -

HCM Lane V/C Ratio - - 0.14 0.114 -

HCM Control Delay (s) - - 11.3 8 0

HCM Lane LOS - - B A A

HCM 95th %tile Q(veh) - - 0.5 0.4 -

Zebulon South TIA
7: S Wakefield Street & Site Access 3

12/05/2023

Intersection

Int Delay, s/veh 1.8

Movement WBL WBR NBT NBR SBL SBT

Lane Configurations	W		T		T	T
Traffic Vol, veh/h	5	34	168	9	55	187
Future Vol, veh/h	5	34	168	9	55	187
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	50	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	6	38	187	10	61	208

Major/Minor Minor1 Major1 Major2

Conflicting Flow All	522	192	0	0	197	0
Stage 1	192	-	-	-	-	-
Stage 2	330	-	-	-	-	-
Critical Hdwy	6.42	6.22	-	-	4.12	-
Critical Hdwy Stg 1	5.42	-	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-	-
Follow-up Hdwy	3.518	3.318	-	-	2.218	-
Pot Cap-1 Maneuver	515	850	-	-	1376	-
Stage 1	841	-	-	-	-	-
Stage 2	728	-	-	-	-	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuver	492	850	-	-	1376	-
Mov Cap-2 Maneuver	492	-	-	-	-	-
Stage 1	841	-	-	-	-	-
Stage 2	696	-	-	-	-	-


Approach WB NB SB

HCM Control Delay, s	9.9	0	1.8
HCM LOS	A		

Minor Lane/Major Mvmt NBT NBRWBLn1 SBL SBT

Capacity (veh/h)	-	-	777	1376	-
HCM Lane V/C Ratio	-	-	0.056	0.044	-
HCM Control Delay (s)	-	-	9.9	7.7	-
HCM Lane LOS	-	-	A	A	-
HCM 95th %tile Q(veh)	-	-	0.2	0.1	-

Appendix B – Chamblee Lake Planned Development






Figure 9

Site Trip Assignment

- LEGEND**
- Unsignalized Full Movement Intersection
 - Signalized Intersection
 - Right-In / Right-Out Intersection
 - XX / YY AM / PM Site Trips

To: Adam Culpepper, Town of Zebulon
From: Jeff Hochanadel, PE, PTOE (Timmons Group)
RE: Zebulon South TIA Response to Comments
Date: January 26, 2024

Timmons Group prepared the Zebulon South Traffic Impact Analysis (TIA) – sealed / submitted June 22nd, 2022, and submitted an updated TIA sealed / submitted on January 3rd, 2024. On January 24th, 2024, WSP issued comments (on the Town’s behalf). Timmons Group (TG) reviewed WSP’s comments (**in bold below**) and prepared the responses below.

Site Plan and Site Access:

1. **Based on the updated site plan, the number of units has changed for the site since the TIA was completed. Please add a note in the body of the TIA report discussing this change and confirming that the analysis is still valid because it is more conservative than the current site plan.**

TG Response: This was noted on pages 1-1 and 4-1

2. **Please confirm site access locations in the Build Synchro files matches the site plan. If Site Access 2 is within 165 feet of Perry Curtis Road, this access will need to be right-in/right-out only. This is based on the 2003 NCDOT's Policy on Street and Driveway Access.**

TG Response: Noted. The proposed centerline to centerline measurement between Site Access 2 and Perry Curtis Road is approximately 200-feet. Potential turning movement restrictions will be determined with the Town / NCDOT at the next stage of development when the Driveway permit is requested.

3. **For tables 3-1, 3-2, and 5-1 in the TIA and tables 1 and 2 in the supplemental, please provide a footnote to describe the meaning of the “#” symbol in the queue lengths.**

TG Response: The subject tables were updated accordingly.

4. **For tables 3-1, 3-2, 5-1, and 5-2 in the TIA and tables 1 and 2 in the supplemental, please designate which intersections are unsignalized/signalized to aid in the differentiation of queues which are in feet and queues which are number of cars.**

TG Response: The subject tables were updated accordingly.

5. **For tables 3-1, 3-2, 5-1, and 5-2 in the TIA and tables 1 and 2 in the supplemental, please add units for queues.**

TG Response: Units were clarified in the table headers and footnotes. To match Synchro reporting, 95th percentile queues were reported in feet (for signalized intersections) and 95th percentile queues were reported in car lengths (for unsignalized intersections)

6. **Include NCDOT comments from July 2022 referenced in section 6 in the appendix of the TIA if available.**

TG Response: This was added as Appendix F.

7. **Please add a complete list of recommended improvements to the supplemental memo for clarity, even though the recommendations do not change from the TIA.**

TG Response: The memo was updated accordingly.

8. **The following comment responses were provided by Timmons Group based on the initial submittal review. Please add these explanations in the body of the TIA report to provide a full picture of the analysis methodology:**

- **Include discussion on why count data was not balanced between intersections and why Perry Curtis Road volumes were used for site access 1 and 2. TG Response: Traffic volumes were not balanced to the presence of commercial site driveways and various side streets. To provide the most accurate analyses, corridor volumes were not balanced. Site Access 1 and 2 volumes were balanced with Perry Curtis due to the driveways' proximities.**

TG Response: Additional explanation provided on page 2-2.

- **Please provide justification for the 3% growth rate used for background volume development. TG Response: The 3% growth rate is based on published AADTs.**

TG Response: Justification was provided on page 3-2.

- **In the Build scenario turn lane analysis, it's mentioned that both S Wakefield Street and NC 96 will have 2026 AADTs higher than 4,000 vpd. Please clarify if this is based on the existing AADT value and an assumption of growth or if this is based on the existing AADT including an assumed**

growth rate. **TG Response:** NC-96's AADT currently exceeds 4,000 VPD. Per future projections, this value is not projected to decrease. S Wakefield Street AADT projections are based on recent AADT counts (grown at 3% annually to 2026) and 30% of daily site trips on S Wakefield Street north of Site Access 3.

TG Response: Additional description was provided in Section 5.1 for the three site access intersections (pages 5-1 and 5-2)

- **Site access roads are listed as needing 100-feet of IPS. Please define IPS as internal protected stem in the text and reference the standards that guide this recommendation. TG Response:** IPS was defined as "internal protected stem" in the updated TIA. IPS requirements are defined in the NCDOT's Driveway Manual.

TG Response: Additional description provided on page 6-1

9. **The alignment of the S Wakefield Street/Morphius Bridge and Pully Gordon Road intersection is not ideal for safe operations, but no improvements are required currently.**

TG Response: Noted. This intersection was not included in the previously negotiated TIA scope.

Zebulon South

Traffic Impact Analysis

Zebulon, North Carolina

January 2024



1/26/24

Prepared for:

Deacon Development Group

TABLE OF CONTENTS

TABLE OF CONTENTS.....	I
LIST OF TABLES.....	II
LIST OF FIGURES	II
APPENDICES	II
1 INTRODUCTION.....	1-1
2 EXISTING INFORMATION.....	2-1
2.1 <i>STUDY LIMITS</i>	<i>2-1</i>
2.2 <i>EXISTING ROADWAYS.....</i>	<i>2-1</i>
2.3 <i>EXISTING INTERSECTIONS.....</i>	<i>2-2</i>
2.4 <i>TRAFFIC VOLUMES.....</i>	<i>2-2</i>
2.5 <i>CAPACITY ANALYSIS</i>	<i>2-2</i>
3 EXISTING AND BACKGROUND CONDITIONS AND ANALYSIS.....	3-1
3.1 <i>2022 EXISTING ANALYSES.....</i>	<i>3-1</i>
3.2 <i>2026 BACKGROUND TRAFFIC VOLUMES.....</i>	<i>3-2</i>
3.3 <i>2026 BACKGROUND ANALYSIS.....</i>	<i>3-3</i>
4 SITE TRIP GENERATION AND DISTRIBUTION	4-1
4.1 <i>TRIP GENERATION.....</i>	<i>4-1</i>
4.2 <i>TRIP DISTRIBUTION.....</i>	<i>4-1</i>
5 2026 BUILD CONDITION AND ANALYSIS.....	5-1
5.1 <i>2026 BUILD ANALYSIS.....</i>	<i>5-1</i>
6 CONCLUSIONS AND RECOMMENDATIONS	6-1

LIST OF TABLES

TABLE 2-1: LEVEL OF SERVICE DEFINITIONS	2-3
TABLE 2-2: SIGNALIZED AND UNSIGNALIZED INTERSECTION LEVEL OF SERVICE CRITERIA	2-4
TABLE 3-1: INTERSECTION LEVEL OF SERVICE AND DELAY SUMMARY	
2022 EXISTING TRAFFIC VOLUMES	3-2
TABLE 3-2: INTERSECTION LEVEL OF SERVICE AND DELAY SUMMARY	
2026 BACKGROUND TRAFFIC VOLUMES.....	3-4
TABLE 4-1: TRIP GENERATION SUMMARY	4-1
TABLE 5-1: INTERSECTION LEVEL OF SERVICE, AND DELAY SUMMARY	
2026 BUILD TRAFFIC VOLUMES	5-3
TABLE 5-2: INTERSECTION LEVEL OF SERVICE, AND DELAY SUMMARY	
2026 BUILD + IMPROVEMENTS TRAFFIC VOLUMES	5-4

LIST OF FIGURES

FIGURE 1-1: SITE LOCATION MAP	
FIGURE 2-1: PRELIMINARY SITE LAYOUT	
FIGURE 2-2: 2022 EXISTING LANE CONFIGURATION	
FIGURE 2-3: 2022 EXISTING TRAFFIC VOLUMES	
FIGURE 3-1: 2026 BACKGROUND TRAFFIC VOLUMES	
FIGURE 4-1: TRIP DISTRIBUTION PERCENTAGES	
FIGURE 4-2: TRIP DISTRIBUTION VOLUMES	
FIGURE 5-1: 2026 BUILD TRAFFIC VOLUMES	
FIGURE 6-1: 2026 PROPOSED LANE CONFIGURATION	

APPENDICES

Appendix A – Scoping Information	
Appendix B – Traffic Counts	
Appendix C – Traffic Signal Plans	
Appendix D – Synchro Output	
Appendix E – NCDOT Nomographs	
Appendix F – NCDOT Requirements	

1 INTRODUCTION

This report presents the Zebulon South traffic impact analysis (TIA) findings. The proposed development will be located between NC-96 and South Wakefield Street south of Barbee Street (see **Figure 1-1**). The proposed development was analyzed to consist of 225 single-family residential units and 125 multi-family residential units and will be constructed by 2026. The current site plan shows 186 single-family residential units and 134 multi-family residential units. This change results in a more conservative analysis.



Analyses were completed for the following scenarios:

- 2022 Existing traffic volumes;
- 2026 Background traffic volumes; and
- 2026 Build traffic volumes (Background + site trips).

The purpose of this TIA is to verify that the existing geometry provided within the study area is sufficient to accommodate the projected traffic volumes, and to determine what, if any, proposed site access connection improvements are necessary.

The following steps were taken to determine the potential traffic impacts associated with this project:

1. Data Collection – AM (7:00 – 9:00) and PM (4:00 – 6:00) peak hour turning movement counts were collected in April 2022 at the following intersections:
 - NC-97 (Gannon Ave) / SR-2349 (South Wakefield Street);
 - NC-97 (Gannon Ave) / NC-96 (Arendell Ave);
 - NC-96 (Arendell Ave) / SR-2348 (West Barbee Street); and
 - NC-96 (Arendell Ave) / SR-2347 (Perry Curtis Road).
2. Trip Generation/Future Traffic – Traffic generated by the proposed development was estimated using the 10th Edition of the Institute of Transportation Engineers' *Trip Generation Manual*. Trip generation was calculated following the NCDOT standards and practices for trip generation. Projected traffic volumes were calculated using a 3% ambient growth rate. Per the scoping document, there are currently no approved developments within the project study area (see **Appendix A**).
3. Trip Distribution and Projections – The site-generated trip distribution was based on existing area traffic and Engineering judgement. It was assumed, for purposes of analysis, that projected trips for the Zebulon South development would follow similar patterns as existing traffic.
4. Traffic Capacity Analysis – Level of service analyses were performed using Synchro Version 11.1 for the following intersections:
 - NC-97 (Gannon Ave) / SR-2349 (South Wakefield Street) – signalized;
 - NC-97 (Gannon Ave) / NC-96 (Arendell Ave) – signalized;
 - NC-96 (Arendell Ave) / SR-2348 (West Barbee Street) – unsignalized;
 - NC-96 (Arendell Ave) / Site Access 1 – unsignalized;
 - NC-96 (Arendell Ave) / Site Access 2 – unsignalized;
 - NC-96 (Arendell Ave) / SR-2347 (Perry Curtis Road) – unsignalized; and
 - SR-2349 (South Wakefield Street) / Site Access 3 – unsignalized.
5. Review of Proposed Improvements – Roadway improvements proposed to accommodate projected site-generated traffic were evaluated.



NOT TO SCALE

Legend

- = Study Area Intersection
- = Driveway Intersection



Zebulon South Traffic Impact Analysis Site Location Map

Figure
1-1

2 EXISTING INFORMATION

The proposed development will be located NC-96 and South Wakefield Street south of West Barbee Street (see **Figure 1-1**).

2.1 STUDY LIMITS

Access to the proposed site will be provided via three (3) full movement connections: Two (2) to NC-96, and one (1) to South Wakefield Street. The preliminary site layout includes these proposed development site entrances (see **Figure 2-1**). All figures are located at the end of their respective chapter.

The study limits include the following seven (7) intersections:

- NC-97 (Gannon Ave) / SR-2349 (South Wakefield Street) – signalized;
- NC-97 (Gannon Ave) / NC-96 (Arendell Ave) – signalized;
- NC-96 (Arendell Ave) / SR-2348 (West Barbee Street) – unsignalized;
- NC-96 (Arendell Ave) / Site Access 1 – unsignalized;
- NC-96 (Arendell Ave) / Site Access 2 – unsignalized;
- NC-96 (Arendell Ave) / SR-2347 (Perry Curtis Road) – unsignalized; and
- SR-2349 (South Wakefield Street) / Site Access 3 – unsignalized.

2.2 EXISTING ROADWAYS

NC-97 (W Gannon Ave) is an undivided facility with a varying two to three-lane cross section, running approximately east-west in the study area. The facility is classified by NCDOT as a minor arterial. Within the study area, NC-97 has a posted 35-mph speed limit and provides connection to downtown Zebulon. This facility primarily serves residential and commercial land uses within the study area. Per 2021 NCDOT Average Annual Daily Traffic (AADT) maps, NC-97 carries 14,500 vehicles per day (VPD) west of NC-96.

NC-96 (Arendell Ave) is a two-lane undivided facility, that runs approximately north-south in the study area. The facility is classified by NCDOT as a minor arterial. Within the study area, NC-96 has a posted 20-mph speed limit north of West Barbee St, 35-mph speed limit south of West Barbee St, and 45-mph speed limit south of the town limits. This facility primarily serves residential and commercial land uses within the study area. Per 2021 NCDOT AADT maps, NC-96 carries 6,700 VPD south of NC-97.

SR-2349 (South Wakefield Street) is a two-lane undivided facility, that runs approximately north-south in the study area. The facility is classified by NCDOT as a local road. Within the study area, NC-96 has a posted 25-mph speed limit north of West Horton St, a posted 35-mph speed limit south of West Horton Street and north of Primrose Place, and a 45 mph speed limit south of Primrose Place. This facility provides a connection to Zebulon. Per 2015 NCDOT AADT maps, South Wakefield Street carries 3,800 VPD south of NC-97.

SR-2348 (West Barbee Street) is a two-lane undivided facility, that runs approximately east-west in the study area. The facility is classified by NCDOT as a local road. Within the study area, West Barbee Street has a posted 25-mph speed limit and serves primarily residential and commercial land uses. Per 2015 NCDOT AADT maps, the facility carries 1,800 VPD east of South Wakefield Street.

SR-2347 (Perry Curtis Road) is a two-lane undivided facility that runs approximately east-west in the project study area, providing access to NC-96. The facility is classified by NCDOT as a local road. Within the study area, Perry Curtis Road primarily serves residential land uses and has a posted 55-mph speed limit. Per 2015 NCDOT AADT maps, the facility carries 1300 VPD east of NC-96.

2.3 EXISTING INTERSECTIONS

Using available aerial imagery, Timmons Group compiled the existing geometry for each study area intersection. The existing intersection geometry is shown in **Figure 2-2**.

NC-97 / South Wakefield Street is a two-phase signalized intersection. The north and southbound intersection approaches include a single shared left / through / right-turn lane. The east and westbound intersection approaches include of an exclusive left-turn lane and a shared through / right-turn lane.

NC-97 / NC-96 is an eight-phase signalized intersection. The north, south, and westbound intersection approaches include an exclusive left-turn lane and a shared through / right-turn lane. The eastbound approach includes exclusive right-turn, through, and left-turn lanes.

NC-96 / West Barbee Street is an unsignalized intersection with the east and westbound approaches encountering the stopped condition. All approaches include a single shared lane that serves all movements.

NC-96 / Perry Curtis Road is an unsignalized intersection with the westbound approach encountering the stopped condition. The northbound approach includes a shared through / right-turn lane. The southbound approach includes a shared through / left-turn lane. The westbound approach includes a shared left / right-turn lane.

2.4 TRAFFIC VOLUMES

Timmons Group calculated peak hour volumes at the study area intersections using the collected AM (7:00 – 9:00) and PM (4:00 – 6:00) peak period turning movement counts undertaken in April 2022. Collected traffic count data is summarized in **Figure 2-3**. The complete traffic count data is found in **Appendix B**.





Traffic volumes were not balanced to the presence of commercial site driveways and various side streets. To provide the most accurate analyses, corridor volumes were not balanced. Site Access 1 and 2 volumes were balanced with Perry Curtis due to the driveways' proximities.

2.5 CAPACITY ANALYSIS

Using field observations, aerial photography, and traffic count data, traffic operations were analyzed during 2022 (existing) and 2026 (without and with the proposed development site trips).

Capacity analysis allows traffic engineers to determine the impacts of traffic on the surrounding roadway network. The Transportation Research Board's (TRB) *Highway Capacity Manual* (HCM) methodologies govern how the capacity analyses are conducted and how the results are interpreted. There are six letter grades of Levels of Service (LOS) from A to F, with LOS A representing the best operating conditions and LOS F the worst operating conditions. At signalized intersections, an overall intersection LOS E is generally considered unacceptable. At unsignalized intersections, a LOS E is generally considered acceptable only if the side street encounters delay. Nevertheless, side streets typically function at a LOS F during peak traffic periods, because the traffic volumes often do not warrant a traffic signal to assist side street traffic. **Table 2-1** shows in detail how each of these levels of service are interpreted.

Table 2-1: Level of Service Definitions

Level of Service	Roadway Segments or Controlled Access Highways	Intersections	
A	Free flow, low traffic density.	No vehicle waits longer than one signal indication.	
B	Delay is not unreasonable, stable traffic flow.	On a rare occasion motorists wait through more than one signal indication.	
C	Stable condition, movements somewhat restricted due to higher volumes, but not objectionable for motorists.	Intermittently drivers wait through more than one signal indication, and occasionally backups may develop behind left turning vehicles, traffic flow still stable and acceptable.	
D	Movements more restricted, queues and delays may occur during short peaks, but lower demands occur often enough to permit clearing, thus preventing excessive backups.	Delays at intersections may become extensive with some, especially left-turning vehicles waiting two or more signal indications, but enough cycles with lower demand occur to permit periodic clearance, thus preventing excessive backups.	
E	Actual capacity of the roadway involves delay to all motorists due to congestion.	Very long queues may create lengthy delays, especially for left-turning vehicles.	
F	Forced flow with demand volumes greater than capacity resulting in complete congestion. Volumes drop to zero in extreme cases.	Backups from locations downstream restrict or prevent movement of vehicles out of approach creating a storage area during part or all of an hour.	

SOURCE: "A Policy on Design of Design of Urban Highways and Arterial Streets" - AASHTO, 1973 based upon material published in "Highway Capacity Manual", National Academy of Sciences, 1965.

For signalized and unsignalized intersections, level of service is defined in terms of **delay**, a measure of driver discomfort, frustration, fuel consumption and lost travel time. **Table 2-2** summarizes the delay associated with each LOS category:

Table 2-2: Signalized and Unsignalized Intersection Level of Service Criteria

Signalized Intersections		Unsignalized Intersections	
Level of Service	Control Delay per Vehicle (sec/veh)	Level of Service	Average Control Delay (sec/veh)
A	≤ 10	A	0 to 10
B	> 10 to ≤ 20	B	> 10 to ≤ 15
C	> 20 to ≤ 35	C	> 15 to ≤ 25
D	> 35 to ≤ 55	D	> 25 to ≤ 35
E	> 55 to ≤ 80	E	> 35 to ≤ 50
F	> 80	F	> 50


Source: Exhibit 16-2 and Exhibit 17-2 from TRB's "Highway Capacity Manual 2000"

Capacity analyses were performed to assess operational conditions. Study area intersections were analyzed using Synchro Version 11.1 based on Highway Capacity Manual (HCM) methodologies with the following assumptions:

- Existing grades;
- 12-foot lane widths;
- No parking activity, bus stops, or pedestrians;
- Peak hour factor (PHF) of 0.90;
- Heavy vehicle percentages 2%; and
- Minimum turning movement volume of 4 vehicles per hour (VPH) for all allowed movements; and
- Existing traffic signal plan signal data (see **Appendix C**).



NOT TO SCALE



ZEBULON SOUTH

Preliminary Concept Sketch - December 14, 2023

AREA: 118.6 AC
 PINS: 2705-41-3075, 2704-49-2511, & 2705-51-2202
 EXISTING ZONING: R4 & R2
 PROPOSED ZONING: PD
 OVERALL DENSITY: 2.7 DU/A

10% OPEN SPACE = 11.75 AC
 50% ACTIVE OPEN SPACE = 5.88 AC

● 60 - 22' x 100' 2-STORY REAR LOAD TOWNHOMES
● 74 - 22' x 70' 3-STORY REAR LOAD TOWNHOMES
● 64 - 41' x 120' 4,800 SF REAR LOAD SINGLE FAMILY
● 72 - 51' x 120' 6,120 SF SINGLE FAMILY LOTS
● 35 - 60' x 120' 7,200 SF SINGLE FAMILY LOTS
● 14 - 70' x 120' 8,400 SF SINGLE FAMILY LOTS

TOTAL TOWNHOME LOTS: 134 LOTS (42%)
 TOTAL SINGLE FAMILY LOTS: 186 LOTS (58%)
TOTAL # OF LOTS: 320




Zebulon South Traffic Impact Analysis Preliminary Site Layout

Figure 2-1



NOT TO SCALE



LEGEND:

- Existing Road
- - - Proposed Road
- Signalized Intersection
- Unsignalized Intersection
- Existing Lane Configuration




Zebulon South Traffic Impact Analysis

2022 Existing Lane Configuration

Figure 2-2



NOT TO SCALE



LEGEND:

- Existing Road
- - - Proposed Road
- XX AM Peak Hour Volume (vph)
- (XX) PM Peak Hour Volume (vph)



Zebulon South Traffic Impact Analysis

2022 Existing Traffic Volumes

Figure 2-3

3 EXISTING AND BACKGROUND CONDITIONS AND ANALYSIS

3.1 2022 EXISTING ANALYSES

Table 3-1 summarizes the 2022 Existing intersection LOS and delay based on the geometry shown in **Figure 2-2** and the 2022 Existing traffic volumes shown in **Figure 2-3**. The corresponding Synchro output is included in **Appendix D**.

The signalized intersection of NC-97 / South Wakefield Street is currently operating at an overall LOS B during both 2022 Existing peak hours. All intersection approaches are currently operating at a LOS C or better during both peak hours.

The signalized intersection of NC-97 / NC-96 is currently operating at an overall LOS C during both 2022 Existing peak hours. All intersection approaches are currently operating at a LOS D or better during both peak hours.

All NC-96 / West Barbee Street unsignalized intersection approaches are currently operating at a LOS C or better during the 2022 Existing AM and PM peak hours.

All NC-96 / Perry Curtis Road unsignalized intersection approaches are currently operating at a LOS B or better during the 2022 Existing AM and PM peak hours.

**Table 3-1: Intersection Level of Service and Delay Summary
2022 Existing Traffic Volumes**

Intersection	Approach / Overall	AM PEAK HOUR		PM PEAK HOUR		Movement	Turn Lane Storage (ft)	AM PEAK HOUR	PM PEAK HOUR
		Delay ¹ (sec/veh)	LOS ¹	Delay ¹ (sec/veh)	LOS ¹			95th Percentile Queue Length (ft)*	95th Percentile Queue Length (ft)*
1: S Wakefield Street & NC-97 (Gannon Avenue) <i>Signalized</i>	Eastbound	11.6	B	10.8	B	EB Left	125	5	6
		EB Thru/Right	170	291					
		EB Approach	--	--					
	Westbound	11.2	B	7.7	A	WB Left	125	21	24
		WB Thru/Right	168	170					
		WB Approach	--	--					
	Northbound	18.1	B	24.6	C	NB Left/Thru/Right		94	113
NB Approach	--	--							
Southbound	11.0	B	17.9	B	SB Left/Thru/Right		18	44	
SB Approach	--	--							
Overall	12.5	B	11.3	B	Overall		--	--	
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)) <i>Signalized</i>	Eastbound	31.2	C	32.6	C	EB Left	200	34	52
		EB Thru	#399	#321					
		EB Right	100	47	56				
	Westbound	21.4	C	40.3	D	WB Left	350	125	#175
		WB Thru/Right	271	#599					
		WB Approach	--	--					
	Northbound	27.3	C	33.1	C	NB Left	125	54	50
NB Thru/Right	233	357							
NB Approach	--	--							
Southbound	31.9	C	26.0	C	SB Left	250	22	35	
SB Thru/Right	170	184							
SB Approach	--	--							
Overall	27.2	C	34.7	C	Overall		--	--	
3: NC-96 (Arendell Avenue) & Barbee Street <i>Unsignalized</i>	Eastbound	12.7	B	15.7	C	EB Left/Thru/Right		0.4	1.1
	EB Approach	--	--						
	Westbound	12.3	B	13.9	B	WB Left/Thru/Right		0.1	0.1
	WB Approach	--	--						
Northbound	1.1	A	1.1	A	NB Left/Thru/Right		0.1	0.1	
NB Approach	--	--							
Southbound	0.2	A	0.2	A	SB Left/Thru/Right		0	0	
SB Approach	--	--							
6: NC-96 (Arendell Avenue) & Perry Curtis Road <i>Unsignalized</i>	Westbound	10.3	B	10.0	B	WB Left/Right		0.4	0.2
	WB Approach	--	--						
	Northbound	0.0	A	0.0	A	NB Thru/Right		0	0
	NB Approach	--	--						
Southbound	1.4	A	2.2	A	SB Left/Thru		0.1	0.2	
SB Approach	--	--							

¹ Overall intersection LOS and delay not reported for TWSC intersections.

* - 95th percentile queues for unsignalized intersections reported in number of vehicles.

- 95th percentile volume exceeds capacity, queue may be longer. Queue shown is maximum after two cycles

3.2 2026 BACKGROUND TRAFFIC VOLUMES

Figure 3-1 shows the 2026 ambient traffic volumes calculated using a 3% growth rate (based on published AADTs) for four (4) years.

Per the scoping document, there are currently no approved area developments or public improvement projects within the study area (see **Appendix A**).

3.3 2026 BACKGROUND ANALYSIS

Table 3-2 summarizes the intersection LOS and delay based on the geometry shown in **Figure 2-2** and the 2026 Background traffic volumes shown in **Figure 3-1**. The corresponding Synchro output is included in **Appendix D**.

The signalized intersection of NC-97 / South Wakefield Street is projected to operate at an overall LOS B and C during the 2026 Background AM and PM peak hours, respectively. All intersection approaches are projected to operate at a LOS D or better during both peak hours.

The signalized intersection of NC-97 / NC-96 is projected to operate at an overall LOS C during the 2026 Background peak hours. All intersection approaches are projected to operate at a LOS D or better during both peak hours.

All NC-96 / West Barbee Street unsignalized intersection approaches are projected to operate at a LOS C or better during the 2026 Background AM and PM peak hours.

All NC-96 / Perry Curtis Road unsignalized intersection approaches are projected to operate at a LOS B or better during the 2026 Background AM and PM peak hours.


**Table 3-2: Intersection Level of Service and Delay Summary
2026 Background Traffic Volumes**

Intersection	Approach / Overall	AM PEAK HOUR		PM PEAK HOUR		Movement	Turn Lane Storage (ft)	AM PEAK HOUR	PM PEAK HOUR
		Delay ¹ (sec/veh)	LOS ¹	Delay ¹ (sec/veh)	LOS ¹			95th Percentile Queue Length (ft)*	95th Percentile Queue Length (ft)*
1: S Wakefield Street & NC-97 (Gannon Avenue) <i>Signalized</i>	Eastbound	22.3	C	25.1	C	EB Left	125	10	10
						EB Thru/Right		368	#602
						EB Approach		--	--
	Westbound	13.4	B	10.0	A	WB Left	125	63	72
						WB Thru/Right		241	184
						WB Approach		--	--
	Northbound	31.3	C	54.1	D	NB Left/Thru/Right		199	#213
NB Approach							--	--	
Southbound	23.3	C	33.8	C	SB Left/Thru/Right		35	67	
					SB Approach		--	--	
Overall	20.0	B	22.7	C	Overall		--	--	
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue) <i>Signalized</i>	Eastbound	31.6	C	36.6	D	EB Left	200	45	72
						EB Thru		360	#309
						EB Right	100	60	70
						EB Approach		--	--
	Westbound	21.6	C	27.2	C	WB Left	350	#226	#276
						WB Thru/Right		155	339
						WB Approach		--	--
Northbound	38.6	D	37.1	D	NB Left	125	92	74	
					NB Thru/Right		#304	#422	
Southbound	30.8	C	26.4	C	SB Left	250	36	66	
					SB Thru/Right		195	189	
Overall	29.8	C	31.8	C	Overall		--	--	
3: NC-96 (Arendell Avenue) & Barbee Street <i>Unsignalized</i>	Eastbound	13.6	B	18.3	C	EB Left/Thru/Right		0.4	1.5
						EB Approach		--	--
	Westbound	13.0	B	14.9	B	WB Left/Thru/Right		0.1	0.1
						WB Approach		--	--
	Northbound	1.1	A	1.1	A	NB Left/Thru/Right		0.1	0.1
NB Approach							--	--	
Southbound	0.2	A	0.2	A	SB Left/Thru/Right		0	0	
					SB Approach		--	--	
6: NC-96 (Arendell Avenue) & Perry Curtis Road <i>Unsignalized</i>	Westbound	10.7	B	10.4	B	WB Left/Right		0.4	0.3
						WB Approach		--	--
	Northbound	0.0	A	0.0	A	NB Thru/Right		0	0
						NB Approach		--	--
	Southbound	1.4	A	2.2	A	SB Left/Thru		0.1	0.3
SB Approach							--	--	

¹ Overall intersection LOS and delay not reported for TWSC intersections.

* - 95th percentile queues for unsignalized intersections reported in number of vehicles.

- 95th percentile volume exceeds capacity, queue may be longer. Queue shown is maximum after two cycles



LEGEND:

- Existing Road
- - - Proposed Road
- XX AM Peak Hour Volume (vph)
- (XX) PM Peak Hour Volume (vph)



Zebulon South Traffic Impact Analysis

2026 Background Traffic Volumes

Figure 3-1

4 SITE TRIP GENERATION AND DISTRIBUTION

Proposed development site trips were estimated based on the proposed land uses supplied by the developer and subsequently distributed onto the surrounding roadway network.

4.1 TRIP GENERATION

The site-generated trips shown in **Table 4-1** are based on trip generation information provided in the 10th Edition of the Institute of Transportation Engineers’ (ITE’s) *Trip Generation Manual* and the anticipated development size. The trip generation was calculated using the proposed number of residential units as the independent variable and the provided equation (per NCDOT standards). The proposed development was analyzed to consist of 225 single-family residential units and 125 multi-family residential units and will be constructed by 2026. The current site plan shows 186 single-family residential units and 134 multi-family residential units. This change results in a more conservative analysis.

Table 4-1: Trip Generation Summary


ITE Land Use Code	Independent Variable	ADT	AM Peak Hour			PM Peak Hour		
			In	Out	Total	In	Out	Total
210- Single Family Detached Housing	225	2193	41	124	165	139	82	221
220- Multifamily Housing (Low-Rise)	125	904	14	45	59	45	27	72
Total		3097	55	169	224	184	109	293

SOURCE: Institute of Transportation Engineers’ *Trip Generation Manual* 10th Edition (2017)

AM peak hour trips generated totaled 55 incoming and 169 outgoing where PM peak hour trips totaled 184 incoming and 109 outgoing. Average daily traffic (ADT) volumes generated by the development totaled 3,097 VPD. No reduction in trips were included due to internal capture or pass-by trips.

4.2 TRIP DISTRIBUTION

The directional traffic patterns, or trip distribution, of the site-generated traffic was determined using the existing traffic characteristics and engineering judgement. It was assumed, for purposes of this study, that all site traffic would enter and exit the study area in a similar manner as the existing traffic. Area trip distribution is based on traffic counts performed by Timmons Group. Total trips into and out of the study area using NC-96, NC-97, South Wakefield Street, and Perry Curtis Road form the basis for the percentage distribution. The percentages were routed, via shortest path, to and from the proposed development. The distribution percentages were then applied to the generated trips to predict routes and project traffic volumes for the 2026 Build scenario. Trip distribution percentages are shown in **Figure 4-1** and trip distribution volumes are shown in **Figure 4-2**.



LEGEND:

- Existing Road
- - - Proposed Road
- XX% AM Peak Hour Percents
- (XX%) PM Peak Hour Percents




Zebulon South Traffic Impact Analysis

Trip Distribution Percentages

Figure 4-1



NOT TO SCALE



LEGEND:

- Existing Road
- - - Proposed Road
- XX AM Peak Hour Volumes
- (XX) PM Peak Hour Volumes



Zebulon South Traffic Impact Analysis

Trip Distribution Volumes

Figure 4-2

5 2026 BUILD CONDITION AND ANALYSIS

To complete the 2026 Build analyses (including proposed development), the estimated site trips were added to the 2026 Background traffic volumes. The projected total volumes, along with the existing intersection geometry, were used to complete the capacity analyses. The 2026 Background traffic volumes (**Figure 3-1**) were added to the projected site trips (**Figure 4-2**) to generate the 2026 Build traffic volumes (background + site) shown in **Figure 5-1**.

To summarize, the 2026 Build traffic volumes shown in **Figure 5-1** contain the following:

- Existing 2022 traffic volumes grown by a 3% per year ambient growth rate for 4 years; and
- Site trips generated by the subject development.

5.1 2026 BUILD ANALYSIS

Table 5-1 summarizes the intersection LOS and delay based on the geometry shown in **Figure 2-2** and the 2026 Build traffic volumes shown in **Figure 5-1**. The corresponding Synchro output is included in **Appendix D**.

The signalized intersection of NC-97 / South Wakefield Street is projected to operate at an overall LOS C during both 2026 Build peak hours. All intersection approaches are projected to operate at a LOS D or better during both peak hours. No improvements are recommended at this intersection due to the proposed development's construction.

The signalized intersection of NC-97 / NC-96 is projected to operate at an overall LOS C and D during the 2026 Build AM and PM peak hours, respectively. All intersection approaches are projected to operate at a LOS D or better during both peak hours. No improvements are recommended at this intersection due to the proposed development's construction.

All NC-96 / West Barbee Street unsignalized intersection approaches are projected to operate at a LOS C or better during the 2026 Background AM and PM peak hours. No improvements are recommended at this intersection due to the proposed development's construction.

All NC-96 / Site Access 1 unsignalized intersection approaches are projected to operate at a LOS C or better during the 2026 Background AM and PM peak hours. Per the NCDOT Policy on Street and Driveway Access to North Carolina Highways Manual:

"Generally left and right turn lanes and tapers shall be considered when:

- *In accordance with G.S. 136-18(29), the average daily traffic meets or exceeds 4,000 vehicles per day on any secondary route (the average daily traffic should include both the existing traffic plus traffic generated by the proposed development)"*

The 2026 AADT along NC-96 currently exceeds 4,000 VPD and is not projected to decrease. Because of this, turn lanes were considered at Site Access 1. Per the NCDOT Nomograph (see **Appendix E**) and projected 2026 peak hour volumes, a 50-foot southbound right-turn lane (with appropriate taper) is recommended. As shown in **Table 5-2**, all intersection movements are projected to operate acceptably following the turn-lane's construction. No additional improvements are recommended at this intersection due to the proposed development's construction.

All NC-96 / Site Access 2 unsignalized intersection approaches are projected to operate at a LOS B or better during the 2026 Background AM and PM peak hours. The 2026 AADT along NC-96 currently exceeds 4,000 VPD and is not projected to decrease. Because of this, turn lanes were considered at Site Access 2. Per the NCDOT Nomograph (see **Appendix E**) and projected 2026 peak hour volumes, a 50-foot southbound right-turn lane (with appropriate taper) is recommended. As shown in **Table 5-2**, all intersection movements are projected to operate acceptably following the turn-lane's construction. No additional improvements are recommended at this intersection due to the proposed development's construction.

All NC-96 / Perry Curtis Road unsignalized intersection approaches are projected to operate at a LOS B or better during the 2026 Background AM and PM peak hours. No improvements are recommended at this intersection due to the proposed development's construction.

All South Wakefield Street/ Site Access 3 unsignalized intersection approaches are projected to operate at a LOS B or better during the 2026 Background AM and PM peak hours. The 2026 AADT along South Wakefield Street is projected to exceed 4,000 VPD (based on recent AADT counts grown at 3% annually to 2026 and 30% of daily site trips on S Wakefield Street north of Site Access 3). Because of this, turn lanes were considered at Site Access 3. Per the NCDOT Nomograph (see **Appendix E**) and projected 2026 peak hour volumes, a 50-foot southbound left-turn lane (with appropriate taper) is recommended. As shown in **Table 5-2**, all intersection movements are projected to operate acceptably following the turn-lane's construction. No additional improvements are recommended at this intersection due to the proposed development's construction.

**Table 5-1: Intersection Level of Service and Delay Summary
2026 Build Traffic Volumes**

Intersection	Approach / Overall	AM PEAK HOUR		PM PEAK HOUR		Movement	Turn Lane Storage (ft)	AM PEAK HOUR	PM PEAK HOUR
		Delay ¹ (sec/veh)	LOS ¹	Delay ¹ (sec/veh)	LOS ¹			95th Percentile Queue Length (ft)*	95th Percentile Queue Length (ft)*
1: S Wakefield Street & NC-97 (Gannon Avenue) <i>Signalized</i>	Eastbound	25.4	C	37.5	D	EB Left	125	10	11
						EB Thru/Right		403	#774
						EB Approach		--	--
	Westbound	15.7	B	12.9	B	WB Left	125	68	90
						WB Thru/Right		272	229
						WB Approach		--	--
	Northbound	33.9	C	53.0	D	NB Left/Thru/Right		#264	#234
						NB Approach		--	--
	Southbound	22.5	C	30.8	C	SB Left/Thru/Right		34	63
						SB Approach		--	--
Overall	22.9	C	30.0	C	Overall		--	--	
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)) <i>Signalized</i>	Eastbound	33.6	C	42.2	D	EB Left	200	45	75
						EB Thru		378	#365
						EB Right	100	63	87
	Westbound	25.9	C	29.9	C	WB Left	350	#268	#309
						WB Thru/Right		168	356
						WB Approach		--	--
	Northbound	41.6	D	42.1	D	NB Left	125	106	85
						NB Thru/Right		#370	#481
	Southbound	29.4	C	29.1	C	SB Left	250	36	#84
						SB Thru/Right		195	212
Overall	32.6	C	35.7	D	Overall		--	--	
3: NC-96 (Arendell Avenue) & Barbee Street <i>Unsignalized</i>	Eastbound	15.4	C	23.7	C	EB Left/Thru/Right		0.6	2.2
						EB Approach		--	--
	Westbound	14.7	B	17.7	C	WB Left/Thru/Right		0.1	0.2
						WB Approach		--	--
	Northbound	1.1	A	1.1	A	NB Left/Thru/Right		0.1	0.1
Southbound	0.2	A	0.1	A	NB Approach		--	--	
					SB Left/Thru/Right		0	0	
					SB Approach		--	--	
4: NC-96 (Arendell Avenue) & Site Access 1 <i>Unsignalized</i>	Eastbound	12.9	B	15.7	C	EB Left/Right		0.4	0.3
						EB Approach		--	--
	Northbound	0.1	A	0.3	A	NB Left/Thru		0	0
						NB Approach		--	--
Southbound	0.0	A	0.0	A	SB Thru/Right		0	0	
					SB Approach		--	--	
							--	--	
5: NC-96 (Arendell Avenue) & Site Access 2 <i>Unsignalized</i>	Eastbound	12.1	B	14.7	B	EB Left/Right		0.4	0.3
						EB Approach		--	--
	Northbound	0.1	A	0.6	A	NB Left/Thru		0	0.1
						NB Approach		--	--
Southbound	0.0	A	0.0	A	SB Thru/Right		0	0	
					SB Approach		--	--	
							--	--	
6: NC-96 (Arendell Avenue) & Perry Curtis Road <i>Unsignalized</i>	Westbound	10.8	B	10.5	B	WB Left/Right		0.5	0.3
						WB Approach		--	--
	Northbound	0.0	A	0.0	A	NB Thru/Right		0	0
						NB Approach		--	--
	Southbound	1.6	A	2.2	A	SB Left/Thru		0.1	0.3
					SB Approach		--	--	
7: S Wakefield Street & Site Access 3 <i>Unsignalized</i>	Westbound	10.1	B	9.9	A	WB Left/Right		0.3	0.2
						WB Approach		--	--
	Northbound	0.0	A	0.0	A	NB Thru/Right		0	0
						NB Approach		--	--
Southbound	1.1	A	1.8	A	SB Left/Thru		0	0.1	
					SB Approach		--	--	

¹ Overall intersection LOS and delay not reported for TWSC intersections.

* - 95th percentile queues for unsignalized intersections reported in number of vehicles.

- 95th percentile volume exceeds capacity, queue may be longer. Queue shown is maximum after two cycles


**Table 5-2: Intersection Level of Service and Delay Summary
2026 Build + Improvement Traffic Volumes**

Intersection	Approach / Overall	AM PEAK HOUR		PM PEAK HOUR		Movement	Turn Lane Storage (ft)	AM PEAK HOUR	PM PEAK HOUR
		Delay ¹ (sec/veh)	LOS ¹	Delay ¹ (sec/veh)	LOS ¹			95th Percentile Queue Length (ft)*	95th Percentile Queue Length (ft)*
4: NC-96 (Arendell Avenue) & Site Access 1 <i>Unsignalized</i>	Eastbound	12.7	B	15.3	C	EB Left/Right		0.4	0.3
						EB Approach		--	--
	Northbound	0.1	A	0.3	A	NB Left/Thru		0	0
						NB Approach		--	--
	Southbound	0.0	A	0.0	A	SB Thru		0	0
						SB Right	50	0	0
					SB Approach		--	--	
5: NC-96 (Arendell Avenue) & Site Access 2 <i>Unsignalized</i>	Eastbound	12.0	B	14.3	B	EB Left/Right		0.4	0.3
						EB Approach		--	--
	Northbound	0.1	A	0.6	A	NB Left/Thru		0	0.1
						NB Approach		--	--
	Southbound	0.0	A	0.0	A	SB Thru		0	0
						SB Right	50	0	0
					SB Approach		--	--	
7: S Wakefield Street & Site Access 3 <i>Unsignalized</i>	Westbound	10.1	B	9.9	A	WB Left/Right		0.3	0.2
						WB Approach		--	--
	Northbound	0.0	A	0.0	A	NB Thru/Right		0	0
						NB Approach		--	--
	Southbound	1.1	A	1.8	A	SB Left	50	0	0.1
						SB Thru		0	0
					SB Approach		--	--	

¹ Overall intersection LOS and delay not reported for TWSC intersections.

* - 95th percentile queues for unsignalized intersections reported in number of vehicles.

- 95th percentile volume exceeds capacity, queue may be longer. Queue shown is maximum after two cycles



LEGEND:

- Existing Road
- - - Proposed Road
- XX AM Peak Hour Volume (vph)
- (XX) PM Peak Hour Volume (vph)



Zebulon South Traffic Impact Analysis

2026 Build Traffic Volumes

Figure
5-1

6 CONCLUSIONS AND RECOMMENDATIONS

Capacity analyses were performed for the following scenarios:


- 2022 Existing traffic volumes
- 2026 Background traffic volumes
- 2026 Build traffic volumes (Background + site trips)

In closing, the following improvements (see **Figure 6-1**) are recommended in conjunction with the construction of the proposed development*:

- NC-97 / South Wakefield Street
 - None
- NC-97 / NC-96
 - None
- NC-96 / West Barbee Street
 - None
- NC-96 / Site Access 1
 - 50-foot southbound right-turn lane (with appropriate taper)
 - 100-foot IPS (Internal Protected Stem) along Site Access 1**
- NC-96 / Site Access 2
 - 50-foot southbound right-turn lane (with appropriate taper)
 - 100-foot IPS along Site Access 2**
- NC-96 / Perry Curtis Road
 - None
- South Wakefield Street / Site Access 3
 - 50-foot southbound left-turn lane (with appropriate taper)
 - 100-foot IPS along Site Access 3**

* NCDOT comments provided in July 2022 (**see Appendix F**) required additional improvements at the intersections of NC-96 / Site Access 1 and NC-96 / Site Access 2. These improvements were not analyzed or included to represent a more conservative scenario.

** IPS requirements are defined in the NCDOT's Driveway Manual.



LEGEND:

	Existing Road
	Proposed Road
	Signalized Intersection
	Unsignalized Intersection
	Existing Lane Configuration
	Proposed Lane Configuration



Zebulon South Traffic Impact Analysis 2026 Proposed Lane Configuration

Figure 6-1

Appendix A – Scoping Information

From: [Brennan, Sean P](#)
To: [Jeff Hochanadel](#); [Meade Bradshaw](#); [Warren, Jeremy L](#); [Ishak, Doumit Y](#); [Bunting, Clarence B](#); [Lineberger, Nicholas C](#); [Walker, Braden M](#)
Cc: [Cliff Lawson](#); [Beth Blackmon](#)
Subject: Re: [External] Zebulon South TIA Scoping
Date: Friday, April 1, 2022 10:20:18 AM
Attachments: [49084-331C-SPLAYO3-Layout1.pdf](#)

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Jeff,

Isn't there a 3rd site access that connects to S Wakefield St? So you might want to include S Wakefield and W Gannon Ave as well.

I have some concerns with the site access to S Arendell located across from Perry Curtis Rd. The geometry of that intersection makes adding a 4th leg difficult.

Regards,

Sean Brennan, PE
Senior Assistant District Engineer
Division 5/District 1
Department of Transportation

919-733-3213 office
919-715-5778 fax
spbrennan@ncdot.gov

4009 District Drive (Physical Address)
Raleigh, NC 27607

1575 Mail Service Center (Mailing Address)
Raleigh, NC 27699-1575

cid:image001.png@01D10DA4.5CC88DA0



Email correspondence to and from this address is subject to the North Carolina Public Records Law and may be disclosed to third parties.

From: Jeff Hochanadel <Jeff.Hochanadel@timmons.com>
Sent: Thursday, March 31, 2022 4:51 PM
To: Meade Bradshaw <Mbradshaw@townofzebulon.org>; Brennan, Sean P <spbrennan@ncdot.gov>; Warren, Jeremy L <jlwarren@ncdot.gov>; Ishak, Doumit Y <dishak@ncdot.gov>; Bunting, Clarence B <cbunting@ncdot.gov>; Lineberger, Nicholas C <nclineberger@ncdot.gov>; Walker, Braden M <bmwalker1@ncdot.gov>

Cc: Cliff Lawson <cliff.lawson@timmons.com>; Beth Blackmon <Beth.Blackmon@timmons.com>

Subject: [External] Zebulon South TIA Scoping

CAUTION: External email. Do not click links or open attachments unless you verify. Send all suspicious email as an attachment to [Report Spam](#).

All,

Timmons Group would like to scope a TIA for the subject residential development in Zebulon, NC. Per the attached conceptual site plan, the proposed development will consist of 148 townhomes and 166 single-family lots to be constructed off NC-96 (Arendell Avenue). I am ok scoping this via email or we could set up a virtual meeting to discuss the subject project.

Our scoping assumptions include the following:

- Study Area Intersections:
 - NC-97 (Gannon Avenue) / NC-96 (Arendell Avenue)
 - W Barbee Street / NC-96 (Arendell Avenue)
 - Site Access 1 / NC-96 (Arendell Avenue)
 - Site Access 2 / NC-96 (Arendell Avenue)
 - Perry Curtis Road / NC-96 (Arendell Avenue)

- Growth Rate:
 - 3%

- Approved Area Developments:
 - **None**

- STIP Projects:
 - None

- Build-Out Years:
 - Phase 1 – 2024
 - Phase 2 – 2026

Once we have determined the final project scope, I will be happy to submit the NCDOT TIA Scoping Checklist (as needed).

Please do not hesitate to contact me with any questions.

Thanks!
Jeff

Jeff Hochanadel, PE, PTOE

Principal | North Carolina Transportation Group Leader

TIMMONS GROUP | www.timmons.com

5410 Trinity Rd, Suite 102 | Raleigh, NC 27607

Office: 919.866.4511 | Fax: 919.859.5663

Cell: 919.426.8405

jeff.hochanadel@timmons.com

Your Vision Achieved Through Ours

To send me files greater than 20MB [click here](#)

Email correspondence to and from this sender is subject to the N.C. Public Records Law and may be disclosed to third parties.

Appendix B – Traffic Counts



TRAFFIC DATA COLLECTION

File Name : Zebulon(NC 96 and Barbee)
Site Code :
Start Date : 4/5/2022
Page No : 1

Groups Printed- Cars + - Trucks


Start Time	NC 96 Southbound				W Barbee Street Westbound				NC 96 Northbound				E Barbee Street Eastbound				Int. Total
	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	
07:00 AM	7	15	0	22	1	0	0	1	1	47	7	55	7	1	5	13	91
07:15 AM	3	18	1	22	1	1	0	2	1	67	11	79	2	0	5	7	110
07:30 AM	5	27	0	32	0	0	0	0	0	62	12	74	2	1	5	8	114
07:45 AM	7	33	0	40	1	0	0	1	0	73	9	82	6	0	10	16	139
Total	22	93	1	116	3	1	0	4	2	249	39	290	17	2	25	44	454
08:00 AM	2	34	0	36	1	0	0	1	0	53	12	65	7	0	5	12	114
08:15 AM	4	35	1	40	0	1	0	1	0	52	10	62	1	0	10	11	114
08:30 AM	5	26	1	32	1	0	0	1	0	52	7	59	4	0	10	14	106
08:45 AM	8	26	0	34	0	0	0	0	0	50	14	64	6	1	6	13	111
Total	19	121	2	142	2	1	0	3	0	207	43	250	18	1	31	50	445
Grand Total	41	214	3	258	5	2	0	7	2	456	82	540	35	3	56	94	899
Apprch %	15.9	82.9	1.2		71.4	28.6	0		0.4	84.4	15.2		37.2	3.2	59.6		
Total %	4.6	23.8	0.3	28.7	0.6	0.2	0	0.8	0.2	50.7	9.1	60.1	3.9	0.3	6.2	10.5	
Cars +	37	195	3	235	5	2	0	7	2	436	81	519	34	3	53	90	851
% Cars +	90.2	91.1	100	91.1	100	100	0	100	100	95.6	98.8	96.1	97.1	100	94.6	95.7	94.7
Trucks	4	19	0	23	0	0	0	0	0	20	1	21	1	0	3	4	48
% Trucks	9.8	8.9	0	8.9	0	0	0	0	0	4.4	1.2	3.9	2.9	0	5.4	4.3	5.3



TRAFFIC DATA COLLECTION

File Name : Zebulon(NC 96 and Barbee)
Site Code :
Start Date : 4/5/2022
Page No : 2

Start Time	NC 96 Southbound				W Barbee Street Westbound				NC 96 Northbound				E Barbee Street Eastbound				Int. Total
	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	
Peak Hour Analysis From 07:00 AM to 08:45 AM - Peak 1 of 1																	
Peak Hour for Entire Intersection Begins at 07:30 AM																	
07:30 AM	5	27	0	32	0	0	0	0	0	62	12	74	2	1	5	8	114
07:45 AM	7	33	0	40	1	0	0	1	0	73	9	82	6	0	10	16	139
08:00 AM	2	34	0	36	1	0	0	1	0	53	12	65	7	0	5	12	114
08:15 AM	4	35	1	40	0	1	0	1	0	52	10	62	1	0	10	11	114
Total Volume	18	129	1	148	2	1	0	3	0	240	43	283	16	1	30	47	481
% App. Total	12.2	87.2	0.7		66.7	33.3	0		0	84.8	15.2		34	2.1	63.8		
PHF	.643	.921	.250	.925	.500	.250	.000	.750	.000	.822	.896	.863	.571	.250	.750	.734	.865





TRAFFIC DATA COLLECTION

File Name : Zebulon(NC 96 and Barbee)
Site Code :
Start Date : 4/5/2022
Page No : 1

Groups Printed- Cars + - Trucks


Start Time	NC 96 Southbound				W Barbee Street Westbound				NC 96 Northbound				E Barbee Street Eastbound				Int. Total
	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	
04:00 PM	11	71	1	83	0	1	1	2	0	47	6	53	13	1	13	27	165
04:15 PM	14	57	2	73	0	0	0	0	1	52	14	67	14	0	16	30	170
04:30 PM	12	72	0	84	1	1	0	2	0	49	6	55	22	2	12	36	177
04:45 PM	14	75	0	89	2	2	0	4	0	44	12	56	14	2	12	28	177
Total	51	275	3	329	3	4	1	8	1	192	38	231	63	5	53	121	689
05:00 PM	12	80	3	95	0	1	0	1	0	42	11	53	15	0	7	22	171
05:15 PM	9	90	1	100	2	1	0	3	0	55	7	62	17	3	14	34	199
05:30 PM	8	75	1	84	1	1	0	2	1	52	7	60	18	1	11	30	176
05:45 PM	13	85	3	101	3	0	0	3	1	51	7	59	15	0	13	28	191
Total	42	330	8	380	6	3	0	9	2	200	32	234	65	4	45	114	737
Grand Total	93	605	11	709	9	7	1	17	3	392	70	465	128	9	98	235	1426
Apprch %	13.1	85.3	1.6		52.9	41.2	5.9		0.6	84.3	15.1		54.5	3.8	41.7		
Total %	6.5	42.4	0.8	49.7	0.6	0.5	0.1	1.2	0.2	27.5	4.9	32.6	9	0.6	6.9	16.5	
Cars +	87	593	11	691	9	7	1	17	3	379	66	448	127	9	96	232	1388
% Cars +	93.5	98	100	97.5	100	100	100	100	100	96.7	94.3	96.3	99.2	100	98	98.7	97.3
Trucks	6	12	0	18	0	0	0	0	0	13	4	17	1	0	2	3	38
% Trucks	6.5	2	0	2.5	0	0	0	0	0	3.3	5.7	3.7	0.8	0	2	1.3	2.7



TRAFFIC DATA COLLECTION

File Name : Zebulon(NC 96 and Barbee)
Site Code :
Start Date : 4/5/2022
Page No : 2

Start Time	NC 96 Southbound				W Barbee Street Westbound				NC 96 Northbound				E Barbee Street Eastbound				Int. Total
	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	
Peak Hour Analysis From 04:00 PM to 05:45 PM - Peak 1 of 1																	
Peak Hour for Entire Intersection Begins at 05:00 PM																	
05:00 PM	12	80	3	95	0	1	0	1	0	42	11	53	15	0	7	22	171
05:15 PM	9	90	1	100	2	1	0	3	0	55	7	62	17	3	14	34	199
05:30 PM	8	75	1	84	1	1	0	2	1	52	7	60	18	1	11	30	176
05:45 PM	13	85	3	101	3	0	0	3	1	51	7	59	15	0	13	28	191
Total Volume	42	330	8	380	6	3	0	9	2	200	32	234	65	4	45	114	737
% App. Total	11.1	86.8	2.1		66.7	33.3	0		0.9	85.5	13.7		57	3.5	39.5		
PHF	.808	.917	.667	.941	.500	.750	.000	.750	.500	.909	.727	.944	.903	.333	.804	.838	.926





TRAFFIC DATA COLLECTION

File Name : Zebulon(NC 96 and NC 97)
Site Code :
Start Date : 4/7/2022
Page No : 1

Groups Printed- Cars + - Trucks


Start Time	NC 96 Southbound					NC 97 Westbound					NC 96 Northbound					NC 97 Eastbound					Int. Total
	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	
07:00 AM	4	32	6	1	43	1	38	28	0	67	22	23	4	0	49	9	59	3	0	71	230
07:15 AM	9	59	7	0	75	1	56	42	0	99	30	21	8	0	59	16	62	7	0	85	318
07:30 AM	7	47	9	0	63	6	83	39	0	128	25	36	16	0	77	22	94	7	0	123	391
07:45 AM	9	42	4	0	55	4	94	52	0	150	46	35	26	0	107	11	111	9	0	131	443
Total	29	180	26	1	236	12	271	161	0	444	123	115	54	0	292	58	326	26	0	410	1382
08:00 AM	11	37	5	0	53	3	83	56	0	142	19	41	19	1	80	16	109	10	0	135	410
08:15 AM	2	43	4	0	49	4	50	49	0	103	33	44	15	0	92	13	82	15	0	110	354
08:30 AM	7	44	5	0	56	8	35	42	0	85	40	41	9	0	90	12	46	9	0	67	298
08:45 AM	7	46	10	0	63	9	55	44	0	108	39	36	6	0	81	11	57	1	0	69	321
Total	27	170	24	0	221	24	223	191	0	438	131	162	49	1	343	52	294	35	0	381	1383
Grand Total	56	350	50	1	457	36	494	352	0	882	254	277	103	1	635	110	620	61	0	791	2765
Apprch %	12.3	76.6	10.9	0.2		4.1	56	39.9	0		40	43.6	16.2	0.2		13.9	78.4	7.7	0		
Total %	2	12.7	1.8	0	16.5	1.3	17.9	12.7	0	31.9	9.2	10	3.7	0	23	4	22.4	2.2	0	28.6	
Cars +	55	336	48	1	440	34	482	341	0	857	244	260	100	1	605	104	599	60	0	763	2665
% Cars +	98.2	96	96	100	96.3	94.4	97.6	96.9	0	97.2	96.1	93.9	97.1	100	95.3	94.5	96.6	98.4	0	96.5	96.4
Trucks	1	14	2	0	17	2	12	11	0	25	10	17	3	0	30	6	21	1	0	28	100
% Trucks	1.8	4	4	0	3.7	5.6	2.4	3.1	0	2.8	3.9	6.1	2.9	0	4.7	5.5	3.4	1.6	0	3.5	3.6



TRAFFIC DATA COLLECTION

File Name : Zebulon(NC 96 and NC 97)
Site Code :
Start Date : 4/7/2022
Page No : 2

Start Time	NC 96 Southbound					NC 97 Westbound					NC 96 Northbound					NC 97 Eastbound					Int. Total
	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	
Peak Hour Analysis From 07:00 AM to 08:45 AM - Peak 1 of 1																					
Peak Hour for Entire Intersection Begins at 07:30 AM																					
07:30 AM	7	47	9	0	63	6	83	39	0	128	25	36	16	0	77	22	94	7	0	123	391
07:45 AM	9	42	4	0	55	4	94	52	0	150	46	35	26	0	107	11	111	9	0	131	443
08:00 AM	11	37	5	0	53	3	83	56	0	142	19	41	19	1	80	16	109	10	0	135	410
08:15 AM	2	43	4	0	49	4	50	49	0	103	33	44	15	0	92	13	82	15	0	110	354
Total Volume	29	169	22	0	220	17	310	196	0	523	123	156	76	1	356	62	396	41	0	499	1598
% App. Total	13.2	76.8	10	0		3.3	59.3	37.5	0		34.6	43.8	21.3	0.3		12.4	79.4	8.2	0		
PHF	.659	.899	.611	.000	.873	.708	.824	.875	.000	.872	.668	.886	.731	.250	.832	.705	.892	.683	.000	.924	.902





TRAFFIC DATA COLLECTION

File Name : Zebulon(NC 96 and NC 97)
Site Code :
Start Date : 4/7/2022
Page No : 1

Groups Printed- Cars + - Trucks


Start Time	NC 96 Southbound					NC 97 Westbound					NC 96 Northbound					NC 97 Eastbound					Int. Total
	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	
04:00 PM	15	56	17	0	88	10	115	61	0	186	33	67	17	0	117	12	84	17	0	113	504
04:15 PM	7	38	7	0	52	10	98	40	0	148	34	64	25	0	123	19	93	15	0	127	450
04:30 PM	11	44	8	0	63	19	117	59	0	195	36	75	14	0	125	16	69	9	0	94	477
04:45 PM	11	39	13	0	63	12	109	58	0	179	34	66	14	0	114	17	67	18	0	102	458
Total	44	177	45	0	266	51	439	218	0	708	137	272	70	0	479	64	313	59	0	436	1889
05:00 PM	8	54	13	0	75	9	117	64	0	190	37	57	17	0	111	15	70	16	0	101	477
05:15 PM	12	47	9	0	68	9	111	56	0	176	29	56	13	1	99	21	87	11	0	119	462
05:30 PM	11	59	9	0	79	16	94	63	0	173	37	61	16	0	114	9	61	15	0	85	451
05:45 PM	12	48	8	0	68	10	106	48	0	164	52	62	13	0	127	17	60	16	0	93	452
Total	43	208	39	0	290	44	428	231	0	703	155	236	59	1	451	62	278	58	0	398	1842
Grand Total	87	385	84	0	556	95	867	449	0	1411	292	508	129	1	930	126	591	117	0	834	3731
Apprch %	15.6	69.2	15.1	0		6.7	61.4	31.8	0		31.4	54.6	13.9	0.1		15.1	70.9	14	0		
Total %	2.3	10.3	2.3	0	14.9	2.5	23.2	12	0	37.8	7.8	13.6	3.5	0	24.9	3.4	15.8	3.1	0	22.4	
Cars +	86	384	82	0	552	94	858	442	0	1394	284	497	124	1	906	126	581	117	0	824	3676
% Cars +	98.9	99.7	97.6	0	99.3	98.9	99	98.4	0	98.8	97.3	97.8	96.1	100	97.4	100	98.3	100	0	98.8	98.5
Trucks	1	1	2	0	4	1	9	7	0	17	8	11	5	0	24	0	10	0	0	10	55
% Trucks	1.1	0.3	2.4	0	0.7	1.1	1	1.6	0	1.2	2.7	2.2	3.9	0	2.6	0	1.7	0	0	1.2	1.5



TRAFFIC DATA COLLECTION

File Name : Zebulon(NC 96 and NC 97)
Site Code :
Start Date : 4/7/2022
Page No : 2

Start Time	NC 96 Southbound					NC 97 Westbound					NC 96 Northbound					NC 97 Eastbound					Int. Total
	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	
Peak Hour Analysis From 04:00 PM to 05:45 PM - Peak 1 of 1																					
Peak Hour for Entire Intersection Begins at 04:00 PM																					
04:00 PM	15	56	17	0	88	10	115	61	0	186	33	67	17	0	117	12	84	17	0	113	504
04:15 PM	7	38	7	0	52	10	98	40	0	148	34	64	25	0	123	19	93	15	0	127	450
04:30 PM	11	44	8	0	63	19	117	59	0	195	36	75	14	0	125	16	69	9	0	94	477
04:45 PM	11	39	13	0	63	12	109	58	0	179	34	66	14	0	114	17	67	18	0	102	458
Total Volume	44	177	45	0	266	51	439	218	0	708	137	272	70	0	479	64	313	59	0	436	1889
% App. Total	16.5	66.5	16.9	0		7.2	62	30.8	0		28.6	56.8	14.6	0		14.7	71.8	13.5	0		
PHF	.733	.790	.662	.000	.756	.671	.938	.893	.000	.908	.951	.907	.700	.000	.958	.842	.841	.819	.000	.858	.937





TRAFFIC DATA COLLECTION

File Name : Zebulon-Zebulon(NC 97 and Wakefield)
 Site Code :
 Start Date : 4/5/2022
 Page No : 1

Groups Printed- Cars + - Trucks


Start Time	N Wakefield Street Southbound				NC 97 Westbound				N Wakefield Street Northbound				NC 97 Eastbound				Int. Total
	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	
07:00 AM	2	1	0	3	0	85	8	93	30	1	16	47	6	59	2	67	210
07:15 AM	1	1	1	3	0	92	12	104	22	3	15	40	5	89	0	94	241
07:30 AM	3	0	0	3	1	104	8	113	25	3	26	54	14	127	0	141	311
07:45 AM	8	3	1	12	1	125	10	136	26	1	24	51	6	119	3	128	327
Total	14	5	2	21	2	406	38	446	103	8	81	192	31	394	5	430	1089
08:00 AM	5	0	0	5	1	138	11	150	27	2	16	45	11	93	2	106	306
08:15 AM	2	4	1	7	0	125	8	133	12	2	14	28	12	59	0	71	239
08:30 AM	1	1	0	2	0	115	6	121	22	1	16	39	15	78	1	94	256
08:45 AM	3	6	0	9	0	111	5	116	17	0	21	38	11	73	3	87	250
Total	11	11	1	23	1	489	30	520	78	5	67	150	49	303	6	358	1051
Grand Total	25	16	3	44	3	895	68	966	181	13	148	342	80	697	11	788	2140
Apprch %	56.8	36.4	6.8		0.3	92.7	7		52.9	3.8	43.3		10.2	88.5	1.4		
Total %	1.2	0.7	0.1	2.1	0.1	41.8	3.2	45.1	8.5	0.6	6.9	16	3.7	32.6	0.5	36.8	
Cars +	24	16	3	43	3	873	68	944	177	13	144	334	78	665	11	754	2075
% Cars +	96	100	100	97.7	100	97.5	100	97.7	97.8	100	97.3	97.7	97.5	95.4	100	95.7	97
Trucks	1	0	0	1	0	22	0	22	4	0	4	8	2	32	0	34	65
% Trucks	4	0	0	2.3	0	2.5	0	2.3	2.2	0	2.7	2.3	2.5	4.6	0	4.3	3



TRAFFIC DATA COLLECTION

File Name : Zebulon-Zebulon(NC 97 and Wakefield)
 Site Code :
 Start Date : 4/5/2022
 Page No : 2

Start Time	N Wakefield Street Southbound				NC 97 Westbound				N Wakefield Street Northbound				NC 97 Eastbound				Int. Total
	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	
Peak Hour Analysis From 07:00 AM to 08:45 AM - Peak 1 of 1																	
Peak Hour for Entire Intersection Begins at 07:15 AM																	
07:15 AM	1	1	1	3	0	92	12	104	22	3	15	40	5	89	0	94	241
07:30 AM	3	0	0	3	1	104	8	113	25	3	26	54	14	127	0	141	311
07:45 AM	8	3	1	12	1	125	10	136	26	1	24	51	6	119	3	128	327
08:00 AM	5	0	0	5	1	138	11	150	27	2	16	45	11	93	2	106	306
Total Volume	17	4	2	23	3	459	41	503	100	9	81	190	36	428	5	469	1185
% App. Total	73.9	17.4	8.7		0.6	91.3	8.2		52.6	4.7	42.6		7.7	91.3	1.1		
PHF	.531	.333	.500	.479	.750	.832	.854	.838	.926	.750	.779	.880	.643	.843	.417	.832	.906





TRAFFIC DATA COLLECTION

File Name : Zebulon-Zebulon(NC 97 and Wakefield)
 Site Code :
 Start Date : 4/5/2022
 Page No : 1

Groups Printed- Cars + - Trucks


Start Time	N Wakefield Street Southbound				NC 97 Westbound				N Wakefield Street Northbound				NC 97 Eastbound				Int. Total
	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	
04:00 PM	9	10	1	20	0	132	10	142	22	2	20	44	22	127	2	151	357
04:15 PM	3	3	0	6	2	88	8	98	16	2	18	36	34	158	2	194	334
04:30 PM	7	4	2	13	0	118	12	130	12	1	20	33	27	158	6	191	367
04:45 PM	6	4	0	10	0	135	14	149	13	2	26	41	21	157	2	180	380
Total	25	21	3	49	2	473	44	519	63	7	84	154	104	600	12	716	1438
05:00 PM	8	5	3	16	1	113	13	127	13	4	16	33	18	151	0	169	345
05:15 PM	5	4	1	10	0	130	10	140	22	2	18	42	34	128	1	163	355
05:30 PM	11	1	3	15	0	113	10	123	16	1	16	33	24	136	0	160	331
05:45 PM	5	2	1	8	0	116	13	129	18	2	15	35	22	128	2	152	324
Total	29	12	8	49	1	472	46	519	69	9	65	143	98	543	3	644	1355
Grand Total	54	33	11	98	3	945	90	1038	132	16	149	297	202	1143	15	1360	2793
Apprch %	55.1	33.7	11.2		0.3	91	8.7		44.4	5.4	50.2		14.9	84	1.1		
Total %	1.9	1.2	0.4	3.5	0.1	33.8	3.2	37.2	4.7	0.6	5.3	10.6	7.2	40.9	0.5	48.7	
Cars +	53	33	11	97	3	914	88	1005	127	16	144	287	197	1120	15	1332	2721
% Cars +	98.1	100	100	99	100	96.7	97.8	96.8	96.2	100	96.6	96.6	97.5	98	100	97.9	97.4
Trucks	1	0	0	1	0	31	2	33	5	0	5	10	5	23	0	28	72
% Trucks	1.9	0	0	1	0	3.3	2.2	3.2	3.8	0	3.4	3.4	2.5	2	0	2.1	2.6



TRAFFIC DATA COLLECTION

File Name : Zebulon-Zebulon(NC 97 and Wakefield)
 Site Code :
 Start Date : 4/5/2022
 Page No : 2

Start Time	N Wakefield Street Southbound				NC 97 Westbound				N Wakefield Street Northbound				NC 97 Eastbound				Int. Total
	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	Right	Thru	Left	App. Total	
Peak Hour Analysis From 04:00 PM to 05:45 PM - Peak 1 of 1																	
Peak Hour for Entire Intersection Begins at 04:30 PM																	
04:30 PM	7	4	2	13	0	118	12	130	12	1	20	33	27	158	6	191	367
04:45 PM	6	4	0	10	0	135	14	149	13	2	26	41	21	157	2	180	380
05:00 PM	8	5	3	16	1	113	13	127	13	4	16	33	18	151	0	169	345
05:15 PM	5	4	1	10	0	130	10	140	22	2	18	42	34	128	1	163	355
Total Volume	26	17	6	49	1	496	49	546	60	9	80	149	100	594	9	703	1447
% App. Total	53.1	34.7	12.2		0.2	90.8	9		40.3	6	53.7		14.2	84.5	1.3		
PHF	.813	.850	.500	.766	.250	.919	.875	.916	.682	.563	.769	.887	.735	.940	.375	.920	.952





TRAFFIC DATA COLLECTION

File Name : Zebulon(NC96 and Perry)
Site Code :
Start Date : 4/12/2022
Page No : 1

Groups Printed- Cars + - Trucks


Start Time	NC 96 Southbound			Perry Curtis Road Westbound			NC 96 Northbound			Int. Total
	Thru	Left	App. Total	Right	Left	App. Total	Right	Thru	App. Total	
07:00 AM	17	3	20	17	3	20	2	42	44	84
07:15 AM	20	2	22	13	0	13	0	64	64	99
07:30 AM	20	4	24	9	3	12	0	61	61	97
07:45 AM	31	5	36	19	3	22	1	57	58	116
Total	88	14	102	58	9	67	3	224	227	396
08:00 AM	27	6	33	13	2	15	1	49	50	98
08:15 AM	28	9	37	21	4	25	1	38	39	101
08:30 AM	17	8	25	8	2	10	2	47	49	84
08:45 AM	24	2	26	19	3	22	1	43	44	92
Total	96	25	121	61	11	72	5	177	182	375
Grand Total	184	39	223	119	20	139	8	401	409	771
Apprch %	82.5	17.5		85.6	14.4		2	98		
Total %	23.9	5.1	28.9	15.4	2.6	18	1	52	53	
Cars +	166	38	204	117	19	136	5	378	383	723
% Cars +	90.2	97.4	91.5	98.3	95	97.8	62.5	94.3	93.6	93.8
Trucks	18	1	19	2	1	3	3	23	26	48
% Trucks	9.8	2.6	8.5	1.7	5	2.2	37.5	5.7	6.4	6.2



TRAFFIC DATA COLLECTION

File Name : Zebulon(NC96 and Perry)
Site Code :
Start Date : 4/12/2022
Page No : 2

Start Time	NC 96 Southbound			Perry Curtis Road Westbound			NC 96 Northbound			Int. Total
	Thru	Left	App. Total	Right	Left	App. Total	Right	Thru	App. Total	
Peak Hour Analysis From 07:00 AM to 08:45 AM - Peak 1 of 1										
Peak Hour for Entire Intersection Begins at 07:30 AM										
07:30 AM	20	4	24	9	3	12	0	61	61	97
07:45 AM	31	5	36	19	3	22	1	57	58	116
08:00 AM	27	6	33	13	2	15	1	49	50	98
08:15 AM	28	9	37	21	4	25	1	38	39	101
Total Volume	106	24	130	62	12	74	3	205	208	412
% App. Total	81.5	18.5		83.8	16.2		1.4	98.6		
PHF	.855	.667	.878	.738	.750	.740	.750	.840	.852	.888





TRAFFIC DATA COLLECTION

File Name : Zebulon(NC96 and Perry)
 Site Code :
 Start Date : 4/12/2022
 Page No : 1

Groups Printed- Cars + - Trucks


Start Time	NC 96 Southbound			Perry Curtis Road Westbound			NC 96 Northbound			Int. Total
	Thru	Left	App. Total	Right	Left	App. Total	Right	Thru	App. Total	
04:00 PM	56	20	76	12	4	16	2	35	37	129
04:15 PM	50	12	62	21	2	23	1	37	38	123
04:30 PM	52	28	80	14	1	15	2	41	43	138
04:45 PM	63	24	87	17	1	18	0	32	32	137
Total	221	84	305	64	8	72	5	145	150	527
05:00 PM	49	24	73	13	2	15	1	31	32	120
05:15 PM	72	23	95	10	2	12	3	40	43	150
05:30 PM	64	19	83	8	0	8	1	36	37	128
05:45 PM	65	30	95	11	1	12	1	42	43	150
Total	250	96	346	42	5	47	6	149	155	548
Grand Total	471	180	651	106	13	119	11	294	305	1075
Apprch %	72.4	27.6		89.1	10.9		3.6	96.4		
Total %	43.8	16.7	60.6	9.9	1.2	11.1	1	27.3	28.4	
Cars +	461	178	639	104	11	115	11	280	291	1045
% Cars +	97.9	98.9	98.2	98.1	84.6	96.6	100	95.2	95.4	97.2
Trucks	10	2	12	2	2	4	0	14	14	30
% Trucks	2.1	1.1	1.8	1.9	15.4	3.4	0	4.8	4.6	2.8



TRAFFIC DATA COLLECTION

File Name : Zebulon(NC96 and Perry)
Site Code :
Start Date : 4/12/2022
Page No : 2

Start Time	NC 96 Southbound			Perry Curtis Road Westbound			NC 96 Northbound			Int. Total
	Thru	Left	App. Total	Right	Left	App. Total	Right	Thru	App. Total	
Peak Hour Analysis From 04:00 PM to 05:45 PM - Peak 1 of 1										
Peak Hour for Entire Intersection Begins at 05:00 PM										
05:00 PM	49	24	73	13	2	15	1	31	32	120
05:15 PM	72	23	95	10	2	12	3	40	43	150
05:30 PM	64	19	83	8	0	8	1	36	37	128
05:45 PM	65	30	95	11	1	12	1	42	43	150
Total Volume	250	96	346	42	5	47	6	149	155	548
% App. Total	72.3	27.7		89.4	10.6		3.9	96.1		
PHF	.868	.800	.911	.808	.625	.783	.500	.887	.901	.913



Appendix C – Signal Timing Plans

PHASING DIAGRAM





TABLE OF OPERATION

SIGNAL FACE	PHASE								FLASH
	01+5	02+5	03+7	03+8	04+7	04+8	FLASH		
11	---	---	---	---	---	---	---	---	
21	R	R	G	G	R	R	R	Y	
22	R	R	G	G	R	R	R	Y	
31	---	---	---	---	---	---	---	---	
41, 42	R	R	R	R	R	R	G	G	
51	---	---	---	---	---	---	---	---	
61, 62	R	G	R	G	R	R	R	Y	
71	---	---	---	---	---	---	---	---	
81, 82	R	R	R	R	R	G	R	G	
P21, P22	DW	DW	W	DW	DW	DW	DW	DRK	
P81, P82	DW	DW	DW	DW	W	DW	W	DRK	


F = Flashing Yellow Arrow
 W = Walk
 DW = Don't Walk
 DRK = Dark



OASIS 2070L LOOP & DETECTOR INSTALLATION CHART

LOOP	SIZE (FT)	DISTANCE FROM STOPBAR (FT)	TURNS	NEW LOOP	DETECTOR PROGRAMMING					SYSTEM LOOP	NEW CARD
					PHASE	CALLING	EXTENSION	STRETCH TIME	DELAY TIME		
1A	6X60	+5	EXISTING	-	1	Y	Y	-	-	15	-
2A	6X6	70	EXISTING	-	2	Y	Y	-	-	-	-
3A	6X60	+5	EXISTING	-	3	Y	Y	-	-	15	-
4A	6X60	0	EXISTING	-	4	Y	Y	-	-	10	-
5A	6X40	0	2-4-2	-	5	Y	Y	-	-	15	-
6A	6X6	70	EXISTING	-	6	Y	Y	-	-	-	-
7A	6X60	+5	EXISTING	-	7	Y	Y	-	-	15	-
8A	6X60	+5	EXISTING	-	8	Y	Y	-	-	10	-


SIGNAL FACE I.D.



8 Phase Fully Actuated (Isolated)

NOTES

- Refer to "Roadway Standard Drawings NCDOT" dated July 2006 and "Standard Specifications for Roads and Structures" dated July 2006.
- Do not program signal for late night flashing operation unless otherwise directed by the Engineer.
- Phase 1 and/or phase 5 may be lagged.
- Phase 3 and/or phase 7 may be lagged.
- Set all detector units to presence mode.
- In the event of loop replacement, refer to the current ITS and Signals Design Manual and submit a Plan of Record to the Signal Design Section.
- Omit "WALK" and flashing "DON'T WALK" with no pedestrian calls.
- Program pedestrian heads to countdown the flashing "Don't Walk" time only.
- Pavement markings are existing unless otherwise shown.





OASIS 2070L TIMING CHART

FEATURE	PHASE							
	1	2	3	4	5	6	7	8
Min Green 1*	7	10	7	7	7	10	7	7
Extension 1*	2.0	3.0	2.0	2.0	2.0	3.0	2.0	2.0
Max Green 1*	15	30	25	30	15	30	15	30
Yellow Clearance	3.0	4.0	3.0	4.0	3.0	4.0	3.0	4.0
Red Clearance	2.8	1.8	2.4	1.5	2.4	1.8	2.3	1.5
Red Revert	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Walk 1*	-	7	-	-	-	-	-	7
Don't Walk 1	-	10	-	-	-	-	-	10
Seconds Per Actuation*	-	-	-	-	-	-	-	-
Max Variable Initial*	-	-	-	-	-	-	-	-
Time Before Reduction*	-	-	-	-	-	-	-	-
Time To Reduce*	-	-	-	-	-	-	-	-
Minimum Gap	-	-	-	-	-	-	-	-
Recall Mode	-	MIN RECALL	-	-	-	MIN RECALL	-	-
Vehicle Call Memory	-	YELLOW	-	-	-	YELLOW	-	-
Dual Entry	-	-	-	ON	-	-	-	ON
Simultaneous Gap	ON	ON	ON	ON	ON	ON	ON	ON

* These values may be field adjusted. Do not adjust Min Green and Extension times for phases 2 and 6 lower than what is shown. Min Green for all other phases should not be lower than 4 seconds.

LEGEND



Proposed Stopbar and Crosswalk Locations

Signal Upgrade

Prepared in the Offices of:
 TRANSPORTATION MOBILITY AND SAFETY DIVISION
 STATE OF NORTH CAROLINA
 SIGNAL DESIGN SECTION
 750 N. Greenfield Pkwy, Garner, NC 27529

US 64 Bus./NC 97 (Gannon Ave.)
 at
 US 64 Bus./NC 96 (N. Arendell Ave.)

Division 5 Wake County Zebulon
 PLAN DATE: November 2011 REVIEWED BY:
 PREPARED BY: Sterling REVIEWED BY:
 REVISIONS: INIT. DATE


SEAL
 NORTH CAROLINA PROFESSIONAL ENGINEER
 SEAL 026486
 ROBERT J. ZIEGLER
 12/12

SIGNATURE DATE
 SIG. INVENTORY NO. 05-0156

SCALE 1"=20'

12-14-2012 10:50 AM
 S:\Projects\05-0156\Signal Design\Signal Design Section\05-0156_Sig.dwg, 2012-12-14 10:50 AM
 P2: JMB

PHASING DIAGRAM




PHASING DIAGRAM DETECTION LEGEND

- ◐ → DETECTED MOVEMENT
- ◑ → UNDETECTED MOVEMENT (OVERLAP)
- → UNSIGNALIZED MOVEMENT
- ⚡ → PEDESTRIAN MOVEMENT

TABLE OF OPERATION

SIGNAL FACE	PHASE		
	Ø2+6	Ø4+8	FLIGHT
2l, 22	G	R	Y
4l, 42	R	G	R
6l, 62	G	R	Y
8l, 82	R	G	R

SIGNAL FACE I.D.




OASIS 2070L LOOP & DETECTOR INSTALLATION CHART

LOOP	SIZE (FT)	DISTANCE FROM STOPBAR (FT)	TURNS	NEW LOOP	DETECTOR PROGRAMMING					SYSTEM LOOP	NEW CARD	
					PHASE	CALLING	EXTENSION	FULL TIME DELAY	STRETCH TIME			DELAY TIME
2A	6X6	70	EXISTING	-	2	Y	Y	-	-	-	-	Y
4A	6X60	+5	2-4-2	-	4	Y	Y	-	-	5	-	Y
6A	6X6	70	EXISTING	-	6	Y	Y	-	-	-	-	Y
8A	6X60	+5	2-4-2	-	8	Y	Y	-	-	5	-	Y

2 Phase Fully Actuated (Isolated)

NOTES

- Refer to "Roadway Standard Drawings NCDOT" dated July 2006 and "Standard Specifications for Roads and Structures" dated July 2006.
- Do not program signal for late night flashing operation unless otherwise directed by the Engineer.
- Set all detector units to presence mode.
- Locate new cabinet so as not to obstruct sight distance of vehicles turning right on red.
- Pavement markings are existing.



OASIS 2070L TIMING CHART

FEATURE	PHASE			
	2	4	6	8
Min Green 1 *	10	7	10	7
Extension 1 *	3.0	2.0	3.0	2.0
Max Green 1 *	45	20	45	20
Yellow Clearance	3.9	3.1	3.8	3.7
Red Clearance	1.0	1.8	1.0	1.1
Red Revert	2.0	2.0	2.0	2.0
Walk 1 *	-	-	-	-
Don't Walk 1	-	-	-	-
Seconds Per Actuation *	-	-	-	-
Max Variable Initial *	-	-	-	-
Time Before Reduction *	-	-	-	-
Time To Reduce *	-	-	-	-
Minimum Gap	-	-	-	-
Recall Mode	MIN RECALL	-	MIN RECALL	-
Vehicle Call Memory	YELLOW	-	YELLOW	-
Dual Entry	-	ON	-	ON
Simultaneous Gap	ON	ON	ON	ON

* These values may be field adjusted. Do not adjust Min Green and Extension times for phases 2 and 6 lower than what is shown. Min Green for all other phases should not be lower than 4 seconds.

LEGEND

PROPOSED	EXISTING
◐ → Traffic Signal Head	◑ → N/A
◑ → Modified Signal Head	◑ → N/A
⚡ → Sign	⚡ → N/A
⚡ → Pedestrian Signal Head With Push Button & Sign	⚡ → N/A
⚡ → Signal Pole with Guy	⚡ → N/A
⚡ → Signal Pole with Sidewalk Guy	⚡ → N/A
◻ → Inductive Loop Detector	◻ → N/A
⊠ → Controller & Cabinet	⊠ → N/A
⊠ → Junction Box	⊠ → N/A
--- → 2-in Underground Conduit	--- → N/A
N/A → Right of Way	N/A → N/A
→ → Directional Arrow	→ → N/A

Signal Upgrade

	Prepared In the Office of: US 64 Bus./NC 97 (W. Gannon Avenue) at SR 2349 (N. Wakefield Street) Division 5 Wake County Zebulon		SEAL NORTH CAROLINA PROFESSIONAL ENGINEER SEAL 026486 ROBERT J. ZIEMBA ENGINEER 1/29/10
	PLAN DATE: January 2010 PREPARED BY: C.E. Carter	REVIEWED BY: REVIEWED BY:	
750 N. Greenfield Pkwy, Garner, NC 27529 	SCALE 0 20 1" = 20'	SIGNATURE DATE #05-1816	

Appendix D – Synchro Output

2022 Existing Traffic Volumes

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/04/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	5	428	36	41	459	4	81	9	100	4	4	17
Future Volume (vph)	5	428	36	41	459	4	81	9	100	4	4	17
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		-1%			0%			3%			1%	
Storage Length (ft)	125		0	125		0	0		0	0		0
Storage Lanes	1		0	1		0	0		0	0		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Frt		0.988			0.999			0.929			0.905	
Flt Protected	0.950			0.950				0.979			0.993	
Satd. Flow (prot)	1778	1850	0	1770	1861	0	0	1669	0	0	1666	0
Flt Permitted	0.393			0.391				0.849			0.942	
Satd. Flow (perm)	736	1850	0	728	1861	0	0	1447	0	0	1580	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			25			25	
Link Distance (ft)		774			1453			1831			462	
Travel Time (s)		15.1			28.3			49.9			12.6	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	6	476	40	46	510	4	90	10	111	4	4	19
Shared Lane Traffic (%)												
Lane Group Flow (vph)	6	516	0	46	514	0	0	211	0	0	27	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes							
Headway Factor	0.99	0.99	0.99	1.00	1.00	1.00	1.02	1.02	1.02	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	Perm	NA		Perm	NA		Perm	NA		Perm	NA	
Protected Phases		2			6			8			4	
Permitted Phases	2			6			8			4		
Detector Phase	2	2		6	6		8	8		4	4	
Switch Phase												
Minimum Initial (s)	10.0	10.0		10.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	14.9	14.9		14.8	14.8		11.8	11.8		11.9	11.9	
Total Split (s)	45.0	45.0		45.0	45.0		20.0	20.0		20.0	20.0	
Total Split (%)	69.2%	69.2%		69.2%	69.2%		30.8%	30.8%		30.8%	30.8%	
Maximum Green (s)	40.1	40.1		40.2	40.2		15.2	15.2		15.1	15.1	
Yellow Time (s)	3.9	3.9		3.8	3.8		3.7	3.7		3.1	3.1	
All-Red Time (s)	1.0	1.0		1.0	1.0		1.1	1.1		1.8	1.8	
Lost Time Adjust (s)	0.1	0.1		0.2	0.2		0.2	0.2		0.1	0.1	
Total Lost Time (s)	5.0	5.0		5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag												
Lead-Lag Optimize?												
Vehicle Extension (s)	3.0	3.0		3.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	Min	Min		Min	Min		None	None		None	None	
Act Effect Green (s)	17.6	17.6		17.6	17.6		9.9	9.9		9.9	9.9	
Actuated g/C Ratio	0.46	0.46		0.46	0.46		0.26	0.26		0.26	0.26	
v/c Ratio	0.02	0.60		0.14	0.59		0.56	0.56		0.07	0.07	
Control Delay	6.6	11.6		7.9	11.5		18.1	18.1		11.0	11.0	

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/04/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Queue Delay	0.0	0.0		0.0	0.0			0.0			0.0	
Total Delay	6.6	11.6		7.9	11.5			18.1			11.0	
LOS	A	B		A	B			B			B	
Approach Delay		11.6			11.2			18.1			11.0	
Approach LOS		B			B			B			B	
Queue Length 50th (ft)	1	65		4	65			31			3	
Queue Length 95th (ft)	5	170		21	168			94			18	
Internal Link Dist (ft)		694			1373			1751			382	
Turn Bay Length (ft)	125			125								
Base Capacity (vph)	706	1775		699	1786			591			645	
Starvation Cap Reductn	0	0		0	0			0			0	
Spillback Cap Reductn	0	0		0	0			0			0	
Storage Cap Reductn	0	0		0	0			0			0	
Reduced v/c Ratio	0.01	0.29		0.07	0.29			0.36			0.04	

Intersection Summary

Area Type: Other

Cycle Length: 65

Actuated Cycle Length: 37.9

Natural Cycle: 40

Control Type: Actuated-Uncoordinated

Maximum v/c Ratio: 0.60

Intersection Signal Delay: 12.5


Intersection LOS: B

Intersection Capacity Utilization 60.2%

ICU Level of Service B

Analysis Period (min) 15

Splits and Phases: 1: S Wakefield Street & NC-97 (Gannon Avenue)



Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)


12/04/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	41	396	62	196	310	17	76	156	123	22	169	29
Future Volume (vph)	41	396	62	196	310	17	76	156	123	22	169	29
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		2%			-2%			-2%			2%	
Storage Length (ft)	200		100	350		0	125		0	250		0
Storage Lanes	1		1	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Frt			0.850			0.992			0.934			0.978
Flt Protected	0.950			0.950			0.950			0.950		
Satd. Flow (prot)	1752	1844	1567	1787	1866	0	1787	1757	0	1752	1804	0
Flt Permitted	0.418			0.263			0.495			0.380		
Satd. Flow (perm)	771	1844	1567	495	1866	0	931	1757	0	701	1804	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			20			35	
Link Distance (ft)		1453			677			1822			478	
Travel Time (s)		28.3			13.2			62.1			9.3	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	46	440	69	218	344	19	84	173	137	24	188	32
Shared Lane Traffic (%)												
Lane Group Flow (vph)	46	440	69	218	363	0	84	310	0	24	220	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			12			12	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes						Yes	
Headway Factor	1.01	1.01	1.01	0.99	0.99	0.99	0.99	0.99	0.99	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	D.P+P	NA	pm+ov	D.P+P	NA		D.P+P	NA		D.P+P	NA	
Protected Phases	5	2	3	1	6		3	8		7	4	
Permitted Phases	6		2	2			4			8		
Detector Phase	5	2	3	1	6		3	8		7	4	
Switch Phase												
Minimum Initial (s)	7.0	10.0	7.0	7.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	12.4	22.8	12.4	12.8	15.8		12.4	22.5		12.3	12.5	
Total Split (s)	15.0	30.0	25.0	15.0	30.0		25.0	40.0		15.0	30.0	
Total Split (%)	15.0%	30.0%	25.0%	15.0%	30.0%		25.0%	40.0%		15.0%	30.0%	
Maximum Green (s)	9.6	24.2	19.6	9.2	24.2		19.6	34.5		9.7	24.5	
Yellow Time (s)	3.0	4.0	3.0	3.0	4.0		3.0	4.0		3.0	4.0	
All-Red Time (s)	2.4	1.8	2.4	2.8	1.8		2.4	1.5		2.3	1.5	
Lost Time Adjust (s)	-0.4	-0.8	-0.4	-0.8	-0.8		-0.4	-0.5		-0.3	-0.5	
Total Lost Time (s)	5.0	5.0	5.0	5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag	Lead	Lag	Lead	Lead	Lag		Lead	Lag		Lead	Lag	
Lead-Lag Optimize?												
Vehicle Extension (s)	2.0	3.0	2.0	2.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	None	Min	None	None	Min		None	None		None	None	
Walk Time (s)		7.0			7.0			7.0			7.0	
Flash Dont Walk (s)		10.0			10.0			10.0			10.0	
Pedestrian Calls (#/hr)		0			0			0			0	
Act Effct Green (s)	36.0	23.5	36.9	33.5	31.9		22.3	21.8		24.3	16.3	

Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)

12/04/2023




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Actuated g/C Ratio	0.48	0.31	0.49	0.45	0.42		0.30	0.29		0.32	0.22	
v/c Ratio	0.10	0.76	0.09	0.56	0.46		0.23	0.61		0.07	0.56	
Control Delay	12.7	36.0	13.3	19.2	22.7		17.6	29.9		15.7	33.6	
Queue Delay	0.0	0.0	0.0	0.0	0.0		0.0	0.0		0.0	0.0	
Total Delay	12.7	36.0	13.3	19.2	22.7		17.6	29.9		15.7	33.6	
LOS	B	D	B	B	C		B	C		B	C	
Approach Delay		31.2			21.4			27.3			31.9	
Approach LOS		C			C			C			C	
Queue Length 50th (ft)	10	182	17	52	134		27	115		7	98	
Queue Length 95th (ft)	34	#399	47	125	271		54	233		22	170	
Internal Link Dist (ft)		1373			597			1742			398	
Turn Bay Length (ft)	200		100	350			125			250		
Base Capacity (vph)	518	636	1032	401	792		592	849		380	622	
Starvation Cap Reductn	0	0	0	0	0		0	0		0	0	
Spillback Cap Reductn	0	0	0	0	0		0	0		0	0	
Storage Cap Reductn	0	0	0	0	0		0	0		0	0	
Reduced v/c Ratio	0.09	0.69	0.07	0.54	0.46		0.14	0.37		0.06	0.35	

Intersection Summary

Area Type:	Other
Cycle Length:	100
Actuated Cycle Length:	75.1
Natural Cycle:	75
Control Type:	Actuated-Uncoordinated
Maximum v/c Ratio:	0.76
Intersection Signal Delay:	27.2
Intersection LOS:	C
Intersection Capacity Utilization:	69.9%
ICU Level of Service:	C
Analysis Period (min):	15
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	

Splits and Phases: 2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)



Zebulon South TIA
3: NC-96 (Arendell Avenue) & Barbee Street

12/04/2023

Intersection

Int Delay, s/veh 2.3

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔			↔			↔			↔	
Traffic Vol, veh/h	30	4	16	4	4	4	43	240	4	4	129	18
Future Vol, veh/h	30	4	16	4	4	4	43	240	4	4	129	18
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	33	4	18	4	4	4	48	267	4	4	143	20

Major/Minor	Minor2		Minor1		Major1		Major2					
Conflicting Flow All	530	528	153	537	536	269	163	0	0	271	0	0
Stage 1	161	161	-	365	365	-	-	-	-	-	-	-
Stage 2	369	367	-	172	171	-	-	-	-	-	-	-
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	4.12	-	-
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	2.218	-	-
Pot Cap-1 Maneuver	460	456	893	455	451	770	1416	-	-	1292	-	-
Stage 1	841	765	-	654	623	-	-	-	-	-	-	-
Stage 2	651	622	-	830	757	-	-	-	-	-	-	-
Platoon blocked, %								-	-	-	-	-
Mov Cap-1 Maneuver	439	436	893	428	432	770	1416	-	-	1292	-	-
Mov Cap-2 Maneuver	439	436	-	428	432	-	-	-	-	-	-	-
Stage 1	807	763	-	628	598	-	-	-	-	-	-	-
Stage 2	617	597	-	806	755	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	12.7	12.3	1.1	0.2
HCM LOS	B	B		

Minor Lane/Major Mvmt	NBL	NBT	NBREBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	1416	-	-	524	504	1292	-
HCM Lane V/C Ratio	0.034	-	-	0.106	0.026	0.003	-
HCM Control Delay (s)	7.6	0	-	12.7	12.3	7.8	0
HCM Lane LOS	A	A	-	B	B	A	A
HCM 95th %tile Q(veh)	0.1	-	-	0.4	0.1	0	-

Zebulon South TIA
6: NC-96 (Arendell Avenue) & Perry Curtis Road

12/04/2023

Intersection

Int Delay, s/veh 2.3

Movement WBL WBR NBT NBR SBL SBT

Lane Configurations	W		T			T
Traffic Vol, veh/h	12	62	205	4	24	106
Future Vol, veh/h	12	62	205	4	24	106
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	13	69	228	4	27	118

Major/Minor Minor1 Major1 Major2

Conflicting Flow All	402	230	0	0	232	0
Stage 1	230	-	-	-	-	-
Stage 2	172	-	-	-	-	-
Critical Hdwy	6.42	6.22	-	-	4.12	-
Critical Hdwy Stg 1	5.42	-	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-	-
Follow-up Hdwy	3.518	3.318	-	-	2.218	-
Pot Cap-1 Maneuver	604	809	-	-	1336	-
Stage 1	808	-	-	-	-	-
Stage 2	858	-	-	-	-	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuver	591	809	-	-	1336	-
Mov Cap-2 Maneuver	591	-	-	-	-	-
Stage 1	808	-	-	-	-	-
Stage 2	839	-	-	-	-	-

Approach WB NB SB

HCM Control Delay, s	10.3	0	1.4
HCM LOS	B		

Minor Lane/Major Mvmt NBT NBRWBLn1 SBL SBT

Capacity (veh/h)	-	-	763	1336	-
HCM Lane V/C Ratio	-	-	0.108	0.02	-
HCM Control Delay (s)	-	-	10.3	7.7	0
HCM Lane LOS	-	-	B	A	A
HCM 95th %tile Q(veh)	-	-	0.4	0.1	-

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/04/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	9	594	100	49	496	4	80	9	60	6	17	26
Future Volume (vph)	9	594	100	49	496	4	80	9	60	6	17	26
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		-1%			0%			3%			1%	
Storage Length (ft)	125		0	125		0	0		0	0		0
Storage Lanes	1		0	1		0	0		0	0		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fr _t		0.978			0.999			0.946			0.929	
Fl _t Protected	0.950			0.950				0.974				0.994
Satd. Flow (prot)	1778	1831	0	1770	1861	0	0	1691	0	0	1712	0
Fl _t Permitted	0.405			0.256				0.803				0.948
Satd. Flow (perm)	758	1831	0	477	1861	0	0	1394	0	0	1632	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			25			25	
Link Distance (ft)		774			1453			1831			462	
Travel Time (s)		15.1			28.3			49.9			12.6	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	10	660	111	54	551	4	89	10	67	7	19	29
Shared Lane Traffic (%)												
Lane Group Flow (vph)	10	771	0	54	555	0	0	166	0	0	55	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes							
Headway Factor	0.99	0.99	0.99	1.00	1.00	1.00	1.02	1.02	1.02	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	Perm	NA		Perm	NA		Perm	NA		Perm	NA	
Protected Phases		2			6			8			4	
Permitted Phases	2			6			8			4		
Detector Phase	2	2		6	6		8	8		4	4	
Switch Phase												
Minimum Initial (s)	10.0	10.0		10.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	14.9	14.9		14.8	14.8		11.8	11.8		11.9	11.9	
Total Split (s)	45.0	45.0		45.0	45.0		20.0	20.0		20.0	20.0	
Total Split (%)	69.2%	69.2%		69.2%	69.2%		30.8%	30.8%		30.8%	30.8%	
Maximum Green (s)	40.1	40.1		40.2	40.2		15.2	15.2		15.1	15.1	
Yellow Time (s)	3.9	3.9		3.8	3.8		3.7	3.7		3.1	3.1	
All-Red Time (s)	1.0	1.0		1.0	1.0		1.1	1.1		1.8	1.8	
Lost Time Adjust (s)	0.1	0.1		0.2	0.2		0.2	0.2		0.1	0.1	
Total Lost Time (s)	5.0	5.0		5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag												
Lead-Lag Optimize?												
Vehicle Extension (s)	3.0	3.0		3.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	Min	Min		Min	Min		None	None		None	None	
Act Effect Green (s)	28.4	28.4		28.4	28.4		10.0	10.0		10.1	10.1	
Actuated g/C Ratio	0.64	0.64		0.64	0.64		0.23	0.23		0.23	0.23	
v/c Ratio	0.02	0.66		0.18	0.46		0.53	0.53		0.15	0.15	
Control Delay	5.0	10.8		7.1	7.7		24.6	24.6		17.9	17.9	

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/04/2023




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Queue Delay	0.0	0.0		0.0	0.0			0.0			0.0	
Total Delay	5.0	10.8		7.1	7.7			24.6			17.9	
LOS	A	B		A	A			C			B	
Approach Delay		10.8			7.7			24.6			17.9	
Approach LOS		B			A			C			B	
Queue Length 50th (ft)	1	122		6	73			33			10	
Queue Length 95th (ft)	6	291		24	170			113			44	
Internal Link Dist (ft)		694			1373			1751			382	
Turn Bay Length (ft)	125			125								
Base Capacity (vph)	664	1605		418	1631			509			596	
Starvation Cap Reductn	0	0		0	0			0			0	
Spillback Cap Reductn	0	0		0	0			0			0	
Storage Cap Reductn	0	0		0	0			0			0	
Reduced v/c Ratio	0.02	0.48		0.13	0.34			0.33			0.09	

Intersection Summary

Area Type:	Other
Cycle Length:	65
Actuated Cycle Length:	44.3
Natural Cycle:	50
Control Type:	Actuated-Uncoordinated
Maximum v/c Ratio:	0.66
Intersection Signal Delay:	11.3
Intersection LOS:	B
Intersection Capacity Utilization	64.3%
ICU Level of Service	C
Analysis Period (min)	15

Splits and Phases: 1: S Wakefield Street & NC-97 (Gannon Avenue)



Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)

12/04/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	59	313	64	218	439	51	70	272	137	45	177	44
Future Volume (vph)	59	313	64	218	439	51	70	272	137	45	177	44
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		2%			-2%			-2%			2%	
Storage Length (ft)	200		100	350		0	125		0	250		0
Storage Lanes	1		1	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fr _t			0.850			0.984			0.950			0.970
Flt Protected	0.950			0.950			0.950			0.950		
Satd. Flow (prot)	1752	1844	1567	1787	1851	0	1787	1787	0	1752	1789	0
Flt Permitted	0.150			0.326			0.496			0.224		
Satd. Flow (perm)	277	1844	1567	613	1851	0	933	1787	0	413	1789	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			20			35	
Link Distance (ft)		1453			677			1822			478	
Travel Time (s)		28.3			13.2			62.1			9.3	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	66	348	71	242	488	57	78	302	152	50	197	49
Shared Lane Traffic (%)												
Lane Group Flow (vph)	66	348	71	242	545	0	78	454	0	50	246	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			12			12	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes						Yes	
Headway Factor	1.01	1.01	1.01	0.99	0.99	0.99	0.99	0.99	0.99	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	D.P+P	NA	pm+ov	D.P+P	NA		D.P+P	NA		D.P+P	NA	
Protected Phases	5	2	3	1	6		3	8		7	4	
Permitted Phases	6		2	2			4			8		
Detector Phase	5	2	3	1	6		3	8		7	4	
Switch Phase												
Minimum Initial (s)	7.0	10.0	7.0	7.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	12.4	22.8	12.4	12.8	15.8		12.4	22.5		12.3	12.5	
Total Split (s)	15.0	30.0	25.0	15.0	30.0		25.0	40.0		15.0	30.0	
Total Split (%)	15.0%	30.0%	25.0%	15.0%	30.0%		25.0%	40.0%		15.0%	30.0%	
Maximum Green (s)	9.6	24.2	19.6	9.2	24.2		19.6	34.5		9.7	24.5	
Yellow Time (s)	3.0	4.0	3.0	3.0	4.0		3.0	4.0		3.0	4.0	
All-Red Time (s)	2.4	1.8	2.4	2.8	1.8		2.4	1.5		2.3	1.5	
Lost Time Adjust (s)	-0.4	-0.8	-0.4	-0.8	-0.8		-0.4	-0.5		-0.3	-0.5	
Total Lost Time (s)	5.0	5.0	5.0	5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag	Lead	Lag	Lead	Lead	Lag		Lead	Lag		Lead	Lag	
Lead-Lag Optimize?												
Vehicle Extension (s)	2.0	3.0	2.0	2.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	None	Min	None	None	Min		None	None		None	None	
Walk Time (s)		7.0			7.0			7.0			7.0	
Flash Dont Walk (s)		10.0			10.0			10.0			10.0	
Pedestrian Calls (#/hr)		0			0			0			0	
Act Effct Green (s)	33.0	21.2	34.9	31.4	27.2		28.8	26.0		29.9	22.9	

Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)

12/04/2023




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Actuated g/C Ratio	0.41	0.27	0.44	0.39	0.34		0.36	0.33		0.37	0.29	
v/c Ratio	0.25	0.71	0.10	0.62	0.87		0.18	0.78		0.17	0.48	
Control Delay	18.4	38.4	17.4	26.0	46.7		15.2	36.2		15.3	28.2	
Queue Delay	0.0	0.0	0.0	0.0	0.0		0.0	0.0		0.0	0.0	
Total Delay	18.4	38.4	17.4	26.0	46.7		15.2	36.2		15.3	28.2	
LOS	B	D	B	C	D		B	D		B	C	
Approach Delay		32.6			40.3			33.1			26.0	
Approach LOS		C			D			C			C	
Queue Length 50th (ft)	21	173	24	84	~306		23	227		15	107	
Queue Length 95th (ft)	52	#321	56	#175	#599		50	357		35	184	
Internal Link Dist (ft)		1373			597			1742			398	
Turn Bay Length (ft)	200		100	350			125			250		
Base Capacity (vph)	316	616	939	401	629		633	836		340	659	
Starvation Cap Reductn	0	0	0	0	0		0	0		0	0	
Spillback Cap Reductn	0	0	0	0	0		0	0		0	0	
Storage Cap Reductn	0	0	0	0	0		0	0		0	0	
Reduced v/c Ratio	0.21	0.56	0.08	0.60	0.87		0.12	0.54		0.15	0.37	

Intersection Summary

Area Type:	Other
Cycle Length:	100
Actuated Cycle Length:	79.9
Natural Cycle:	90
Control Type:	Actuated-Uncoordinated
Maximum v/c Ratio:	0.87
Intersection Signal Delay:	34.7
Intersection LOS:	C
Intersection Capacity Utilization:	77.2%
ICU Level of Service:	D
Analysis Period (min):	15
~ Volume exceeds capacity, queue is theoretically infinite. Queue shown is maximum after two cycles.	
# 95th percentile volume exceeds capacity, queue may be longer. Queue shown is maximum after two cycles.	

Splits and Phases: 2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)



Zebulon South TIA
3: NC-96 (Arendell Avenue) & Barbee Street

12/04/2023

Intersection

Int Delay, s/veh 3.1

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔			↔			↔			↔	
Traffic Vol, veh/h	45	4	65	4	4	6	32	200	4	8	330	42
Future Vol, veh/h	45	4	65	4	4	6	32	200	4	8	330	42
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	50	4	72	4	4	7	36	222	4	9	367	47

Major/Minor	Minor2		Minor1		Major1		Major2					
Conflicting Flow All	711	707	391	743	728	224	414	0	0	226	0	0
Stage 1	409	409	-	296	296	-	-	-	-	-	-	-
Stage 2	302	298	-	447	432	-	-	-	-	-	-	-
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	4.12	-	-
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	2.218	-	-
Pot Cap-1 Maneuver	348	360	658	331	350	815	1145	-	-	1342	-	-
Stage 1	619	596	-	712	668	-	-	-	-	-	-	-
Stage 2	707	667	-	591	582	-	-	-	-	-	-	-
Platoon blocked, %								-	-	-	-	-
Mov Cap-1 Maneuver	330	344	658	282	334	815	1145	-	-	1342	-	-
Mov Cap-2 Maneuver	330	344	-	282	334	-	-	-	-	-	-	-
Stage 1	597	591	-	686	644	-	-	-	-	-	-	-
Stage 2	671	643	-	517	577	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	15.7	13.9	1.1	0.2
HCM LOS	C	B		

Minor Lane/Major Mvmt	NBL	NBT	NBREBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	1145	-	-	462	418	1342	-
HCM Lane V/C Ratio	0.031	-	-	0.274	0.037	0.007	-
HCM Control Delay (s)	8.2	0	-	15.7	13.9	7.7	0
HCM Lane LOS	A	A	-	C	B	A	A
HCM 95th %tile Q(veh)	0.1	-	-	1.1	0.1	0	-

Zebulon South TIA
6: NC-96 (Arendell Avenue) & Perry Curtis Road

12/04/2023

Intersection

Int Delay, s/veh 2.2

Movement WBL WBR NBT NBR SBL SBT

Lane Configurations 

Traffic Vol, veh/h 5 42 149 6 96 250

Future Vol, veh/h 5 42 149 6 96 250

Conflicting Peds, #/hr 0 0 0 0 0 0

Sign Control Stop Stop Free Free Free Free

RT Channelized - None - None - None

Storage Length 0 - - - - -

Veh in Median Storage, # 0 - 0 - - 0

Grade, % 0 - 0 - - 0

Peak Hour Factor 90 90 90 90 90 90

Heavy Vehicles, % 2 2 2 2 2 2

Mvmt Flow 6 47 166 7 107 278

Major/Minor Minor1 Major1 Major2

Conflicting Flow All 662 170 0 0 173 0

Stage 1 170 - - - - -

Stage 2 492 - - - - -

Critical Hdwy 6.42 6.22 - - 4.12 -

Critical Hdwy Stg 1 5.42 - - - - -

Critical Hdwy Stg 2 5.42 - - - - -

Follow-up Hdwy 3.518 3.318 - - 2.218 -

Pot Cap-1 Maneuver 427 874 - - 1404 -

Stage 1 860 - - - - -

Stage 2 615 - - - - -

Platoon blocked, % - - - - -

Mov Cap-1 Maneuver 389 874 - - 1404 -

Mov Cap-2 Maneuver 389 - - - - -

Stage 1 860 - - - - -

Stage 2 560 - - - - -

Approach WB NB SB

HCM Control Delay, s 10 0 2.2

HCM LOS B

Minor Lane/Major Mvmt NBT NBRWBLn1 SBL SBT

Capacity (veh/h) - - 772 1404 -

HCM Lane V/C Ratio - - 0.068 0.076 -

HCM Control Delay (s) - - 10 7.8 0

HCM Lane LOS - - B A A

HCM 95th %tile Q(veh) - - 0.2 0.2 -

2026 Background Traffic Volumes

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/01/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	6	482	41	46	517	4	91	10	113	4	5	19
Future Volume (vph)	6	482	41	46	517	4	91	10	113	4	5	19
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		-1%			0%			3%			1%	
Storage Length (ft)	125		0	125		0	0		0	0		0
Storage Lanes	1		0	1		0	0		0	0		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Frt		0.988			0.999			0.929			0.909	
Flt Protected	0.950			0.950				0.979			0.994	
Satd. Flow (prot)	1778	1850	0	1770	1861	0	0	1669	0	0	1675	0
Flt Permitted	0.447			0.950				0.848			0.951	
Satd. Flow (perm)	837	1850	0	1770	1861	0	0	1445	0	0	1602	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			25			25	
Link Distance (ft)		774			1453			1831			462	
Travel Time (s)		15.1			28.3			49.9			12.6	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	7	536	46	51	574	4	101	11	126	4	6	21
Shared Lane Traffic (%)												
Lane Group Flow (vph)	7	582	0	51	578	0	0	238	0	0	31	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes							
Headway Factor	0.99	0.99	0.99	1.00	1.00	1.00	1.02	1.02	1.02	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	Perm	NA		Prot	NA		Perm	NA		Perm	NA	
Protected Phases		2		1	6			8			4	
Permitted Phases	2						8			4		
Detector Phase	2	2		1	6		8	8		4	4	
Switch Phase												
Minimum Initial (s)	10.0	10.0		7.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	17.0	17.0		14.0	17.0		14.0	14.0		14.0	14.0	
Total Split (s)	47.0	47.0		14.0	61.0		29.0	29.0		29.0	29.0	
Total Split (%)	52.2%	52.2%		15.6%	67.8%		32.2%	32.2%		32.2%	32.2%	
Maximum Green (s)	40.0	40.0		7.0	54.0		22.0	22.0		22.0	22.0	
Yellow Time (s)	5.0	5.0		5.0	5.0		5.0	5.0		5.0	5.0	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)	-2.0	-2.0		-2.0	-2.0		-2.0	-2.0		-2.0	-2.0	
Total Lost Time (s)	5.0	5.0		5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag	Lag	Lag		Lead								
Lead-Lag Optimize?	Yes	Yes		Yes								
Vehicle Extension (s)	3.0	3.0		3.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	Min	Min		None	Min		None	None		None	None	
Act Effect Green (s)	28.1	28.1		10.3	34.8		17.6	17.6		17.6	17.6	
Actuated g/C Ratio	0.44	0.44		0.16	0.55		0.28	0.28		0.28	0.28	
v/c Ratio	0.02	0.72		0.18	0.57		0.60	0.60		0.60	0.60	
Control Delay	13.3	22.4		34.7	11.5		31.3	31.3		31.3	31.3	

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/01/2023




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Queue Delay	0.0	0.0		0.0	0.0			0.0			0.0	
Total Delay	13.3	22.4		34.7	11.5			31.3			23.3	
LOS	B	C		C	B			C			C	
Approach Delay		22.3			13.4			31.3			23.3	
Approach LOS		C			B			C			C	
Queue Length 50th (ft)	2	213		20	129			92			10	
Queue Length 95th (ft)	10	368		63	241			199			35	
Internal Link Dist (ft)		694			1373			1751			382	
Turn Bay Length (ft)	125			125								
Base Capacity (vph)	598	1322		286	1526			622			690	
Starvation Cap Reductn	0	0		0	0			0			0	
Spillback Cap Reductn	0	0		0	0			0			0	
Storage Cap Reductn	0	0		0	0			0			0	
Reduced v/c Ratio	0.01	0.44		0.18	0.38			0.38			0.04	

Intersection Summary

Area Type:	Other
Cycle Length:	90
Actuated Cycle Length:	63.8
Natural Cycle:	60
Control Type:	Actuated-Uncoordinated
Maximum v/c Ratio:	0.72
Intersection Signal Delay:	20.0
Intersection LOS:	B
Intersection Capacity Utilization:	65.7%
ICU Level of Service:	C
Analysis Period (min):	15

Splits and Phases: 1: S Wakefield Street & NC-97 (Gannon Avenue)



Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)

12/01/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	46	446	70	221	349	19	86	176	138	25	190	33
Future Volume (vph)	46	446	70	221	349	19	86	176	138	25	190	33
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		2%			-2%			-2%			2%	
Storage Length (ft)	200		100	350		0	125		0	250		0
Storage Lanes	1		1	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fr _t			0.850		0.992			0.934			0.978	
Fl _t Protected	0.950			0.950			0.950			0.950		
Satd. Flow (prot)	1752	1844	1567	1787	1866	0	1787	1757	0	1752	1804	0
Fl _t Permitted	0.522			0.950			0.481			0.314		
Satd. Flow (perm)	963	1844	1567	1787	1866	0	905	1757	0	579	1804	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			20			35	
Link Distance (ft)		1453			677			1822			478	
Travel Time (s)		28.3			13.2			62.1			9.3	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	51	496	78	246	388	21	96	196	153	28	211	37
Shared Lane Traffic (%)												
Lane Group Flow (vph)	51	496	78	246	409	0	96	349	0	28	248	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			12			12	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes						Yes	
Headway Factor	1.01	1.01	1.01	0.99	0.99	0.99	0.99	0.99	0.99	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	Perm	NA	Perm	Prot	NA		Perm	NA		Perm	NA	
Protected Phases		2		1	6			8			4	
Permitted Phases	2		2				8			4		
Detector Phase	2	2	2	1	6		8	8		4	4	
Switch Phase												
Minimum Initial (s)	10.0	10.0	10.0	7.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	24.0	24.0	24.0	14.0	17.0		24.0	24.0		14.0	14.0	
Total Split (s)	38.0	38.0	38.0	23.0	61.0		29.0	29.0		29.0	29.0	
Total Split (%)	42.2%	42.2%	42.2%	25.6%	67.8%		32.2%	32.2%		32.2%	32.2%	
Maximum Green (s)	31.0	31.0	31.0	16.0	54.0		22.0	22.0		22.0	22.0	
Yellow Time (s)	5.0	5.0	5.0	5.0	5.0		5.0	5.0		5.0	5.0	
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)	-2.0	-2.0	-2.0	-2.0	-2.0		-2.0	-2.0		-2.0	-2.0	
Total Lost Time (s)	5.0	5.0	5.0	5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag	Lag	Lag	Lag	Lead								
Lead-Lag Optimize?	Yes	Yes	Yes	Yes								
Vehicle Extension (s)	3.0	3.0	3.0	2.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	Min	Min	Min	None	Min		None	None		None	None	
Walk Time (s)	7.0	7.0	7.0				7.0	7.0				
Flash Dont Walk (s)	10.0	10.0	10.0				10.0	10.0				
Pedestrian Calls (#/hr)	0	0	0				0	0				
Act Effect Green (s)	26.8	26.8	26.8	15.8	47.8		20.7	20.7		20.7	20.7	

Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)

12/01/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Actuated g/C Ratio	0.34	0.34	0.34	0.20	0.61		0.26	0.26		0.26	0.26	
v/c Ratio	0.16	0.79	0.15	0.69	0.36		0.41	0.76		0.19	0.52	
Control Delay	20.7	34.6	19.9	42.3	9.1		32.4	40.2		28.8	31.0	
Queue Delay	0.0	0.0	0.0	0.0	0.0		0.0	0.0		0.0	0.0	
Total Delay	20.7	34.6	19.9	42.3	9.1		32.4	40.2		28.8	31.0	
LOS	C	C	B	D	A		C	D		C	C	
Approach Delay		31.6			21.6			38.6			30.8	
Approach LOS		C			C			D			C	
Queue Length 50th (ft)	19	239	29	123	100		42	171		12	113	
Queue Length 95th (ft)	45	360	60	#226	155		92	#304		36	195	
Internal Link Dist (ft)		1373			597			1742			398	
Turn Bay Length (ft)	200		100	350			125			250		
Base Capacity (vph)	417	798	678	422	1370		285	553		182	568	
Starvation Cap Reductn	0	0	0	0	0		0	0		0	0	
Spillback Cap Reductn	0	0	0	0	0		0	0		0	0	
Storage Cap Reductn	0	0	0	0	0		0	0		0	0	
Reduced v/c Ratio	0.12	0.62	0.12	0.58	0.30		0.34	0.63		0.15	0.44	

Intersection Summary

Area Type:	Other
Cycle Length:	90
Actuated Cycle Length:	78.8
Natural Cycle:	65
Control Type:	Actuated-Uncoordinated
Maximum v/c Ratio:	0.79
Intersection Signal Delay:	29.8
Intersection LOS:	C
Intersection Capacity Utilization:	75.9%
ICU Level of Service:	D
Analysis Period (min):	15
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	

Splits and Phases: 2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)



Zebulon South TIA
3: NC-96 (Arendell Avenue) & Barbee Street

12/01/2023

Intersection

Int Delay, s/veh 2.3

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔			↔			↔			↔	
Traffic Vol, veh/h	34	4	18	4	4	4	48	270	4	4	145	20
Future Vol, veh/h	34	4	18	4	4	4	48	270	4	4	145	20
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	38	4	20	4	4	4	53	300	4	4	161	22

Major/Minor	Minor2		Minor1		Major1		Major2					
Conflicting Flow All	592	590	172	600	599	302	183	0	0	304	0	0
Stage 1	180	180	-	408	408	-	-	-	-	-	-	-
Stage 2	412	410	-	192	191	-	-	-	-	-	-	-
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	4.12	-	-
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	2.218	-	-
Pot Cap-1 Maneuver	418	420	872	413	415	738	1392	-	-	1257	-	-
Stage 1	822	750	-	620	597	-	-	-	-	-	-	-
Stage 2	617	595	-	810	742	-	-	-	-	-	-	-
Platoon blocked, %								-	-	-	-	-
Mov Cap-1 Maneuver	396	399	872	385	394	738	1392	-	-	1257	-	-
Mov Cap-2 Maneuver	396	399	-	385	394	-	-	-	-	-	-	-
Stage 1	784	747	-	591	570	-	-	-	-	-	-	-
Stage 2	581	568	-	784	739	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	13.6	13	1.1	0.2
HCM LOS	B	B		

Minor Lane/Major Mvmt	NBL	NBT	NBREBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	1392	-	-	481	462	1257	-
HCM Lane V/C Ratio	0.038	-	-	0.129	0.029	0.004	-
HCM Control Delay (s)	7.7	0	-	13.6	13	7.9	0
HCM Lane LOS	A	A	-	B	B	A	A
HCM 95th %tile Q(veh)	0.1	-	-	0.4	0.1	0	-

Zebulon South TIA
6: NC-96 (Arendell Avenue) & Perry Curtis Road

12/01/2023

Intersection

Int Delay, s/veh 2.4

Movement WBL WBR NBT NBR SBL SBT

Lane Configurations	W		T			T
Traffic Vol, veh/h	14	70	231	4	27	119
Future Vol, veh/h	14	70	231	4	27	119
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	16	78	257	4	30	132

Major/Minor Minor1 Major1 Major2

Conflicting Flow All	451	259	0	0	261	0
Stage 1	259	-	-	-	-	-
Stage 2	192	-	-	-	-	-
Critical Hdwy	6.42	6.22	-	-	4.12	-
Critical Hdwy Stg 1	5.42	-	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-	-
Follow-up Hdwy	3.518	3.318	-	-	2.218	-
Pot Cap-1 Maneuver	566	780	-	-	1303	-
Stage 1	784	-	-	-	-	-
Stage 2	841	-	-	-	-	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuver	552	780	-	-	1303	-
Mov Cap-2 Maneuver	552	-	-	-	-	-
Stage 1	784	-	-	-	-	-
Stage 2	820	-	-	-	-	-

Approach WB NB SB

HCM Control Delay, s	10.7	0	1.4
HCM LOS	B		

Minor Lane/Major Mvmt NBT NBRWBLn1 SBL SBT

Capacity (veh/h)	-	-	730	1303	-
HCM Lane V/C Ratio	-	-	0.128	0.023	-
HCM Control Delay (s)	-	-	10.7	7.8	0
HCM Lane LOS	-	-	B	A	A
HCM 95th %tile Q(veh)	-	-	0.4	0.1	-

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/01/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	10	669	113	55	558	4	90	10	68	7	19	29
Future Volume (vph)	10	669	113	55	558	4	90	10	68	7	19	29
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		-1%			0%			3%			1%	
Storage Length (ft)	125		0	125		0	0		0	0		0
Storage Lanes	1		0	1		0	0		0	0		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Frt		0.978			0.999			0.945			0.929	
Flt Protected	0.950			0.950				0.974			0.993	
Satd. Flow (prot)	1778	1831	0	1770	1861	0	0	1689	0	0	1710	0
Flt Permitted	0.428			0.950				0.813			0.952	
Satd. Flow (perm)	801	1831	0	1770	1861	0	0	1410	0	0	1639	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			25			25	
Link Distance (ft)		774			1453			1831			462	
Travel Time (s)		15.1			28.3			49.9			12.6	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	11	743	126	61	620	4	100	11	76	8	21	32
Shared Lane Traffic (%)												
Lane Group Flow (vph)	11	869	0	61	624	0	0	187	0	0	61	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes							
Headway Factor	0.99	0.99	0.99	1.00	1.00	1.00	1.02	1.02	1.02	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	Perm	NA		Prot	NA		Perm	NA		Perm	NA	
Protected Phases		2		1	6			8			4	
Permitted Phases	2						8			4		
Detector Phase	2	2		1	6		8	8		4	4	
Switch Phase												
Minimum Initial (s)	10.0	10.0		7.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	17.0	17.0		14.0	17.0		14.0	14.0		14.0	14.0	
Total Split (s)	56.0	56.0		14.0	70.0		20.0	20.0		20.0	20.0	
Total Split (%)	62.2%	62.2%		15.6%	77.8%		22.2%	22.2%		22.2%	22.2%	
Maximum Green (s)	49.0	49.0		7.0	63.0		13.0	13.0		13.0	13.0	
Yellow Time (s)	5.0	5.0		5.0	5.0		5.0	5.0		5.0	5.0	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)	-2.0	-2.0		-2.0	-2.0		-2.0	-2.0		-2.0	-2.0	
Total Lost Time (s)	5.0	5.0		5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag	Lag	Lag		Lead								
Lead-Lag Optimize?	Yes	Yes		Yes								
Vehicle Extension (s)	3.0	3.0		3.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	Min	Min		None	Min		None	None		None	None	
Act Effect Green (s)	45.2	45.2		9.3	55.7		14.3	14.3		14.3	14.3	
Actuated g/C Ratio	0.56	0.56		0.12	0.69		0.18	0.18		0.18	0.18	
v/c Ratio	0.02	0.84		0.30	0.48		0.75	0.75		0.21	0.21	
Control Delay	8.9	25.3		41.2	6.9		54.1	54.1		33.8	33.8	

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/01/2023




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Queue Delay	0.0	0.0		0.0	0.0			0.0			0.0	
Total Delay	8.9	25.3		41.2	6.9			54.1			33.8	
LOS	A	C		D	A			D			C	
Approach Delay		25.1			10.0			54.1			33.8	
Approach LOS		C			A			D			C	
Queue Length 50th (ft)	3	380		32	124			99			29	
Queue Length 95th (ft)	10	#602		72	184			#213			67	
Internal Link Dist (ft)		694			1373			1751			382	
Turn Bay Length (ft)	125			125								
Base Capacity (vph)	524	1200		204	1497			272			316	
Starvation Cap Reductn	0	0		0	0			0			0	
Spillback Cap Reductn	0	0		0	0			0			0	
Storage Cap Reductn	0	0		0	0			0			0	
Reduced v/c Ratio	0.02	0.72		0.30	0.42			0.69			0.19	

Intersection Summary

Area Type: Other
 Cycle Length: 90
 Actuated Cycle Length: 80.3
 Natural Cycle: 80
 Control Type: Actuated-Uncoordinated
 Maximum v/c Ratio: 0.84
 Intersection Signal Delay: 22.7
 Intersection LOS: C
 Intersection Capacity Utilization 70.4%
 ICU Level of Service C
 Analysis Period (min) 15
 # 95th percentile volume exceeds capacity, queue may be longer.
 Queue shown is maximum after two cycles.

Splits and Phases: 1: S Wakefield Street & NC-97 (Gannon Avenue)



Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)

12/01/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	66	352	72	245	494	57	79	306	154	51	199	50
Future Volume (vph)	66	352	72	245	494	57	79	306	154	51	199	50
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		2%			-2%			-2%			2%	
Storage Length (ft)	200		100	350		0	125		0	250		0
Storage Lanes	1		1	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fr _t			0.850			0.985			0.950			0.970
Fl _t Protected	0.950			0.950			0.950			0.950		
Satd. Flow (prot)	1752	1844	1567	1787	1853	0	1787	1787	0	1752	1789	0
Fl _t Permitted	0.433			0.950			0.489			0.199		
Satd. Flow (perm)	799	1844	1567	1787	1853	0	920	1787	0	367	1789	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			20			35	
Link Distance (ft)		1453			677			1822			478	
Travel Time (s)		28.3			13.2			62.1			9.3	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	73	391	80	272	549	63	88	340	171	57	221	56
Shared Lane Traffic (%)												
Lane Group Flow (vph)	73	391	80	272	612	0	88	511	0	57	277	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			12			12	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes						Yes	
Headway Factor	1.01	1.01	1.01	0.99	0.99	0.99	0.99	0.99	0.99	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	Perm	NA	Perm	Prot	NA		Perm	NA		Perm	NA	
Protected Phases		2		1	6			8			4	
Permitted Phases	2		2				8			4		
Detector Phase	2	2	2	1	6		8	8		4	4	
Switch Phase												
Minimum Initial (s)	10.0	10.0	10.0	7.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	24.0	24.0	24.0	14.0	17.0		24.0	24.0		14.0	14.0	
Total Split (s)	31.0	31.0	31.0	22.0	53.0		37.0	37.0		37.0	37.0	
Total Split (%)	34.4%	34.4%	34.4%	24.4%	58.9%		41.1%	41.1%		41.1%	41.1%	
Maximum Green (s)	24.0	24.0	24.0	15.0	46.0		30.0	30.0		30.0	30.0	
Yellow Time (s)	5.0	5.0	5.0	5.0	5.0		5.0	5.0		5.0	5.0	
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)	-2.0	-2.0	-2.0	-2.0	-2.0		-2.0	-2.0		-2.0	-2.0	
Total Lost Time (s)	5.0	5.0	5.0	5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag	Lag	Lag	Lag	Lead								
Lead-Lag Optimize?	Yes	Yes	Yes	Yes								
Vehicle Extension (s)	3.0	3.0	3.0	2.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	Min	Min	Min	None	Min		None	None		None	None	
Walk Time (s)	7.0	7.0	7.0				7.0	7.0				
Flash Dont Walk (s)	10.0	10.0	10.0				10.0	10.0				
Pedestrian Calls (#/hr)	0	0	0				0	0				
Act Effect Green (s)	22.5	22.5	22.5	16.2	43.8		28.0	28.0		28.0	28.0	

Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)

12/01/2023




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Actuated g/C Ratio	0.27	0.27	0.27	0.20	0.53		0.34	0.34		0.34	0.34	
v/c Ratio	0.33	0.78	0.19	0.77	0.62		0.28	0.84		0.46	0.45	
Control Delay	30.2	40.1	25.4	49.6	17.3		23.6	39.4		36.1	24.5	
Queue Delay	0.0	0.0	0.0	0.0	0.0		0.0	0.0		0.0	0.0	
Total Delay	30.2	40.1	25.4	49.6	17.3		23.6	39.4		36.1	24.5	
LOS	C	D	C	D	B		C	D		D	C	
Approach Delay		36.6			27.2			37.1			26.4	
Approach LOS		D			C			D			C	
Queue Length 50th (ft)	32	200	34	148	229		35	256		24	117	
Queue Length 95th (ft)	72	#309	70	#276	339		74	#422		66	189	
Internal Link Dist (ft)		1373			597			1742			398	
Turn Bay Length (ft)	200		100	350			125			250		
Base Capacity (vph)	259	598	508	379	1109		367	713		146	714	
Starvation Cap Reductn	0	0	0	0	0		0	0		0	0	
Spillback Cap Reductn	0	0	0	0	0		0	0		0	0	
Storage Cap Reductn	0	0	0	0	0		0	0		0	0	
Reduced v/c Ratio	0.28	0.65	0.16	0.72	0.55		0.24	0.72		0.39	0.39	

Intersection Summary

Area Type:	Other
Cycle Length:	90
Actuated Cycle Length:	82
Natural Cycle:	70
Control Type:	Actuated-Uncoordinated
Maximum v/c Ratio:	0.84
Intersection Signal Delay:	31.8
Intersection LOS:	C
Intersection Capacity Utilization:	85.8%
ICU Level of Service:	E
Analysis Period (min):	15
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	

Splits and Phases: 2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)



Zebulon South TIA
3: NC-96 (Arendell Avenue) & Barbee Street

12/01/2023

Intersection

Int Delay, s/veh 3.5

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔			↔			↔			↔	
Traffic Vol, veh/h	51	5	73	4	4	7	36	225	4	9	371	47
Future Vol, veh/h	51	5	73	4	4	7	36	225	4	9	371	47
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	57	6	81	4	4	8	40	250	4	10	412	52

Major/Minor	Minor2		Minor1		Major1		Major2					
Conflicting Flow All	796	792	438	834	816	252	464	0	0	254	0	0
Stage 1	458	458	-	332	332	-	-	-	-	-	-	-
Stage 2	338	334	-	502	484	-	-	-	-	-	-	-
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	4.12	-	-
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	2.218	-	-
Pot Cap-1 Maneuver	305	322	619	288	311	787	1097	-	-	1311	-	-
Stage 1	583	567	-	681	644	-	-	-	-	-	-	-
Stage 2	676	643	-	552	552	-	-	-	-	-	-	-
Platoon blocked, %								-	-	-	-	-
Mov Cap-1 Maneuver	287	305	619	237	295	787	1097	-	-	1311	-	-
Mov Cap-2 Maneuver	287	305	-	237	295	-	-	-	-	-	-	-
Stage 1	559	561	-	652	617	-	-	-	-	-	-	-
Stage 2	637	616	-	470	546	-	-	-	-	-	-	-

Approach	EB		WB		NB		SB	
HCM Control Delay, s	18.3		14.9		1.1		0.2	
HCM LOS	C		B					

Minor Lane/Major Mvmt	NBL	NBT	NBREBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	1097	-	-	413	381	1311	-
HCM Lane V/C Ratio	0.036	-	-	0.347	0.044	0.008	-
HCM Control Delay (s)	8.4	0	-	18.3	14.9	7.8	0
HCM Lane LOS	A	A	-	C	B	A	A
HCM 95th %tile Q(veh)	0.1	-	-	1.5	0.1	0	-

Zebulon South TIA
6: NC-96 (Arendell Avenue) & Perry Curtis Road

12/01/2023

Intersection

Int Delay, s/veh 2.3

Movement WBL WBR NBT NBR SBL SBT

Lane Configurations 

Traffic Vol, veh/h 6 47 168 7 108 281

Future Vol, veh/h 6 47 168 7 108 281

Conflicting Peds, #/hr 0 0 0 0 0 0

Sign Control Stop Stop Free Free Free Free

RT Channelized - None - None - None

Storage Length 0 - - - - -

Veh in Median Storage, # 0 - 0 - - 0

Grade, % 0 - 0 - - 0

Peak Hour Factor 90 90 90 90 90 90

Heavy Vehicles, % 2 2 2 2 2 2

Mvmt Flow 7 52 187 8 120 312

Major/Minor Minor1 Major1 Major2

Conflicting Flow All 743 191 0 0 195 0

Stage 1 191 - - - - -

Stage 2 552 - - - - -

Critical Hdwy 6.42 6.22 - - 4.12 -

Critical Hdwy Stg 1 5.42 - - - - -

Critical Hdwy Stg 2 5.42 - - - - -

Follow-up Hdwy 3.518 3.318 - - 2.218 -

Pot Cap-1 Maneuver 383 851 - - 1378 -

Stage 1 841 - - - - -

Stage 2 577 - - - - -

Platoon blocked, % - - - - -

Mov Cap-1 Maneuver 343 851 - - 1378 -

Mov Cap-2 Maneuver 343 - - - - -

Stage 1 841 - - - - -

Stage 2 516 - - - - -

Approach WB NB SB

HCM Control Delay, s 10.4 0 2.2

HCM LOS B

Minor Lane/Major Mvmt NBT NBRWBLn1 SBL SBT

Capacity (veh/h) - - 729 1378 -

HCM Lane V/C Ratio - - 0.081 0.087 -

HCM Control Delay (s) - - 10.4 7.9 0

HCM Lane LOS - - B A A

HCM 95th %tile Q(veh) - - 0.3 0.3 -

2026 Build Traffic Volumes

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/01/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	6	487	52	51	534	4	126	10	130	4	5	19
Future Volume (vph)	6	487	52	51	534	4	126	10	130	4	5	19
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		-1%			0%			3%			1%	
Storage Length (ft)	125		0	125		0	0		0	0		0
Storage Lanes	1		0	1		0	0		0	0		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Frt		0.985			0.999			0.934			0.909	
Flt Protected	0.950			0.950				0.977			0.994	
Satd. Flow (prot)	1778	1844	0	1770	1861	0	0	1674	0	0	1675	0
Flt Permitted	0.439			0.950				0.833			0.952	
Satd. Flow (perm)	822	1844	0	1770	1861	0	0	1428	0	0	1604	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			25			25	
Link Distance (ft)		774			1453			1831			462	
Travel Time (s)		15.1			28.3			49.9			12.6	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	7	541	58	57	593	4	140	11	144	4	6	21
Shared Lane Traffic (%)												
Lane Group Flow (vph)	7	599	0	57	597	0	0	295	0	0	31	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes							
Headway Factor	0.99	0.99	0.99	1.00	1.00	1.00	1.02	1.02	1.02	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	Perm	NA		Prot	NA		Perm	NA		Perm	NA	
Protected Phases		2		1	6			8			4	
Permitted Phases	2						8			4		
Detector Phase	2	2		1	6		8	8		4	4	
Switch Phase												
Minimum Initial (s)	10.0	10.0		7.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	17.0	17.0		14.0	17.0		14.0	14.0		14.0	14.0	
Total Split (s)	45.0	45.0		14.0	59.0		31.0	31.0		31.0	31.0	
Total Split (%)	50.0%	50.0%		15.6%	65.6%		34.4%	34.4%		34.4%	34.4%	
Maximum Green (s)	38.0	38.0		7.0	52.0		24.0	24.0		24.0	24.0	
Yellow Time (s)	5.0	5.0		5.0	5.0		5.0	5.0		5.0	5.0	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)	-2.0	-2.0		-2.0	-2.0		-2.0	-2.0		-2.0	-2.0	
Total Lost Time (s)	5.0	5.0		5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag	Lag	Lag		Lead								
Lead-Lag Optimize?	Yes	Yes		Yes								
Vehicle Extension (s)	3.0	3.0		3.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	Min	Min		None	Min		None	None		None	None	
Act Effect Green (s)	29.8	29.8		10.2	36.6			21.2			21.2	
Actuated g/C Ratio	0.43	0.43		0.15	0.53			0.31			0.31	
v/c Ratio	0.02	0.75		0.22	0.61			0.68			0.06	
Control Delay	14.5	25.5		37.2	13.6			33.9			22.5	

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/01/2023




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Queue Delay	0.0	0.0		0.0	0.0			0.0			0.0	
Total Delay	14.5	25.5		37.2	13.6			33.9			22.5	
LOS	B	C		D	B			C			C	
Approach Delay		25.4			15.7			33.9			22.5	
Approach LOS		C			B			C			C	
Queue Length 50th (ft)	2	252		26	164			129			11	
Queue Length 95th (ft)	10	403		68	272			#264			34	
Internal Link Dist (ft)		694			1373			1751			382	
Turn Bay Length (ft)	125			125								
Base Capacity (vph)	519	1164		261	1452			609			684	
Starvation Cap Reductn	0	0		0	0			0			0	
Spillback Cap Reductn	0	0		0	0			0			0	
Storage Cap Reductn	0	0		0	0			0			0	
Reduced v/c Ratio	0.01	0.51		0.22	0.41			0.48			0.05	

Intersection Summary


Area Type: Other
 Cycle Length: 90
 Actuated Cycle Length: 69.1
 Natural Cycle: 65
 Control Type: Actuated-Uncoordinated
 Maximum v/c Ratio: 0.75
 Intersection Signal Delay: 22.9
 Intersection LOS: C
 Intersection Capacity Utilization 71.3%
 ICU Level of Service C
 Analysis Period (min) 15
 # 95th percentile volume exceeds capacity, queue may be longer.
 Queue shown is maximum after two cycles.

Splits and Phases: 1: S Wakefield Street & NC-97 (Gannon Avenue)



Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)

12/01/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	46	463	75	232	354	19	103	201	172	25	198	33
Future Volume (vph)	46	463	75	232	354	19	103	201	172	25	198	33
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		2%			-2%			-2%			2%	
Storage Length (ft)	200		100	350		0	125		0	250		0
Storage Lanes	1		1	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fr _t			0.850		0.992			0.931			0.978	
Fl _t Protected	0.950			0.950			0.950			0.950		
Satd. Flow (prot)	1752	1844	1567	1787	1866	0	1787	1752	0	1752	1804	0
Fl _t Permitted	0.520			0.950			0.479			0.243		
Satd. Flow (perm)	959	1844	1567	1787	1866	0	901	1752	0	448	1804	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			20			35	
Link Distance (ft)		1453			677			1822			478	
Travel Time (s)		28.3			13.2			62.1			9.3	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	51	514	83	258	393	21	114	223	191	28	220	37
Shared Lane Traffic (%)												
Lane Group Flow (vph)	51	514	83	258	414	0	114	414	0	28	257	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			12			12	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes						Yes	
Headway Factor	1.01	1.01	1.01	0.99	0.99	0.99	0.99	0.99	0.99	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	Perm	NA	Perm	Prot	NA		Perm	NA		Perm	NA	
Protected Phases		2		1	6			8			4	
Permitted Phases	2		2				8			4		
Detector Phase	2	2	2	1	6		8	8		4	4	
Switch Phase												
Minimum Initial (s)	10.0	10.0	10.0	7.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	24.0	24.0	24.0	14.0	17.0		24.0	24.0		14.0	14.0	
Total Split (s)	38.0	38.0	38.0	21.0	59.0		31.0	31.0		31.0	31.0	
Total Split (%)	42.2%	42.2%	42.2%	23.3%	65.6%		34.4%	34.4%		34.4%	34.4%	
Maximum Green (s)	31.0	31.0	31.0	14.0	52.0		24.0	24.0		24.0	24.0	
Yellow Time (s)	5.0	5.0	5.0	5.0	5.0		5.0	5.0		5.0	5.0	
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)	-2.0	-2.0	-2.0	-2.0	-2.0		-2.0	-2.0		-2.0	-2.0	
Total Lost Time (s)	5.0	5.0	5.0	5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag	Lag	Lag	Lag	Lead								
Lead-Lag Optimize?	Yes	Yes	Yes	Yes								
Vehicle Extension (s)	3.0	3.0	3.0	2.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	Min	Min	Min	None	Min		None	None		None	None	
Walk Time (s)	7.0	7.0	7.0				7.0	7.0				
Flash Dont Walk (s)	10.0	10.0	10.0				10.0	10.0				
Pedestrian Calls (#/hr)	0	0	0				0	0				
Act Effect Green (s)	28.0	28.0	28.0	15.3	48.4		23.4	23.4		23.4	23.4	

Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)

12/01/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Actuated g/C Ratio	0.34	0.34	0.34	0.19	0.59		0.29	0.29		0.29	0.29	
v/c Ratio	0.16	0.82	0.16	0.77	0.38		0.44	0.83		0.22	0.50	
Control Delay	20.8	37.0	20.2	51.0	10.2		32.1	44.3		29.4	29.4	
Queue Delay	0.0	0.0	0.0	0.0	0.0		0.0	0.0		0.0	0.0	
Total Delay	20.8	37.0	20.2	51.0	10.2		32.1	44.3		29.4	29.4	
LOS	C	D	C	D	B		C	D		C	C	
Approach Delay		33.6			25.9			41.6			29.4	
Approach LOS		C			C			D			C	
Queue Length 50th (ft)	19	253	31	138	111		51	211		12	116	
Queue Length 95th (ft)	45	378	63	#268	168		106	#370		36	195	
Internal Link Dist (ft)		1373			597			1742			398	
Turn Bay Length (ft)	200		100	350			125			250		
Base Capacity (vph)	393	756	642	355	1252		291	566		144	583	
Starvation Cap Reductn	0	0	0	0	0		0	0		0	0	
Spillback Cap Reductn	0	0	0	0	0		0	0		0	0	
Storage Cap Reductn	0	0	0	0	0		0	0		0	0	
Reduced v/c Ratio	0.13	0.68	0.13	0.73	0.33		0.39	0.73		0.19	0.44	

Intersection Summary

Area Type:	Other
Cycle Length:	90
Actuated Cycle Length:	82
Natural Cycle:	65
Control Type:	Actuated-Uncoordinated
Maximum v/c Ratio:	0.83
Intersection Signal Delay:	32.6
Intersection LOS:	C
Intersection Capacity Utilization:	80.8%
ICU Level of Service:	D
Analysis Period (min):	15
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	

Splits and Phases: 2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)



Zebulon South TIA
3: NC-96 (Arendell Avenue) & Barbee Street

12/01/2023

Intersection

Int Delay, s/veh 2.3

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔			↔			↔			↔	
Traffic Vol, veh/h	34	4	21	4	4	4	56	346	4	4	169	20
Future Vol, veh/h	34	4	21	4	4	4	56	346	4	4	169	20
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	38	4	23	4	4	4	62	384	4	4	188	22

Major/Minor	Minor2		Minor1		Major1		Major2					
Conflicting Flow All	721	719	199	731	728	386	210	0	0	388	0	0
Stage 1	207	207	-	510	510	-	-	-	-	-	-	-
Stage 2	514	512	-	221	218	-	-	-	-	-	-	-
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	4.12	-	-
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	2.218	-	-
Pot Cap-1 Maneuver	343	354	842	337	350	662	1361	-	-	1170	-	-
Stage 1	795	731	-	546	538	-	-	-	-	-	-	-
Stage 2	543	536	-	781	723	-	-	-	-	-	-	-
Platoon blocked, %								-	-	-	-	-
Mov Cap-1 Maneuver	321	332	842	309	328	662	1361	-	-	1170	-	-
Mov Cap-2 Maneuver	321	332	-	309	328	-	-	-	-	-	-	-
Stage 1	749	728	-	514	507	-	-	-	-	-	-	-
Stage 2	504	505	-	752	720	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	15.4	14.7	1.1	0.2
HCM LOS	C	B		

Minor Lane/Major Mvmt	NBL	NBT	NBREBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	1361	-	-	413	385	1170	-
HCM Lane V/C Ratio	0.046	-	-	0.159	0.035	0.004	-
HCM Control Delay (s)	7.8	0	-	15.4	14.7	8.1	0
HCM Lane LOS	A	A	-	C	B	A	A
HCM 95th %tile Q(veh)	0.1	-	-	0.6	0.1	0	-

Zebulon South TIA
4: NC-96 (Arendell Avenue) & Site Access 1

12/01/2023

Intersection						
Int Delay, s/veh	1.2					
Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	Y			4	4	
Traffic Vol, veh/h	42	8	4	343	160	13
Future Vol, veh/h	42	8	4	343	160	13
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	47	9	4	381	178	14
Major/Minor	Minor2	Major1		Major2		
Conflicting Flow All	574	185	192	0	0	
Stage 1	185	-	-	-	-	
Stage 2	389	-	-	-	-	
Critical Hdwy	6.42	6.22	4.12	-	-	
Critical Hdwy Stg 1	5.42	-	-	-	-	
Critical Hdwy Stg 2	5.42	-	-	-	-	
Follow-up Hdwy	3.518	3.318	2.218	-	-	
Pot Cap-1 Maneuver	480	857	1381	-	-	
Stage 1	847	-	-	-	-	
Stage 2	685	-	-	-	-	
Platoon blocked, %				-	-	
Mov Cap-1 Maneuver	478	857	1381	-	-	
Mov Cap-2 Maneuver	478	-	-	-	-	
Stage 1	844	-	-	-	-	
Stage 2	685	-	-	-	-	
Approach	EB	NB		SB		
HCM Control Delay, s	12.9	0.1		0		
HCM LOS	B					
Minor Lane/Major Mvmt	NBL	NBTEBLn1	SBT	SBR		
Capacity (veh/h)	1381	-	514	-	-	
HCM Lane V/C Ratio	0.003	-	0.108	-	-	
HCM Control Delay (s)	7.6	0	12.9	-	-	
HCM Lane LOS	A	A	B	-	-	
HCM 95th %tile Q(veh)	0	-	0.4	-	-	

Zebulon South TIA
5: NC-96 (Arendell Avenue) & Site Access 2

12/01/2023

Intersection						
Int Delay, s/veh	1.4					
Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	Y			4	4	
Traffic Vol, veh/h	42	17	6	304	154	14
Future Vol, veh/h	42	17	6	304	154	14
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	47	19	7	338	171	16
Major/Minor	Minor2	Major1		Major2		
Conflicting Flow All	531	179	187	0	0	
Stage 1	179	-	-	-	-	
Stage 2	352	-	-	-	-	
Critical Hdwy	6.42	6.22	4.12	-	-	
Critical Hdwy Stg 1	5.42	-	-	-	-	
Critical Hdwy Stg 2	5.42	-	-	-	-	
Follow-up Hdwy	3.518	3.318	2.218	-	-	
Pot Cap-1 Maneuver	509	864	1387	-	-	
Stage 1	852	-	-	-	-	
Stage 2	712	-	-	-	-	
Platoon blocked, %				-	-	
Mov Cap-1 Maneuver	506	864	1387	-	-	
Mov Cap-2 Maneuver	506	-	-	-	-	
Stage 1	847	-	-	-	-	
Stage 2	712	-	-	-	-	
Approach	EB	NB		SB		
HCM Control Delay, s	12.1	0.1		0		
HCM LOS	B					
Minor Lane/Major Mvmt	NBL	NBTEBLn1	SBT	SBR		
Capacity (veh/h)	1387	-	575	-	-	
HCM Lane V/C Ratio	0.005	-	0.114	-	-	
HCM Control Delay (s)	7.6	0	12.1	-	-	
HCM Lane LOS	A	A	B	-	-	
HCM 95th %tile Q(veh)	0	-	0.4	-	-	

Zebulon South TIA
6: NC-96 (Arendell Avenue) & Perry Curtis Road

12/01/2023

Intersection

Int Delay, s/veh 2.4

Movement WBL WBR NBT NBR SBL SBT

Lane Configurations 

Traffic Vol, veh/h 14 73 237 4 35 136

Future Vol, veh/h 14 73 237 4 35 136

Conflicting Peds, #/hr 0 0 0 0 0 0

Sign Control Stop Stop Free Free Free Free

RT Channelized - None - None - None

Storage Length 0 - - - - -

Veh in Median Storage, # 0 - 0 - - 0

Grade, % 0 - 0 - - 0

Peak Hour Factor 90 90 90 90 90 90

Heavy Vehicles, % 2 2 2 2 2 2

Mvmt Flow 16 81 263 4 39 151

Major/Minor Minor1 Major1 Major2

Conflicting Flow All 494 265 0 0 267 0

Stage 1 265 - - - - -

Stage 2 229 - - - - -

Critical Hdwy 6.42 6.22 - - 4.12 -

Critical Hdwy Stg 1 5.42 - - - - -

Critical Hdwy Stg 2 5.42 - - - - -

Follow-up Hdwy 3.518 3.318 - - 2.218 -

Pot Cap-1 Maneuver 535 774 - - 1297 -

Stage 1 779 - - - - -

Stage 2 809 - - - - -

Platoon blocked, % - - - - -

Mov Cap-1 Maneuver 517 774 - - 1297 -

Mov Cap-2 Maneuver 517 - - - - -

Stage 1 779 - - - - -

Stage 2 782 - - - - -

Approach WB NB SB

HCM Control Delay, s 10.8 0 1.6

HCM LOS B

Minor Lane/Major Mvmt NBT NBRWBLn1 SBL SBT

Capacity (veh/h) - - 717 1297 -

HCM Lane V/C Ratio - - 0.135 0.03 -

HCM Control Delay (s) - - 10.8 7.9 0

HCM Lane LOS - - B A A

HCM 95th %tile Q(veh) - - 0.5 0.1 -

Zebulon South TIA
7: S Wakefield Street & Site Access 3

12/01/2023

Intersection

Int Delay, s/veh 1.9

Movement WBL WBR NBT NBR SBL SBT

Lane Configurations	W		T			T
Traffic Vol, veh/h	8	52	214	4	16	92
Future Vol, veh/h	8	52	214	4	16	92
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	9	58	238	4	18	102

Major/Minor Minor1 Major1 Major2

Conflicting Flow All	378	240	0	0	242	0
Stage 1	240	-	-	-	-	-
Stage 2	138	-	-	-	-	-
Critical Hdwy	6.42	6.22	-	-	4.12	-
Critical Hdwy Stg 1	5.42	-	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-	-
Follow-up Hdwy	3.518	3.318	-	-	2.218	-
Pot Cap-1 Maneuver	624	799	-	-	1324	-
Stage 1	800	-	-	-	-	-
Stage 2	889	-	-	-	-	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuver	615	799	-	-	1324	-
Mov Cap-2 Maneuver	615	-	-	-	-	-
Stage 1	800	-	-	-	-	-
Stage 2	877	-	-	-	-	-

Approach WB NB SB

HCM Control Delay, s	10.1	0	1.1
HCM LOS	B		

Minor Lane/Major Mvmt NBT NBRWBLn1 SBL SBT

Capacity (veh/h)	-	-	768	1324	-
HCM Lane V/C Ratio	-	-	0.087	0.013	-
HCM Control Delay (s)	-	-	10.1	7.8	0
HCM Lane LOS	-	-	B	A	A
HCM 95th %tile Q(veh)	-	-	0.3	0	-

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/05/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	10	688	150	73	569	4	113	10	79	7	19	29
Future Volume (vph)	10	688	150	73	569	4	113	10	79	7	19	29
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		-1%			0%			3%			1%	
Storage Length (ft)	125		0	125		0	0		0	0		0
Storage Lanes	1		0	1		0	0		0	0		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Frt		0.973			0.999			0.947			0.929	
Flt Protected	0.950			0.950				0.973				0.993
Satd. Flow (prot)	1778	1822	0	1770	1861	0	0	1691	0	0	1710	0
Flt Permitted	0.423			0.950				0.804			0.954	
Satd. Flow (perm)	792	1822	0	1770	1861	0	0	1397	0	0	1643	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			25			25	
Link Distance (ft)		774			1453			1831			462	
Travel Time (s)		15.1			28.3			49.9			12.6	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	11	764	167	81	632	4	126	11	88	8	21	32
Shared Lane Traffic (%)												
Lane Group Flow (vph)	11	931	0	81	636	0	0	225	0	0	61	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes							
Headway Factor	0.99	0.99	0.99	1.00	1.00	1.00	1.02	1.02	1.02	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	Perm	NA		Prot	NA		Perm	NA		Perm	NA	
Protected Phases		2		1	6			8			4	
Permitted Phases	2						8			4		
Detector Phase	2	2		1	6		8	8		4	4	
Switch Phase												
Minimum Initial (s)	10.0	10.0		7.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	17.0	17.0		14.0	17.0		14.0	14.0		14.0	14.0	
Total Split (s)	52.0	52.0		14.0	66.0		24.0	24.0		24.0	24.0	
Total Split (%)	57.8%	57.8%		15.6%	73.3%		26.7%	26.7%		26.7%	26.7%	
Maximum Green (s)	45.0	45.0		7.0	59.0		17.0	17.0		17.0	17.0	
Yellow Time (s)	5.0	5.0		5.0	5.0		5.0	5.0		5.0	5.0	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)	-2.0	-2.0		-2.0	-2.0		-2.0	-2.0		-2.0	-2.0	
Total Lost Time (s)	5.0	5.0		5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag	Lag	Lag		Lead								
Lead-Lag Optimize?	Yes	Yes		Yes								
Vehicle Extension (s)	3.0	3.0		3.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	Min	Min		None	Min		None	None		None	None	
Act Effect Green (s)	46.2	46.2		9.2	56.7		17.5	17.5		17.5	17.5	
Actuated g/C Ratio	0.55	0.55		0.11	0.67		0.21	0.21		0.21	0.21	
v/c Ratio	0.03	0.93		0.42	0.51		0.78	0.78		0.18	0.18	
Control Delay	10.8	37.8		45.6	8.7		53.0	53.0		30.8	30.8	

Zebulon South TIA
1: S Wakefield Street & NC-97 (Gannon Avenue)

12/05/2023




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Queue Delay	0.0	0.0		0.0	0.0			0.0			0.0	
Total Delay	10.8	37.8		45.6	8.7			53.0			30.8	
LOS	B	D		D	A			D			C	
Approach Delay		37.5			12.9			53.0			30.8	
Approach LOS		D			B			D			C	
Queue Length 50th (ft)	3	489		44	154			121			29	
Queue Length 95th (ft)	11	#774		90	229			#234			63	
Internal Link Dist (ft)		694			1373			1751			382	
Turn Bay Length (ft)	125			125								
Base Capacity (vph)	449	1034		192	1371			320			376	
Starvation Cap Reductn	0	0		0	0			0			0	
Spillback Cap Reductn	0	0		0	0			0			0	
Storage Cap Reductn	0	0		0	0			0			0	
Reduced v/c Ratio	0.02	0.90		0.42	0.46			0.70			0.16	

Intersection Summary

Area Type: Other
 Cycle Length: 90
 Actuated Cycle Length: 84.4
 Natural Cycle: 90
 Control Type: Actuated-Uncoordinated
 Maximum v/c Ratio: 0.93
 Intersection Signal Delay: 30.0
 Intersection LOS: C
 Intersection Capacity Utilization 81.9%
 ICU Level of Service D
 Analysis Period (min) 15
 # 95th percentile volume exceeds capacity, queue may be longer.
 Queue shown is maximum after two cycles.

Splits and Phases: 1: S Wakefield Street & NC-97 (Gannon Avenue)



Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)

12/05/2023



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	66	363	91	282	512	57	90	322	176	51	227	50
Future Volume (vph)	66	363	91	282	512	57	90	322	176	51	227	50
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Grade (%)		2%			-2%			-2%			2%	
Storage Length (ft)	200		100	350		0	125		0	250		0
Storage Lanes	1		1	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Fr _t			0.850			0.985			0.947			0.973
Fl _t Protected	0.950			0.950			0.950			0.950		
Satd. Flow (prot)	1752	1844	1567	1787	1853	0	1787	1782	0	1752	1794	0
Fl _t Permitted	0.425			0.950			0.450			0.157		
Satd. Flow (perm)	784	1844	1567	1787	1853	0	847	1782	0	290	1794	0
Right Turn on Red			No			No			No			No
Satd. Flow (RTOR)												
Link Speed (mph)		35			35			20			35	
Link Distance (ft)		1453			677			1822			478	
Travel Time (s)		28.3			13.2			62.1			9.3	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Adj. Flow (vph)	73	403	101	313	569	63	100	358	196	57	252	56
Shared Lane Traffic (%)												
Lane Group Flow (vph)	73	403	101	313	632	0	100	554	0	57	308	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		12			12			12			12	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane		Yes			Yes						Yes	
Headway Factor	1.01	1.01	1.01	0.99	0.99	0.99	0.99	0.99	0.99	1.01	1.01	1.01
Turning Speed (mph)	15		9	15		9	15		9	15		9
Turn Type	Perm	NA	Perm	Prot	NA		Perm	NA		Perm	NA	
Protected Phases		2		1	6			8			4	
Permitted Phases	2		2				8			4		
Detector Phase	2	2	2	1	6		8	8		4	4	
Switch Phase												
Minimum Initial (s)	10.0	10.0	10.0	7.0	10.0		7.0	7.0		7.0	7.0	
Minimum Split (s)	24.0	24.0	24.0	14.0	17.0		24.0	24.0		14.0	14.0	
Total Split (s)	29.0	29.0	29.0	24.0	53.0		37.0	37.0		37.0	37.0	
Total Split (%)	32.2%	32.2%	32.2%	26.7%	58.9%		41.1%	41.1%		41.1%	41.1%	
Maximum Green (s)	22.0	22.0	22.0	17.0	46.0		30.0	30.0		30.0	30.0	
Yellow Time (s)	5.0	5.0	5.0	5.0	5.0		5.0	5.0		5.0	5.0	
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)	-2.0	-2.0	-2.0	-2.0	-2.0		-2.0	-2.0		-2.0	-2.0	
Total Lost Time (s)	5.0	5.0	5.0	5.0	5.0		5.0	5.0		5.0	5.0	
Lead/Lag	Lag	Lag	Lag	Lead								
Lead-Lag Optimize?	Yes	Yes	Yes	Yes								
Vehicle Extension (s)	3.0	3.0	3.0	2.0	3.0		2.0	2.0		2.0	2.0	
Recall Mode	Min	Min	Min	None	Min		None	None		None	None	
Walk Time (s)	7.0	7.0	7.0				7.0	7.0				
Flash Dont Walk (s)	10.0	10.0	10.0				10.0	10.0				
Pedestrian Calls (#/hr)	0	0	0				0	0				
Act Effect Green (s)	22.4	22.4	22.4	18.1	45.6		30.0	30.0		30.0	30.0	

Zebulon South TIA
2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)

12/05/2023




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Actuated g/C Ratio	0.26	0.26	0.26	0.21	0.53		0.35	0.35		0.35	0.35	
v/c Ratio	0.36	0.84	0.25	0.83	0.64		0.34	0.89		0.56	0.49	
Control Delay	32.8	47.5	27.8	53.4	18.3		25.2	45.2		48.5	25.5	
Queue Delay	0.0	0.0	0.0	0.0	0.0		0.0	0.0		0.0	0.0	
Total Delay	32.8	47.5	27.8	53.4	18.3		25.2	45.2		48.5	25.5	
LOS	C	D	C	D	B		C	D		D	C	
Approach Delay		42.2			29.9			42.1			29.1	
Approach LOS		D			C			D			C	
Queue Length 50th (ft)	34	215	45	171	240		41	290		26	134	
Queue Length 95th (ft)	75	#365	87	#309	356		85	#481		#84	212	
Internal Link Dist (ft)		1373			597			1742			398	
Turn Bay Length (ft)	200		100	350			125			250		
Base Capacity (vph)	222	522	443	401	1050		320	673		109	677	
Starvation Cap Reductn	0	0	0	0	0		0	0		0	0	
Spillback Cap Reductn	0	0	0	0	0		0	0		0	0	
Storage Cap Reductn	0	0	0	0	0		0	0		0	0	
Reduced v/c Ratio	0.33	0.77	0.23	0.78	0.60		0.31	0.82		0.52	0.45	

Intersection Summary

Area Type:	Other
Cycle Length:	90
Actuated Cycle Length:	85.7
Natural Cycle:	75
Control Type:	Actuated-Uncoordinated
Maximum v/c Ratio:	0.89
Intersection Signal Delay:	35.7
Intersection LOS:	D
Intersection Capacity Utilization:	88.9%
ICU Level of Service:	E
Analysis Period (min):	15
# 95th percentile volume exceeds capacity, queue may be longer.	
Queue shown is maximum after two cycles.	

Splits and Phases: 2: NC-96 (Arendell Avenue) & NC-97 (Gannon Avenue)



Zebulon South TIA
3: NC-96 (Arendell Avenue) & Barbee Street

12/05/2023

Intersection

Int Delay, s/veh 4

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔			↔			↔			↔	
Traffic Vol, veh/h	51	5	82	4	4	7	41	274	4	9	455	47
Future Vol, veh/h	51	5	82	4	4	7	41	274	4	9	455	47
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	57	6	91	4	4	8	46	304	4	10	506	52

Major/Minor	Minor2		Minor1		Major1			Major2				
Conflicting Flow All	956	952	532	999	976	306	558	0	0	308	0	0
Stage 1	552	552	-	398	398	-	-	-	-	-	-	-
Stage 2	404	400	-	601	578	-	-	-	-	-	-	-
Critical Hdwy	7.12	6.52	6.22	7.12	6.52	6.22	4.12	-	-	4.12	-	-
Critical Hdwy Stg 1	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.12	5.52	-	6.12	5.52	-	-	-	-	-	-	-
Follow-up Hdwy	3.518	4.018	3.318	3.518	4.018	3.318	2.218	-	-	2.218	-	-
Pot Cap-1 Maneuver	238	259	547	222	251	734	1013	-	-	1253	-	-
Stage 1	518	515	-	628	603	-	-	-	-	-	-	-
Stage 2	623	602	-	487	501	-	-	-	-	-	-	-
Platoon blocked, %								-	-	-	-	-
Mov Cap-1 Maneuver	220	242	547	172	234	734	1013	-	-	1253	-	-
Mov Cap-2 Maneuver	220	242	-	172	234	-	-	-	-	-	-	-
Stage 1	490	509	-	593	570	-	-	-	-	-	-	-
Stage 2	578	569	-	397	495	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	23.7	17.7	1.1	0.1
HCM LOS	C	C		

Minor Lane/Major Mvmt	NBL	NBT	NBREBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	1013	-	-	343	301	1253	-
HCM Lane V/C Ratio	0.045	-	-	0.447	0.055	0.008	-
HCM Control Delay (s)	8.7	0	-	23.7	17.7	7.9	0
HCM Lane LOS	A	A	-	C	C	A	A
HCM 95th %tile Q(veh)	0.1	-	-	2.2	0.2	0	-

Zebulon South TIA
4: NC-96 (Arendell Avenue) & Site Access 1

12/05/2023

Intersection

Int Delay, s/veh 0.8

Movement EBL EBR NBL NBT SBT SBR

Lane Configurations	Y			4	4	
Traffic Vol, veh/h	27	5	9	242	436	46
Future Vol, veh/h	27	5	9	242	436	46
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	30	6	10	269	484	51

Major/Minor Minor2 Major1 Major2

Conflicting Flow All	799	510	535	0	-	0
Stage 1	510	-	-	-	-	-
Stage 2	289	-	-	-	-	-
Critical Hdwy	6.42	6.22	4.12	-	-	-
Critical Hdwy Stg 1	5.42	-	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-	-
Follow-up Hdwy	3.518	3.318	2.218	-	-	-
Pot Cap-1 Maneuver	355	563	1033	-	-	-
Stage 1	603	-	-	-	-	-
Stage 2	760	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	351	563	1033	-	-	-
Mov Cap-2 Maneuver	351	-	-	-	-	-
Stage 1	596	-	-	-	-	-
Stage 2	760	-	-	-	-	-

Approach EB NB SB

HCM Control Delay, s	15.7	0.3	0
HCM LOS	C		

Minor Lane/Major Mvmt NBL NBTEBLn1 SBT SBR

Capacity (veh/h)	1033	-	373	-	-
HCM Lane V/C Ratio	0.01	-	0.095	-	-
HCM Control Delay (s)	8.5	0	15.7	-	-
HCM Lane LOS	A	A	C	-	-
HCM 95th %tile Q(veh)	0	-	0.3	-	-

Zebulon South TIA
5: NC-96 (Arendell Avenue) & Site Access 2

12/05/2023

Intersection

Int Delay, s/veh	1					
Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	Y			4	4	
Traffic Vol, veh/h	27	11	18	224	394	47
Future Vol, veh/h	27	11	18	224	394	47
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	30	12	20	249	438	52

Major/Minor

	Minor2	Major1		Major2	
Conflicting Flow All	753	464	490	0	0
Stage 1	464	-	-	-	-
Stage 2	289	-	-	-	-
Critical Hdwy	6.42	6.22	4.12	-	-
Critical Hdwy Stg 1	5.42	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-
Follow-up Hdwy	3.518	3.318	2.218	-	-
Pot Cap-1 Maneuver	377	598	1073	-	-
Stage 1	633	-	-	-	-
Stage 2	760	-	-	-	-
Platoon blocked, %				-	-
Mov Cap-1 Maneuver	369	598	1073	-	-
Mov Cap-2 Maneuver	369	-	-	-	-
Stage 1	619	-	-	-	-
Stage 2	760	-	-	-	-

Approach

	EB	NB	SB
HCM Control Delay, s	14.7	0.6	0
HCM LOS	B		

Minor Lane/Major Mvmt

	NBL	NBTEBLn1	SBT	SBR
Capacity (veh/h)	1073	-	415	-
HCM Lane V/C Ratio	0.019	-	0.102	-
HCM Control Delay (s)	8.4	0	14.7	-
HCM Lane LOS	A	A	B	-
HCM 95th %tile Q(veh)	0.1	-	0.3	-

Zebulon South TIA
6: NC-96 (Arendell Avenue) & Perry Curtis Road

12/05/2023

Intersection

Int Delay, s/veh 2.3

Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations	W		T			T
Traffic Vol, veh/h	6	56	186	7	113	292
Future Vol, veh/h	6	56	186	7	113	292
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	7	62	207	8	126	324

Major/Minor

	Minor1	Major1	Major2		
Conflicting Flow All	787	211	0	0	215
Stage 1	211	-	-	-	-
Stage 2	576	-	-	-	-
Critical Hdwy	6.42	6.22	-	-	4.12
Critical Hdwy Stg 1	5.42	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-
Follow-up Hdwy	3.518	3.318	-	-	2.218
Pot Cap-1 Maneuver	360	829	-	-	1355
Stage 1	824	-	-	-	-
Stage 2	562	-	-	-	-
Platoon blocked, %			-	-	-
Mov Cap-1 Maneuver	319	829	-	-	1355
Mov Cap-2 Maneuver	319	-	-	-	-
Stage 1	824	-	-	-	-
Stage 2	498	-	-	-	-

Approach

	WB	NB	SB
HCM Control Delay, s	10.5	0	2.2
HCM LOS	B		

Minor Lane/Major Mvmt

	NBT	NBRWBLn1	SBL	SBT
Capacity (veh/h)	-	-	718	1355
HCM Lane V/C Ratio	-	-	0.096	0.093
HCM Control Delay (s)	-	-	10.5	7.9
HCM Lane LOS	-	-	B	A
HCM 95th %tile Q(veh)	-	-	0.3	0.3

Zebulon South TIA
7: S Wakefield Street & Site Access 3

12/05/2023

Intersection

Int Delay, s/veh 1.8

Movement WBL WBR NBT NBR SBL SBT

Lane Configurations	W		T			
Traffic Vol, veh/h	5	34	168	9	55	187
Future Vol, veh/h	5	34	168	9	55	187
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	6	38	187	10	61	208

Major/Minor Minor1 Major1 Major2

Conflicting Flow All	522	192	0	0	197	0
Stage 1	192	-	-	-	-	-
Stage 2	330	-	-	-	-	-
Critical Hdwy	6.42	6.22	-	-	4.12	-
Critical Hdwy Stg 1	5.42	-	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-	-
Follow-up Hdwy	3.518	3.318	-	-	2.218	-
Pot Cap-1 Maneuver	515	850	-	-	1376	-
Stage 1	841	-	-	-	-	-
Stage 2	728	-	-	-	-	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuver	489	850	-	-	1376	-
Mov Cap-2 Maneuver	489	-	-	-	-	-
Stage 1	841	-	-	-	-	-
Stage 2	692	-	-	-	-	-

Approach WB NB SB

HCM Control Delay, s	9.9	0	1.8
HCM LOS	A		

Minor Lane/Major Mvmt NBT NBRWBLn1 SBL SBT

Capacity (veh/h)	-	-	777	1376	-
HCM Lane V/C Ratio	-	-	0.056	0.044	-
HCM Control Delay (s)	-	-	9.9	7.7	0
HCM Lane LOS	-	-	A	A	A
HCM 95th %tile Q(veh)	-	-	0.2	0.1	-

2026 Build + Improvements Traffic Volumes

Zebulon South TIA
4: NC-96 (Arendell Avenue) & Site Access 1

12/04/2023

Intersection

Int Delay, s/veh	1.2					
Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W			W	W	W
Traffic Vol, veh/h	42	8	4	343	160	13
Future Vol, veh/h	42	8	4	343	160	13
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	50
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	47	9	4	381	178	14

Major/Minor

	Minor2	Major1		Major2	
Conflicting Flow All	567	178	192	0	0
Stage 1	178	-	-	-	-
Stage 2	389	-	-	-	-
Critical Hdwy	6.42	6.22	4.12	-	-
Critical Hdwy Stg 1	5.42	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-
Follow-up Hdwy	3.518	3.318	2.218	-	-
Pot Cap-1 Maneuver	485	865	1381	-	-
Stage 1	853	-	-	-	-
Stage 2	685	-	-	-	-
Platoon blocked, %				-	-
Mov Cap-1 Maneuver	483	865	1381	-	-
Mov Cap-2 Maneuver	483	-	-	-	-
Stage 1	850	-	-	-	-
Stage 2	685	-	-	-	-

Approach

	EB	NB	SB
HCM Control Delay, s	12.7	0.1	0
HCM LOS	B		

Minor Lane/Major Mvmt

	NBL	NBTEBLn1	SBT	SBR
Capacity (veh/h)	1381	-	520	-
HCM Lane V/C Ratio	0.003	-	0.107	-
HCM Control Delay (s)	7.6	0	12.7	-
HCM Lane LOS	A	A	B	-
HCM 95th %tile Q(veh)	0	-	0.4	-

Zebulon South TIA
5: NC-96 (Arendell Avenue) & Site Access 2

12/04/2023

Intersection

Int Delay, s/veh 1.4

Movement EBL EBR NBL NBT SBT SBR

Lane Configurations	Y			4	↑	↑
Traffic Vol, veh/h	42	17	6	304	154	14
Future Vol, veh/h	42	17	6	304	154	14
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	50
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	47	19	7	338	171	16

Major/Minor Minor2 Major1 Major2

Conflicting Flow All	523	171	187	0	-	0
Stage 1	171	-	-	-	-	-
Stage 2	352	-	-	-	-	-
Critical Hdwy	6.42	6.22	4.12	-	-	-
Critical Hdwy Stg 1	5.42	-	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-	-
Follow-up Hdwy	3.518	3.318	2.218	-	-	-
Pot Cap-1 Maneuver	514	873	1387	-	-	-
Stage 1	859	-	-	-	-	-
Stage 2	712	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	511	873	1387	-	-	-
Mov Cap-2 Maneuver	511	-	-	-	-	-
Stage 1	854	-	-	-	-	-
Stage 2	712	-	-	-	-	-

Approach EB NB SB

HCM Control Delay, s	12	0.1	0
HCM LOS	B		

Minor Lane/Major Mvmt NBL NBTEBLn1 SBT SBR

Capacity (veh/h)	1387	-	580	-	-
HCM Lane V/C Ratio	0.005	-	0.113	-	-
HCM Control Delay (s)	7.6	0	12	-	-
HCM Lane LOS	A	A	B	-	-
HCM 95th %tile Q(veh)	0	-	0.4	-	-

Zebulon South TIA
7: S Wakefield Street & Site Access 3

12/04/2023

Intersection

Int Delay, s/veh 1.9

Movement WBL WBR NBT NBR SBL SBT

Lane Configurations 

Traffic Vol, veh/h 8 52 214 4 16 92

Future Vol, veh/h 8 52 214 4 16 92

Conflicting Peds, #/hr 0 0 0 0 0 0

Sign Control Stop Stop Free Free Free Free

RT Channelized - None - None - None

Storage Length 0 - - - 50 -

Veh in Median Storage, # 0 - 0 - - 0

Grade, % 0 - 0 - - 0

Peak Hour Factor 90 90 90 90 90 90

Heavy Vehicles, % 2 2 2 2 2 2

Mvmt Flow 9 58 238 4 18 102

Major/Minor Minor1 Major1 Major2

Conflicting Flow All 378 240 0 0 242 0

Stage 1 240 - - - - -

Stage 2 138 - - - - -

Critical Hdwy 6.42 6.22 - - 4.12 -

Critical Hdwy Stg 1 5.42 - - - - -

Critical Hdwy Stg 2 5.42 - - - - -

Follow-up Hdwy 3.518 3.318 - - 2.218 -

Pot Cap-1 Maneuver 624 799 - - 1324 -

Stage 1 800 - - - - -

Stage 2 889 - - - - -

Platoon blocked, % - - - - -

Mov Cap-1 Maneuver 615 799 - - 1324 -

Mov Cap-2 Maneuver 615 - - - - -

Stage 1 800 - - - - -

Stage 2 877 - - - - -

Approach WB NB SB

HCM Control Delay, s 10.1 0 1.1

HCM LOS B

Minor Lane/Major Mvmt NBT NBRWBLn1 SBL SBT

Capacity (veh/h) - - 768 1324 -

HCM Lane V/C Ratio - - 0.087 0.013 -

HCM Control Delay (s) - - 10.1 7.8 -

HCM Lane LOS - - B A -

HCM 95th %tile Q(veh) - - 0.3 0 -

Zebulon South TIA
4: NC-96 (Arendell Avenue) & Site Access 1

12/04/2023

Intersection

Int Delay, s/veh 0.7

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	Y			4	↑	↑
Traffic Vol, veh/h	27	5	9	242	436	46
Future Vol, veh/h	27	5	9	242	436	46
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	50
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	30	6	10	269	484	51

Major/Minor

	Minor2	Major1	Major2		
Conflicting Flow All	773	484	535	0	0
Stage 1	484	-	-	-	-
Stage 2	289	-	-	-	-
Critical Hdwy	6.42	6.22	4.12	-	-
Critical Hdwy Stg 1	5.42	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-
Follow-up Hdwy	3.518	3.318	2.218	-	-
Pot Cap-1 Maneuver	367	583	1033	-	-
Stage 1	620	-	-	-	-
Stage 2	760	-	-	-	-
Platoon blocked, %				-	-
Mov Cap-1 Maneuver	363	583	1033	-	-
Mov Cap-2 Maneuver	363	-	-	-	-
Stage 1	613	-	-	-	-
Stage 2	760	-	-	-	-

Approach

	EB	NB	SB
HCM Control Delay, s	15.3	0.3	0
HCM LOS	C		

Minor Lane/Major Mvmt

	NBL	NBTEBLn1	SBT	SBR
Capacity (veh/h)	1033	-	386	-
HCM Lane V/C Ratio	0.01	-	0.092	-
HCM Control Delay (s)	8.5	0	15.3	-
HCM Lane LOS	A	A	C	-
HCM 95th %tile Q(veh)	0	-	0.3	-

Zebulon South TIA
5: NC-96 (Arendell Avenue) & Site Access 2

12/04/2023

Intersection						
Int Delay, s/veh	1					
Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	Y			4	↑	↑
Traffic Vol, veh/h	27	11	18	224	394	47
Future Vol, veh/h	27	11	18	224	394	47
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	50
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	30	12	20	249	438	52
Major/Minor	Minor2	Major1		Major2		
Conflicting Flow All	727	438	490	0	0	
Stage 1	438	-	-	-	-	
Stage 2	289	-	-	-	-	
Critical Hdwy	6.42	6.22	4.12	-	-	
Critical Hdwy Stg 1	5.42	-	-	-	-	
Critical Hdwy Stg 2	5.42	-	-	-	-	
Follow-up Hdwy	3.518	3.318	2.218	-	-	
Pot Cap-1 Maneuver	391	619	1073	-	-	
Stage 1	651	-	-	-	-	
Stage 2	760	-	-	-	-	
Platoon blocked, %				-	-	
Mov Cap-1 Maneuver	382	619	1073	-	-	
Mov Cap-2 Maneuver	382	-	-	-	-	
Stage 1	637	-	-	-	-	
Stage 2	760	-	-	-	-	
Approach	EB	NB		SB		
HCM Control Delay, s	14.3	0.6		0		
HCM LOS	B					
Minor Lane/Major Mvmt	NBL	NBTEBLn1	SBT	SBR		
Capacity (veh/h)	1073	-	430	-	-	
HCM Lane V/C Ratio	0.019	-	0.098	-	-	
HCM Control Delay (s)	8.4	0	14.3	-	-	
HCM Lane LOS	A	A	B	-	-	
HCM 95th %tile Q(veh)	0.1	-	0.3	-	-	

Zebulon South TIA
7: S Wakefield Street & Site Access 3

12/04/2023

Intersection

Int Delay, s/veh 1.8

Movement WBL WBR NBT NBR SBL SBT

Lane Configurations	W		T		T	T
Traffic Vol, veh/h	5	34	168	9	55	187
Future Vol, veh/h	5	34	168	9	55	187
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	50	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	6	38	187	10	61	208

Major/Minor Minor1 Major1 Major2

Conflicting Flow All	522	192	0	0	197	0
Stage 1	192	-	-	-	-	-
Stage 2	330	-	-	-	-	-
Critical Hdwy	6.42	6.22	-	-	4.12	-
Critical Hdwy Stg 1	5.42	-	-	-	-	-
Critical Hdwy Stg 2	5.42	-	-	-	-	-
Follow-up Hdwy	3.518	3.318	-	-	2.218	-
Pot Cap-1 Maneuver	515	850	-	-	1376	-
Stage 1	841	-	-	-	-	-
Stage 2	728	-	-	-	-	-
Platoon blocked, %			-	-		-
Mov Cap-1 Maneuver	492	850	-	-	1376	-
Mov Cap-2 Maneuver	492	-	-	-	-	-
Stage 1	841	-	-	-	-	-
Stage 2	696	-	-	-	-	-

Approach WB NB SB

HCM Control Delay, s	9.9	0	1.8
HCM LOS	A		

Minor Lane/Major Mvmt NBT NBRWBLn1 SBL SBT

Capacity (veh/h)	-	-	777	1376	-
HCM Lane V/C Ratio	-	-	0.056	0.044	-
HCM Control Delay (s)	-	-	9.9	7.7	-
HCM Lane LOS	-	-	A	A	-
HCM 95th %tile Q(veh)	-	-	0.2	0.1	-

Appendix E – NCDOT Nomographs

AM Peak Hour


VL = 3
 V = 173

PM Peak Hour

VL = 9
 V = 482

Warrant for Left and Right-Turn Lanes AT GRADE, UNSIGNALIZED INTERSECTIONS

- Right Turn Storage Lengths are based on opposing volume of 100 VPH (MINIMUM)
S=STORAGE LENGTH REQUIRED



Policy On Street And Driveway Access to North Carolina Highways

V_t : LEFT TURNING VOLUME (VPH)
 V_r : RIGHT TURNING VOLUME (VPH)

Note: Where adjacent signalization may provide opportunities for gaps in the traffic stream a reduction in the above storage values can be considered on a case by case basis.

NC-96 (Arendell Ave) / Site Access 1

Northbound Left Turn

2026 Build AM and PM Peak Hours

LEGEND


- = AM Peak
- = PM Peak

Warrant for Left and Right-Turn Lanes AT GRADE, UNSIGNALIZED INTERSECTIONS

AM Peak Hour
VR = 13
V = 100
PM Peak Hour
VR = 46
V = 100

• Right Turn Storage Lengths are based on opposing volume of 100 VPH (MINIMUM)
S=STORAGE LENGTH REQUIRED

Policy On Street And Driveway Access to North Carolina Highways



NC-96 (Arendell Ave) / Site Access 1

Southbound Right Turn

2026 Build AM and PM Peak Hours

LEGEND

● = AM Peak

● = PM Peak

Warrant for Left and Right-Turn Lanes AT GRADE, UNSIGNALIZED INTERSECTIONS

AM Peak Hour


VL = 6
V = 168

PM Peak Hour

VL = 18
V = 441

- Right Turn Storage Lengths are based on opposing volume of 100 VPH (MINIMUM)
S=STORAGE LENGTH REQUIRED

Policy On Street And Driveway Access to North Carolina Highways



V_t : LEFT TURNING VOLUME (VPH)
 V_r : RIGHT TURNING VOLUME (VPH)

Note: Where adjacent signalization may provide opportunities for gaps in the traffic stream a reduction in the above storage values can be considered on a case by case basis.

NC-96 (Arendell Ave) / Site Access 2

Northbound Left Turn

2026 Build AM and PM Peak Hours

LEGEND


● = AM Peak

● = PM Peak

Warrant for Left and Right-Turn Lanes AT GRADE, UNSIGNALIZED INTERSECTIONS

AM Peak Hour
VR = 14
V = 100
PM Peak Hour
VR = 47
V = 100

- Right Turn Storage Lengths are based on opposing volume of 100 VPH (MINIMUM)
S=STORAGE LENGTH REQUIRED



Policy On Street And Driveway Access to North Carolina Highways

V_t : LEFT TURNING VOLUME (VPH)
 V_r : RIGHT TURNING VOLUME (VPH)

Note: Where adjacent signalization may provide opportunities for gaps in the traffic stream a reduction in the above storage values can be considered on a case by case basis.

NC-96 (Arendell Ave) / Site Access 2

Southbound Right Turn

2026 Build AM and PM Peak Hours

LEGEND

● = AM Peak


● = PM Peak

Warrant for Left and Right-Turn Lanes AT GRADE, UNSIGNALIZED INTERSECTIONS

AM Peak Hour
VL = 16
V = 217
PM Peak Hour
VL = 55
V = 177

• Right Turn Storage Lengths are based on opposing volume of 100 VPH (MINIMUM)
S=STORAGE LENGTH REQUIRED

Policy On Street And Driveway Access to North Carolina Highways



V_L : LEFT TURNING VOLUME (VPH)
 V_R : RIGHT TURNING VOLUME (VPH)

Note: Where adjacent signalization may provide opportunities for gaps in the traffic stream a reduction in the above storage values can be considered on a case by case basis.

S Wakefield Street / Site Access 3

Southbound Left Turn

2026 Build AM and PM Peak Hours

LEGEND

● = AM Peak


● = PM Peak

Warrant for Left and Right-Turn Lanes AT GRADE, UNSIGNALIZED INTERSECTIONS

AM Peak Hour
VR = 3
V = 100
PM Peak Hour
VR = 9
V = 100

- Right Turn Storage Lengths are based on opposing volume of 100 VPH (MINIMUM)
S=STORAGE LENGTH REQUIRED

Policy On Street And Driveway Access to North Carolina Highways



V_L : LEFT TURNING VOLUME (VPH)
 V_R : RIGHT TURNING VOLUME (VPH)

Note: Where adjacent signalization may provide opportunities for gaps in the traffic stream a reduction in the above storage values can be considered on a case by case basis.

S Wakefield Street / Site Access 3

Northbound Right Turn

2026 Build AM and PM Peak Hours









LEGEND


● = AM Peak
● = PM Peak

Appendix F – NCDOT Requirements


Zebulon South Residential
Zebulon, Wake County
SC-2022-226




-  Existing Laneage
-  Recommended Laneage
-  Laneage Built By Others
-  NCDOT Recommendation
-  Existing Signal
-  Signal Proposed By Others
-  Developer Proposed Signal
-  Monitor for Signal
- XXX Storage
- XXX NCDOT Recommended Storage
- <XXX> Distance Between Intersections
- IPS Internal Protected Stem
- All Distances in Feet
- Drawing Not to Scale



Future Land Use and Character Map




NC CGIA, Maxar, Microsoft






- Zebulon South
- Parcels
- Zebulon_FutureLandUse**
- Land Use/Character**
- Suburban Residential (SR)
- General Residential (GR)
- Urban Residential (UR)
- Residential Mix (RM)
- Industrial Heavy (IH)
- Urban Downtown Mixed Use (UDMU)
- Rural Residential (RR)

Aerial Map





NC CGIA, Maxar, Microsoft



-  Parcels
-  Zebulon South

Zoning Map



- | | |
|------------------------------|--------------------------------|
| Zebulon South | RMF, Residential Multi-Family |
| Parcels | HC, Heavy Commercial |
| Zoning Districts | |
| R2, Residential Suburban | HI, Heavy Industrial |
| R4, Residential Neighborhood | OI, Office and Institutional |
| R6, Residential Urban | DTP, Downtown Periphery |
| | MHO, Manufactured Home Overlay |

NC CGIA, Maxar, Microsoft



Site photo taken from side closest to Hwy 96



Site photo taken from the S. Wakefield side of the site.



Some existing structures from the prior agricultural use on site

ZEBULON

NORTH CAROLINA

CASE # PD 2024-01 IDT# 886895– Zebulon South

PROJECT ADDRESS 751 S Wakefield St

PIN NUMBER: 2704492511/ 2705512202/ 2705413075

HEARING DATE: February 12, 2024

State of North Carolina

County of Wake

BEFORE ME, the undersigned Notary, Lisa M. Markland on this 30th day of January 2024, personally appeared Michael J. Clark, known to me to be a credible person and of lawful age, who being by me first duly sworn, on his oath, deposes and says:

I Michael J. Clark, acting as the Planning Director for the Town of Zebulon, affirm that the following Public Notice Procedures have been completed in accordance with applicable North Carolina General Statute and Town of Zebulon Unified Development Ordinance Section 2.3.6 have been satisfied for the above referenced hearing.

- First Class Mailing Sent on **1/29/2024** (see attached mailing list and copy of mailing)
- Advertisement in a Paper of General Circulation sent on **1/29/2024** (Wake weekly, publication dates **2/2 & 2/9/2024**)
- Posting Public Hearing Signage on Property on **1/29/2024** (pictures attached)
- Posted to Planning Department Website **1/29/2024**
- Sent to E-Mail Distribution List on **1/29/2024**


Michael J. Clark

1/30/2024

Michael J. Clark, AICP, CNU-A

Date

Subscribed and sworn to before me, this 30th day of January 2024.



Lisa M. Markland

Lisa M. Markland

[signature of Notary]

[printed name of Notary]

NOTARY PUBLIC

My commission expires: 3/29, 2025.







Notice of Public Hearing

Notice is hereby given pursuant to the provisions of Article 2.2.6 of the Town of Zebulon Unified Development Ordinance that a public hearing will be held on **February 12, 2024 at 6:00 PM** at the **Zebulon Municipal Complex, 1003 N. Arendell Avenue**, and will be conducted by the Board of Commissioners and Planning Board of the Town of Zebulon for the purpose of considering the following items:

IDT Project Number 886895 - PD 2024-01 – Zebulon South (751 S Wakefield St)

PIN # 2704492511, 2705512202, 2705413075 . A request by Andrew Suriano of Deacon Development on behalf of property owners Harold Narron and Fred Corbett, Joseph Temple Sr and Alexander Harrison, Watson Family II LLC, for a rezoning to the Planned Development (PD) zoning district for the development of a 320 unit Planned Development.

IDT Project Number 1195805 - RZ 2024-01 – 321 Hospital Rd

PIN # 2705191832. A request by Germano Architecture and Interiors, PLLC on behalf of the property owners MiCy LLC., for a Zoning Map Amendment to the General Commercial (GC) zoning district.

Public comments may be submitted to Deputy Town Clerk Stacie Paratore at SParatore@TownofZebulon.org no later than 12:00 Noon on the day of the hearing to be read into the record. Links will be provided along with the full application packet and documentation on the Planning Department web page at <https://www.townofzebulon.org/departments/planning/public-hearing-information> For questions or additional information, please contact us at (919) 823-1816.

Wake Weekly February 2nd & 9th

ARTICLE 3: DISTRICTS

3.5. General Mixed Use Zoning Districts

3.5.5 Planned Development (PD) District

3.5.5. PLANNED DEVELOPMENT (PD) DISTRICT**A. PURPOSE AND INTENT**

The Planned Development (PD) districts are established and intended to encourage innovative land planning and site design concepts that support a high quality of life and achieve a high quality of development, environmental sensitivity, energy efficiency, and other Town goals and objectives by:

- a. Reducing or diminishing the inflexibility or uniform design that sometimes results from strict application of zoning and development standards designed primarily for individual lots;
- b. Allowing greater freedom in selecting the means of providing access, open space, and design amenities;
- c. Allowing greater freedom in providing a well-integrated mix of residential and nonresidential land uses in the same development, including a mix of housing types, lot sizes, and densities;
- d. Creating a system of incentives for redevelopment and infill in order to revitalize established areas;
- e. Promoting a vibrant public realm by placing increased emphasis on active ground floor uses, pedestrian-oriented building façade design, intensive use of sidewalks, and establishment of public gathering areas;
- f. Providing for efficient use of land resulting in smaller networks of utilities and streets and thereby lowering development and housing costs; and
- g. Promoting quality design and environmentally sensitive development that respects surrounding established land use character and respects and takes advantage of a site's natural and man-made features, such as trees, estuaries, shorelines, special flood hazard area, and historic features.

B. GENERAL STANDARDS FOR ALL PLANNED DEVELOPMENTS**1. HOW ESTABLISHED**

A planned development is established in a manner similar to the establishment of a conditional zoning district in accordance with the procedures and requirements in Section 2.2.13, Planned Development.

2. MASTER PLAN REQUIRED

All development configured as a PD shall be subject to a master plan submitted and approved as part of the application to establish the district. The master plan shall:

- a. Include a statement of planning objectives for the district;
- b. Describe the specific ways in which any modifications to the generally applicable standards in this Ordinance will result in a development of higher quality than would have otherwise resulted if the development was established without any proposed modifications to the standards in this Ordinance.
- c. Identify the general location of individual development areas, identified by land use(s) and/or development density or intensity;
- d. Depict the general configuration and relationship of the principal elements of the proposed development, including general building types;
- e. Identify for the entire district and each development area the acreage, types and mix of land uses, number of residential units (by use type), nonresidential floor area (by use type), residential density, and nonresidential intensity;
- f. Identify the general location, amount, and type (whether designated for active, passive, or urban) of open space;
- g. Identify the location of environmentally sensitive lands, wildlife habitat, and resource protection lands;
- h. Identify the on-site transportation circulation system, including the general location of all public and private streets, existing or projected transit service, pedestrian and vehicular circulation features, and how they will connect with existing and planned systems;
- i. Identify the general location of on-site potable water and wastewater facilities, and how they will connect to existing systems;
- j. Identify the general location of on-site stormwater management facilities, and how they will connect to existing public systems; and

ARTICLE 3: DISTRICTS

3.5. General Mixed Use Zoning Districts

3.5.5 Planned Development (PD) District

- k.** Identify the general location of all other on-site public facilities serving the development, including but not limited to parks, schools, bus shelters, and facilities for fire protection, police protection, EMS, and solid waste management.

3. COMPLIANCE WITH SUBDIVISION STANDARDS

Planned developments that include the division of land into two or more lots shall be subject to the subdivision standards in Article 6: Subdivisions, and shall be subject to the requirements of Section 2.2.14, Preliminary Plat, and Section 2.2.10, Final Plat, prior to the issuance of a building permit.

4. SITE PLAN REVIEW

- a.** The planned development master plan may take the form of a generalized concept plan for development that provides a general indication of building and site feature location, or may it may be configured to the level of detail associated with site plans and construction drawings depicting exact building placement, location and profile of public infrastructure, and configuration of site features like parking, landscaping, and similar elements.
- b.** In cases where the master plan is more general or conceptual in nature, the development proposed in the planned development designation shall also undergo site plan review in accordance with Section 2.2.17, Site Plan.
- c.** In cases where the master plan is detailed and meets the minimum requirements for a site plan in the opinion of the Board of Commissioners, the applicant shall request, and the Board of Commissioners may grant an exemption from subsequent site plan review.
- d.** If a site plan review exemption is granted by the Board of Commissioners, the proposed development shall fully comply with the development configuration depicted in the planned development master plan. Failure to comply with the approved master plan configuration shall require an amendment of the planned development application in accordance with Section 2.2.17.I, Amendment.

5. DENSITIES/INTENSITIES

The densities for residential development and the intensities for nonresidential development applicable in each development area of a PD district shall be as established in the master plan, and shall be consistent with adopted policy guidance.

6. DIMENSIONAL STANDARDS

The dimensional standards applicable in each development area of a PD district shall be as established in the master plan. The master plan shall include at least the following types of dimensional standards:

- a.** Minimum lot area;
- b.** Minimum lot width;
- c.** Minimum and maximum setbacks;
- d.** Maximum lot coverage;
- e.** Maximum building height;
- f.** Maximum individual building size;
- g.** Floor area ratio; and
- h.** Minimum setbacks from adjoining residential development or residential zoning districts.

7. DEVELOPMENT STANDARDS

- a.** All development in a PD district shall comply with the development standards of Article 5: Development Standards, and the subdivision and infrastructure design standards of Article 6: Subdivisions, unless modified in accordance with this section.
- b.** In no instance shall a planned development district seek to modify, waive, or reduce any of the following standards:
 - i.** Section 3.8, Overlay Zoning Districts; or
 - ii.** Section 6.5, Owners' Associations.
- c.** In cases where a planned development district is proposed as part of redevelopment of an existing site and the existing site does not comply with the standards in subsection (b) above, the development contemplated in the planned development shall not be required to achieve full

ARTICLE 3: DISTRICTS

3.5. General Mixed Use Zoning Districts

3.5.5 Planned Development (PD) District

compliance, but shall not increase the degree to which the development fails to comply with the standards in subsection (b) above.

8. CONSISTENCY WITH ADOPTED POLICY GUIDANCE

The PD zoning district designation, the master plan, and the terms and conditions document should be consistent with the Comprehensive Plan, and any applicable functional plans and small area plans adopted by the Town.

9. COMPATIBILITY WITH SURROUNDING AREAS

Development along the perimeter of a PD district shall be compatible with adjacent existing or proposed development. Where there are issues of compatibility, the master plan shall provide for transition areas at the edges of the PD district that provide for appropriate buffering and/or ensure a complementary character of uses. Determination of complementary character shall be based on densities/intensities, lot size and dimensions, building height, building mass and scale, hours of operation, exterior lighting, siting of service areas, or other aspects identified by the Board of Commissioners.

10. DEVELOPMENT PHASING PLAN

If development in the PD district is proposed to be phased, the master plan shall include a development phasing plan that identifies the general sequence or phases in which the district is proposed to be developed, including how residential and nonresidential development will be timed, how infrastructure (public and private) and open space will be provided and timed, and how development will be coordinated with the Town's capital improvements program.

11. CONVERSION SCHEDULE

- a. The planned development application may include a conversion schedule that identifies the extent to which one type of residential use may be converted to another type of residential use or one type of nonresidential use may be converted to another type of nonresidential use (i.e., residential to residential, or nonresidential to nonresidential). These conversions may occur within development areas and between development areas, as long as they occur within the same development phase, as identified by the approved development phasing plan, and are consistent with established extents of conversion set down in the conversion schedule.
- b. In the event an applicant seeks to revise the development in accordance with an approved conversion schedule, the applicant shall provide a revised site plan depicting the proposed conversions to the TRC for review and approval prior to commencing any conversions.

12. ON-SITE PUBLIC FACILITIES

a. DESIGN AND CONSTRUCTION

The master plan shall establish the responsibility of the developer/landowner to design and construct or install required and proposed on-site public facilities in compliance with applicable Town, state, and federal regulations.

b. DEDICATION

The master plan shall establish the responsibility of the developer/landowner to dedicate to the public the right-of-way and easements necessary for the construction or installation of required and proposed on-site public facilities in compliance with applicable Town, state, and federal regulations.

c. MODIFICATIONS TO STREET STANDARDS

In approving a master plan, the Board of Commissioners may approve modifications or reductions of street design standards—including those for right-of-way widths, pavement widths, required materials, provision of public transit amenities, and turning radii, with NCDOT approval, on finding that:

- i. The master plan provides for adequate separation/integration of vehicular, pedestrian, and bicycle traffic;
- ii. Access for emergency service vehicles is not substantially impaired;
- iii. Adequate parking is provided for the uses proposed; and

ARTICLE 3: DISTRICTS

3.5. General Mixed Use Zoning Districts

3.5.5 Planned Development (PD) District

iv. Adequate space for public utilities is provided within the street right-of-way.

13. USES

The uses allowed in a PD district are identified in Table 4.2.3, Principal Use Table, as allowed subject to a master plan. Allowed uses shall be established in the master plan. Allowed uses shall be consistent with adopted policy guidance, the purpose of the particular PD district, and subject to any additional limitations or requirements set forth in Section 4.3, Use-Specific Standards, for the PD district. Nothing shall limit an applicant from seeking to modify an otherwise applicable use-specific standard in accordance with the standards in Section 3.5.5.B.2, Master Plan Required.

C. PLANNED DEVELOPMENT TERMS AND CONDITIONS

The terms and conditions document shall incorporate by reference or include, but not be limited to:

- 1.** Conditions related to approval of the application for the PD zoning district classification;
- 2.** The master plan, including any density/intensity standards, dimensional standards, and development standards established in the master plan;
- 3.** Conditions related to the approval of the master plan, including any conditions related to the form and design of development shown in the master plan;
- 4.** Provisions addressing how transportation, potable water, wastewater, stormwater management, and other infrastructure will be provided to accommodate the proposed development;
- 5.** Provisions related to environmental protection and monitoring; and
- 6.** Any other provisions the Board of Commissioners determines are relevant and necessary to the development of the PD in accordance with applicable standards and regulations.

D. AMENDMENTS TO APPROVED MASTER PLAN

Amendments or modifications to a master plan shall be considered in accordance with the standards in Section 2.2.13, Planned Development.

Rural Residential

This designation consists of lands that are sparsely developed, with mainly agricultural activity and very low-density residential as the primary uses along with more natural areas. This category provides its residents with the choice of relative seclusion within the countryside and away from a more developed setting. Some jurisdictions have limited rural character areas within their corporate limits, except in areas that have been annexed for eventual development or that are not suitable for future development. Other municipalities intentionally preserve rural character through the protections afforded by agricultural zoning. Floodplain areas may also retain their rural character over the long term given their unsuitability for any intensive land development.

Primary Land Use Types

- Agricultural uses.
- Scattered residential homesteads and clustered subdivision lots amid open space.



South edge of planning area near Little River and the Wake County line.

Where on the Map

At the northern and southern edges of the larger planning area around Zebulon, aside from areas in the Rural Conservation category.

Characteristics

- Rural character from wide open landscapes, with minimal sense of enclosure and views to the horizon unbroken by buildings in most places.
- Scattered residential development on relatively large acreages, resulting in very high open space ratios and very low site coverage, and providing greater detachment from neighboring dwellings than in Estate Residential character areas.
- Typically no (or limited) centralized water or sanitary sewer service available. Also much greater reliance on natural drainage systems, except where altered significantly by agricultural operations or regional storm water management projects and/or infrastructure.
- Potential for conservation developments that further concentrate the overall development footprint through cluster designs, with increased open space set-aside to maintain the overall rural character and buffer adjacent properties. This may also make alternative community wastewater treatment methods feasible to eliminate the need for individual on-site septic systems.

Suburban Residential

This designation is for residential areas where suburban character is established and preserved by achieving a balance between buildings and other site improvements relative to the degree of open space maintained within the neighborhood. The openness may be found in relatively large yard areas on individual lots and between homes and/or in common green spaces or water features. This distinguishes suburban character areas from more auto-oriented areas where site coverage in the form of dwellings, driveways and other paved surfaces predominates over open space.

Primary Land Use Types

- Detached residential dwellings.
- Planned developments that integrate other housing types (e.g., attached residential such as patio homes or townhomes), with increased open space to preserve an overall suburban character.
- Golf course subdivisions.



Subdivisions around Pippin Road in north Zebulon.


Characteristics

- Less noticeable accommodation of the automobile compared to more intensive auto-oriented areas, especially where driveways are on the side of homes rather than occupying a portion of the front yard and where garages are situated to the side or rear of the dwelling.
- A larger baseline minimum lot size in a Suburban Residential zoning district allows for deeper front yards and building setbacks and greater side separation between homes.
- Character-based zoning and development standards can also discourage overly standardized subdivision designs and promote conservation design by allowing for smaller lot sizes than the baseline in exchange for greater open space set-aside. This approach enables some viable use of sites partially constrained by topography or other factors. It also provides flexibility for additional housing forms that blend with the area's suburban residential character through additional on-site open space and perimeter buffering where differing housing types and densities are adjacent.
- More opportunity for natural and/or swale drainage (and storm water retention/absorption) relative to concentrated storm water conveyance in auto-oriented areas.

Where on the Map

Extensive coverage on the map, surrounding much of the core area of Zebulon in most directions, and all the way to the edge of the larger planning area in some locations.






TOWN OF ZEBULON
2045 COMPREHENSIVE
TRANSPORTATION PLAN

CTP MAP

LEGEND

- | | | | |
|--|-------------------------------|--|------------------------------------|
| | Town Hall | | 4-Lane Divided Widening / Altering |
| | School | | 4-Lane Divided New Roadway |
| | New Grade Separation | | 2-Lane Divided Widening / Altering |
| | New Interchange | | 2-Lane Divided New Roadway |
| | New Roundabout | | 2-Lane Undivided New Roadway |
| | Intersection Improvements | | Greenway |
| | Existing Interchange | | Roads |
| | Existing Grade Separation | | Railroad |
| | Priority Intersection | | County Outline |
| | Zebulon Town Limits | | CTP Study Area |
| | Extraterritorial Jurisdiction | | |



Base Map: November 2020

STAFF REPORT
ZONING MAP AMENDMENT 2024-01
321 HOSPITAL RD
FEBRUARY 12, 2024

Topic: RZ 2024-01 – 321 Hospital Rd,
Speaker: Adam Culpepper, Senior Planner
From: Michael J. Clark, AICP, CNU-A, Planning Director
Prepared by: Adam Culpepper, Senior Planner
Approved by: Joseph M. Moore II, PE, Town Manager

Executive Summary:

The Board of Commissioners will consider a Zoning Map Amendment for 321 Hospital Road (PIN# 1795932665). This is a legislative case.

Background:

The Applicant, Germano Architecture + Interiors, PLLC (Michael Germano) requests rezoning a .34-acre parcel from Office Institutional (OI) District to General Commercial (GC) District. The property is located on the west side of Hospital Rd and a secondary frontage on the eastern side of Pony Rd.

The applicant is not proposing any conditions and if approved, all uses permitted within the GC-General Commercial Zoning District would be permitted at the subject property.

Discussion:

Unified Development Ordinance (UDO) Section 2.2.25.J provides the following standards for the Board to base their decision on the rezoning request:

1. Whether the proposed rezoning advances the public health, safety, or welfare;
2. Whether, and the extent to which the proposed rezoning is appropriate for its proposed location, and is consistent with the purposes, goals, objectives, and policies of the Town's adopted policy guidance;
3. Whether an approval of the rezoning is reasonable and in the public interest;
4. Any other factors as the Board of Commissioners may determine to be relevant.

Policy Analysis:

Comprehensive Land Use Plan:

The Future Land Use and Character Map designates the future use of the property as General Commercial (GC). The GC designation is for commercial retail, office, and service uses located primarily along portions of major roadway corridors for high visibility and accessibility (re. Grow Zebulon: Comprehensive Land Use Plan (Land Use and Development section pg.18)). Primary land use types within this designation include automobile service-related enterprises, restaurant chains and "big box" commercial stores.

Unified Development Ordinance:

The applicant proposes no changes to the site as part of this Zoning Map Amendment. Any modifications to the site must adhere to Town regulations in accordance with the Unified Development Ordinance.

STAFF REPORT
ZONING MAP AMENDMENT 2024-01
321 HOSPITAL RD
FEBRUARY 12, 2024

Financial Analysis:

Amendment to the zoning map at the requested subject property to GC will allow the applicant to use the site for a wider array of commercial uses than permitted under OI district. The economic impact of the zoning map amendment will be minimal as the subject property was already used as commercial office space.

Staff Recommendation:

Staff recommends seeking public input during a joint public hearing and referring the matter to the Planning Board for recommendation.

Attachments:

1. Application
2. Future Land Use Map
3. Aerial Map
4. Zoning Map
5. Labeled Site Photos
6. Public Hearing Notification Affidavit
7. Principle Use Table Excerpt



Town of Zebulon

Planning Department

1003 N. Arendell Avenue, Zebulon, NC 27597
Phone: (919) 823-1810 Fax: (919) 887-2824
www.townofzebulon.org

ZONING MAP AMENDMENT PETITION

GENERAL INFORMATION:

In accordance with section 2.2.25 of the UDO, a Zoning Map Amendment provides a uniform means for reviewing and deciding proposed amendments to the Official Zoning Map whenever the public necessity, general welfare, the Town's adopted policy guidance, or appropriate land use practices justify or require doing so. This procedure sets out the requirements for amendments to the zoning district designation of land within the Town's planning jurisdiction as well as for land coming into the Town's planning jurisdiction via annexation in accordance with the standards in Sections 160A-382 through 160A-385 of the North Carolina General Statutes.

INSTRUCTIONS:

PRE-APPLICATION MEETING: A pre-application meeting with staff in accordance with Section 2.3.2 of the UDO to verify the application requirements, processes, and procedures regarding a proposed request. To schedule a meeting, applicants must e-mail a pdf map, drawing, model, site or sketch plan to the Planning Department (Planning@townofzebulon.org) no later than five (5) working days prior to the desired meeting day.

NEIGHBORHOOD MEETING: Neighborhood meetings are required in accordance with Section 2.3.4 of the UDO prior to application submission. The applicant is required to notify property owners and any neighborhood association that represents citizens within that area within 750 feet of the subject property via first class mail a minimum of 10 days in advance of the neighborhood meeting. The applicant shall use their own return address on the envelopes as the meeting is a private meeting between the developer and the neighbors. The applicant shall submit the "Certified List of Property Owners" and "Neighborhood Meeting Packet" forms included on the Town's website with their initial submittal.

ANNEXATION REQUIREMENTS: If a property or portion thereof subject to this rezoning is outside the corporate limits and ETJ, an annexation petition is **required** to be submitted on the same day as this application in accordance with section 2.2.2 of the UDO.


APPLICATION PROCEDURE: The applicant requesting a Zoning Map Amendment must submit an application through the Town of Zebulon GeoCivix Web Portal. As noted below some materials must be brought in person to the Zebulon Planning Department to complete the application process. Access to Geocivix can be found on the Town of Zebulon Website or through this link (<https://townofzebulon.geocivix.com/secure/>)

- **Materials to Submit through the Town of Zebulon GeoCivix Web Portal:**
 - Completed Application Form
 - PDF Plan Set (see site plan checklist)
 - One (1) Legal Description (metes and bounds) of subject property
 - Registered survey of subject property
 - Certified List of Property Owners within 750 feet of subject property
 - Owner's Consent Form
 - Neighborhood Meeting Packet (If Required)
- **Materials to Submit in Person with the Town of Zebulon Planning Department:**
 - Stamped envelopes addressed to Certified List of Property Owners all the homeowners associations of those properties within 750 feet of the outer boundary subject property or properties. Affixed with the following return address:
Town of Zebulon
Planning Department
1003 N. Arendell Ave
Zebulon, NC 27597
 - Petition Fee (Please See Fee Schedule) (Can be paid online but applicants must let Planning Staff know prior to paying)

PUBLIC HEARING PROCEDURE: Upon submittal of a complete application, the Planning Department will schedule the application for a joint public hearing before the Planning Board and the Board of Commissioners. **APPLICANTS ARE STRONGLY ENCOURAGED TO CONTACT PLANNING STAFF AS SOON AS POSSIBLE TO ADDRESS ANY QUESTIONS ABOUT THE PUBLIC HEARING.** Notices of the public hearing will be mailed to all adjacent property owners of the property being considered for a Zoning Map Amendment. At the public hearing, the applicant, proponents, and opponents will be given the opportunity to offer evidence in favor of or against the proposal. After completion of the public hearing, the Planning Board will deliberate and forward its recommendation to the Board of Commissioners for final consideration. Deadline dates and Joint Public Hearing dates can be found on the Town of Zebulon's website.

PART 1. DESCRIPTION OF REQUEST/PROPERTY		
Street Address of the Property: 321 Hospital Road, Zebulon NC 27597		Acreage: .34
Parcel Identification Number (NC PIN): 1795932665	Deed Book: 18056	Deed Page(s): 2394
Existing Zoning of the Property: OI	Proposed Zoning of the Property: GC	
Existing Use of the Property: Vacant - Formerly Dentist	Proposed Use of the Property: Wholesale Sales	
Reason for Rezoning: To allow for proposed use of property and bring parcel in line with the Town's Future Land Use Map.		

PART 2. APPLICANT/AGENT INFORMATION		
Name of Applicant/Agent: Germano Architecture + Interiors, pllc (Michael Germano)		
Street Address of Applicant/Agent: 106 N Arendell Ave		
City: Zebulon	State: NC	Zip Code: 27597
Email of Applicant/Agent: michael@germanoai.com	Telephone Number of Applicant/Agent: 919.823.1894	Fax Number of Applicant/Agent:
Are you the owner of the property? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Are you the owner's agent? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Note: If you are not the owner of the property, you <u>must</u> obtain the Owner's consent and signature giving you permission to submit this application.

PART 3. PROPERTY OWNER INFORMATION		
Name of Property Owner: MiCy LLC		
Street Address of Property Owner: 6013 Reedy Creek Rd		
City: Raleigh	State: NC	Zip Code: 27607
Email of Property Owner: 6.cyrus@gmail.com	Telephone Number of Property Owner: 919.565.6365	Fax Number of Property Owner:
<i>I hereby state that the facts related in this application and any documents submitted herewith are complete, true, correct, and accurate to the best of my knowledge.</i>		
<i>Signature of Applicant:</i> 	<i>Print Name:</i> Michael Germano	<i>Date:</i> 11/12
<i>Signature of Owner:</i> Cyrus Stacey	<i>Print Name:</i> Cyrus Stacey	<i>Date:</i> 04/12

LEGISLATIVE CONSIDERATIONS – ZONING MAP AMENDMENT

The applicant shall propose site-specific standards and conditions that take into account the following considerations, which are considerations that are relevant to the legislative determination of whether or not the proposed zoning district is in the public interest. These considerations do not exclude the legislative consideration of any other factor that is relevant to the public interest. Failure to adequately address the findings below may result in denial of the application. Please attach additional pages if necessary. The petition is justified based on the facts as they relate to the Standards in Section 2.2.25 J of the UDO as follows:

<p>1. Please explain how the proposed Zoning Map Amendment advances the public health, safety, or welfare</p>
<p>This rezoning will allow for a currently vacant property to be re-established. We hope that this property will be a catalyst for redevelopment in the surrounding area.</p>
<p>2. Please explain how the proposed Zoning Map Amendment is appropriate for its proposed location, and is consistent with the purposes, goals, objectives, and policies of the town’s adopted policy guidance;</p>
<p>The proposed change is in line with the Town's Future Land Use Map.</p>
<p>3. Please explain how an approval of the Zoning Map Amendment is reasonable and in the public interest;</p>
<p>The proposed change is in line with the Town's Future Land Use Map and stated goals of the Zebulon 2030 plan.</p>
<p>4. Please explain how the proposed Zoning Map Amendment addresses any other factors as the Board of Commissioners may determine to be relevant. These include but are not limited to the proposed uses requested and any requested deviations and proposed alternative means of compliance.</p>
<p>No deviations from the UDO are being requested. This is only a zoning map amendment request.</p>

OWNER'S CONSENT FORM

Name of Project: MiCy, llc Offices Submittal Date: 12/11/2023

OWNER'S AUTHORIZATION

I hereby give CONSENT to Germano Architecture + Interiors, pllc (type, stamp or print clearly full name of agent) to act on my behalf, to submit or have submitted this application and all required material and documents, and to attend and represent me at all meetings and public hearings pertaining to the application(s) indicated above. Furthermore, I hereby give consent to the party designated above to agree to all terms and conditions which may arise as part of the approval of this application.

I hereby certify I have full knowledge the property I have an ownership interest in is the subject of this application. I acknowledge and agree that, pursuant to Section 2.2.25 of the Town of Zebulon Unified Development Ordinance, that lands subject to a zoning map amendment shall be subject to all the standards, conditions, and plans approved as part of that application. These standards, plans, and approved conditions are perpetually binding on the land as an amendment to this Ordinance and the Official Zoning Map and may only be changed in accordance with the procedures established in this Ordinance. Development located outside the Town of Zebulon's corporate limits shall comply with all Town policies related to annexation and the extension of utilities. I understand that all other applicable standards and regulations of the UDO will remain applicable to the subject lands unless specifically listed as conditions or deviations as part of this request. I understand that any false, inaccurate or incomplete information provided by me or my agent will result in the denial, revocation or administrative withdrawal of this application, request, approval or permits. I acknowledge that additional information may be required to process this application. I further consent to the Town of Zebulon to publish, copy or reproduce any copyrighted document submitted as a part of this application for any third party. I further agree to all terms and conditions, which may be imposed as part of the approval of this application.

<u>Cyrus Stacey</u> Cyrus Stacey (Dec 4, 2023 14:16 EST)	<u>Cyrus Stacey</u>	<u>04/12/2023</u>
<i>Signature of Owner</i>	<i>Print Name</i>	<i>Date</i>

CERTIFICATION OF PROPERTY OWNER

I hereby certify the statements or information made in any paper or plans submitted herewith are true and correct to the best of my knowledge. I understand this application, related material and all attachments become official records of the Planning Department of the Town of Zebulon, North Carolina, and will not be returned.

<u>Cyrus Stacey</u> Cyrus Stacey (Dec 4, 2023 14:16 EST)	<u>Cyrus Stacey</u>	<u>04/12/2023</u>
<i>Signature of Owner</i>	<i>Print Name</i>	<i>Date</i>

*Owner of record as shown by the Wake County Revenue Department (www.wakegov.com). An option to purchase does not constitute ownership. If ownership has been recently transferred, a copy of the deed must accompany this form.

Address	Owner	Address 1	Address 2	Mailing Address 3
605 MACK TODD RD	HERITAGE BAPTIST CHURCH INC	615 MACK TODD RD	ZEBULON NC 27597-9396	ZEBULON NC 27597-1128
601 W GANNON AVE	FAMILY DOLLAR STORES OF ZEBULON INC	ATTN: REAL ESTATE TAX	500 VOLVO PKWY	ZEBULON NC 27597-1128
313 HOSPITAL RD	ZEBULON CAPITAL LLC	313 HOSPITAL RD	ZEBULON NC 27597-2542	ZEBULON NC 27597-1128
615 W GANNON AVE	TIDEWATER INVESTORS I LLC	1011 W GANNON AVE	ZEBULON NC 27597-2130	
319 HOSPITAL RD	MOORE, GLENNDALE MD	PO BOX 28510	RALEIGH NC 27611-8510	
315 HOSPITAL RD	WINDLEY, HEBER W III WINDLEY, GINA M	4017 WENDY LN	ZEBULON NC 27597-7631	
535 MACK TODD RD	JNCJ PROPERTIES LLC	621 WALTERS DR	WAKE FOREST NC 27587-6180	
508 W GANNON AVE	DANIEL G KAMIN ZEBULON ENTERPRISES	PO BOX 10234	PITTSBURGH PA 15232-0234	
323 HOSPITAL RD	GEORGE, P K	4000 WINSTON HILL DR APT 204	CARY NC 27513-8151	
721 MACK TODD RD	HERITAGE BAPTIST CHURCH INC	615 MACK TODD RD	ZEBULON NC 27597-9396	
304 PONY RD	LNP INC	1795933727	PO BOX 1128	
308 PONY RD	LNP INC	1795933422	PO BOX 1128	
302 PONY RD	LNP INC	1795932529	PO BOX 1128	
307 HOSPITAL RD	SOUTH ATLANTIC CONFERENCE ASSOCIATION OF SEVENTH D	1795931540	ZEBULON NC 27597-2542	
603 W GANNON AVE	M M FOWLER INC	307 HOSPITAL RD	DURHAM NC 27705-2322	
600 MACK TODD RD	LNP INC	1795941010	PO BOX 1128	
323 PONY RD	FAMILY DOLLAR STORES OF ZEBULON INC	1795930080	500 VOLVO PKWY	
613 W GANNON AVE	TIDEWATER INVESTORS I LLC	1795931971	ZEBULON NC 27597-2130	
701 W GANNON AVE	TIDEWATER INVESTORS I LLC	1011 W GANNON AVE	ZEBULON NC 27597-2130	
509 W GANNON AVE	VENTAS GC ZEBULON LP	1795844193	1717 MAIN ST STE 2000	
550 W GANNON AVE	VRAJVIHARI LLC	1795938962	SNOW HILL NC 28580-1323	
303 PONY RD	THE CARRINGTON APARTMENTS LP	101 W HARPER ST	LEXINGTON SC 29072-2005	
535 W GANNON AVE	COLLADO, LLC	1795837655	7125 FALLS GLEN CT	
521 DUGGINS OAK DR	ZEBULON GREEN ASSOCIATES LIMITED PARTNERSHIP	1795935786	FAYETTEVILLE NC 28303-5497	
606 W GANNON AVE	COMPLIANT INVESTCO LLC	2939 BREEZEWOOD AVE STE 201	ZEBULON NC 27597	
321 HOSPITAL RD	JIN, PEGGY LI, JI QIU	907 POINCIANA LN	RALEIGH NC 27608-1827	
609 W GANNON AVE	ZEBULON TOWN LLC	1795848082	PLANTATION FL 33323-2518	
350 PONY RD	ARUKA LLC	10 MIDDLETON DR	ZEBULON NC 27597-9246	
301 HOSPITAL RD	301 HOSPITAL ROAD LLC	5561 MCNEELY DR STE 203	RALEIGH NC 27612-7625	
301 PONY RD	COSTA, BARNARD	1795933227	RALEIGH NC 27604-4343	
		1795931805		



OWNER DATA:
 PEGGY LI JIN & QIU LI
 741 MILLS STREET
 RALEIGH, NC. 276085-1827

REFERENCES:
 DB:18056,PG.2394
 NC PIN# 1795932665
 ZONED: OI (Office and Institutional)


ADDRESSED AS:
 321 HOSPITAL ROAD
 ZEBULON, NC.

NOTES:

1. THE PURPOSE OF THIS EXHIBIT IS TO ACCURATELY SHOW BOUNDARY LINES, THE AREA OF THE PARCEL, THE IMPROVEMENTS, AS SHOWN HEREON.
2. A BOUNDARY SURVEY WAS DONE FOR THE SOLID LINES SHOWN HEREON AND IN CONNECTION WITH THIS EXHIBIT, BUT THIS EXHIBIT DOES NOT COMPLY TO SS47-30 STANDARDS, AND SHOULD NOT BE USED ON IT OWN FOR CONVEYANCES OR SALES.
3. AREAS ARE COMPUTED BY COORDINATE GEOMETRY.
4. THE SURVEYOR HAS MADE NO INVESTIGATION OR INDEPENDENT SEARCHES FOR OTHER EASEMENTS OF RECORD, ENCUMBRANCES, RESTRICTIVE COVENANTS, OWNERSHIP TITLE EVIDENCE, OR ANY OTHER FACTS THAT AN ACCURATE AND CURRENT TITLE SEARCH MAY DISCLOSE.
5. DASHED BOUNDARY LINES NOT SURVEYED
6. THERE MAY BE OTHER IMPROVEMENTS NOT DEPICTED ON THIS EXHIBIT.
7. THIS PARCEL IS NOT LOCATED WITHIN A FLOOD HAZARD AREA, PER FEMA 3720179500K, effective on 7/19/2022.
8. THIS MAP MAY NOT BE A CERTIFIED SURVEY AND HAS NOT BEEN REVIEWED BY A LOCAL GOVERNMENT AGENCY FOR COMPLIANCE WITH ANY APPLICABLE LAND DEVELOPMENT REGULATIONS AND HAS NOT BEEN REVIEWED FOR COMPLIANCE WITH RECORDING REQUIREMENTS FOR PLATS.
9. AT THE TIME OF THIS SURVEY, POSTED ADA COMPLIANT PARKING (SIGNAGE OR RAMPS) WAS NOT OBSERVED.

LEGEND

- #OTP OPEN TOP PIPE (w/ SIZE)
- RRS RAIL ROAD SPIKE
- CC CALCULATED CORNER
- EDGE OF PAVEMENT
- WATER METER
- BACK FLOW PREVENTION
- 321 ADDRESS
- EM ELECTRIC METER
- AC AIR CONDITIONING PAD
- SC SANITARY CLEAN-OUT
- S SANITARY MANHOLE
- SANITARY LINE
- POWER (W/ GUY WIRE)
- LP LIGHT POLE
- OVERHEAD POWER
- UNDERGROUND POWER
- 15" RCP REINFORCE CONCRETE PIPE (w/ SIZE)
- TDS TURN DOWN SIDEWALK
- WS PARKING STRIPE
- WHEEL STOP



GRAPHIC SCALE



(IN FEET)
 1 inch = 50 ft.

"I certify that this map was drawn under my supervision from an actual survey made under my supervision (deed description recorded in Book 18056, page 2394); that the boundaries not surveyed are indicated as drawn from information in Book of Maps 1982, page 468; that the ratio of precision or positional accuracy is 1:35,000; and that this map meets the requirements of The Standards of Practice for Land Surveying in North Carolina (21 NCAC 56. 1600)." This 29 day of November 2023.


Professional Land Surveyor

I, Jonathan H. Fleener, PLS L-4313, certify that this map was drawn under my supervision from an actual GPS survey made under my supervision and the following information was used to perform

the survey:

- (1) Class of survey: C
- (2) Positional accuracy: QC3 N: 0.023sft, E: 0.031sft
- (3) Type of GPS field procedure: NC RTK (NETWORK)
- (4) Dates of survey: 11/28/2023
- (5) Datum/epoch: WGS84 / 180 Epoch
- (6) Published/Fixed-control use: "ZEBULON" PID# EZ2382
- (7) Geoid model: G12BUS
- (8) Combined grid factor(s): 0.99992182
- (9) Units: US SURVEY FEET

Jonathan H. Fleener PLS L-4313



FINAL SURVEY EXHIBIT
 FOR
 MiCy LLC

321 HOSPITAL ROAD - ZEBULON

LITTLE RIVER TOWNSHIP, WAKE COUNTY, NORTH CAROLINA
 NOVEMBER 29, 2023

SUMMIT COASTAL
 Surveying & Mapping lic#0518
 29 Lloyd Street, Suite 240
 Carrboro, NC 27510
 www.summitcoastal.com PH:(919)869-7309


zoning_map_amendment_-_2023

Final Audit Report


2023-12-11


Created:	2023-12-04
By:	Germano Architecture Interiors, pllc (office@germanoai.com)
Status:	Signed
Transaction ID:	CBJCHBCAABAakuwBKOY7oZgd3wAxAlW8ObK8yYtd021V


"zoning_map_amendment_-_2023" History


 Document created by Germano Architecture Interiors, pllc (office@germanoai.com)
2023-12-04 - 7:12:04 PM GMT- IP address: 71.65.192.124


 Document emailed to Cyrus Stacey (6.cyrus@gmail.com) for signature
2023-12-04 - 7:12:12 PM GMT


 Email viewed by Cyrus Stacey (6.cyrus@gmail.com)
2023-12-04 - 7:15:46 PM GMT- IP address: 66.249.83.200

 Document e-signed by Cyrus Stacey (6.cyrus@gmail.com)
Signature Date: 2023-12-04 - 7:16:16 PM GMT - Time Source: server- IP address: 76.218.234.142

 Document emailed to Michael Germano (michael@germanoai.com) for signature
2023-12-04 - 7:16:18 PM GMT

 Email viewed by Michael Germano (michael@germanoai.com)
2023-12-04 - 7:16:37 PM GMT- IP address: 71.65.192.124

 Document e-signed by Michael Germano (michael@germanoai.com)
Signature Date: 2023-12-11 - 2:33:59 PM GMT - Time Source: server- IP address: 71.65.192.124

 Agreement completed.
2023-12-11 - 2:33:59 PM GMT

NORTH CAROLINA GENERAL WARRANTY DEED

Excise Tax: \$700.00

Parcel Identifier No. 0063138 Verified by _____ County on the ____ day of _____, 20__
By: _____

Mail/Box to: GRANTEE

This instrument was prepared by: Kohn Law, PLLC, 205 W. Millbrook Road, Ste. 210, Raleigh, NC 27609

Brief description for the Index: LOT Broughton LD - .34 AC, Hospital Road.

THIS DEED made this 27th day of December, 2023, by and between

GRANTOR
Peggy Jin, unmarried, and Ji Qiu Li, unmarried
741 Mills Street
Raleigh, NC 27608

GRANTEE
MiCy LLC a North Carolina limited liability company
6013 Reedy Creek Road
Raleigh, NC 27607

Enter in appropriate block for each Grantor and Grantee: name, mailing address, and, if appropriate, character of entity, e.g. corporation or partnership.

The designation Grantor and Grantee as used herein shall include said parties, their heirs, successors, and assigns, and shall include singular, plural, masculine, feminine or neuter as required by context.

WITNESSETH, that the Grantor, for a valuable consideration paid by the Grantee, the receipt of which is hereby acknowledged, has and by these presents does grant, bargain, sell and convey unto the Grantee in fee simple, all that certain lot, parcel of land or condominium unit situated in the City of Zebulon, _____ Township, Wake County, North Carolina and more particularly described as follows:

See Exhibit A attached hereto.

The property hereinabove described was acquired by Grantor by instrument recorded in Book 18056 page 2394.
All or a portion of the property herein conveyed ___ includes or X does not include the primary residence of a Grantor.

A map showing the above described property is recorded in Plat Book _____ page _____.

EXHIBIT A

BEGINNING at an iron stake in the eastern right of way line of SR 2367 (Pony Road), said iron stake being the southwestern corner of the parcel of land described by Deed recorded in Book 2218, Page 243, Wake county Registry, runs thence from said point of BEGINNING with the eastern right of way line of SR 2367 North 37 degrees 32 minutes 27 seconds East 80.79 feet to an iron stake; runs thence North 85 degrees 30 minutes East 210.98 feet to a railroad spike in the western right of way line of SR 2372 (Hospital Road), runs thence with said right of way South 04 degrees 30 minutes East 60.00 feet to a railroad spike; runs thence South 85 degrees 30 minutes West 265.08 feet to an iron stake in the eastern right of way line of SR 2367, the point and place of BEGINNING, and being all of the certain tract or parcel of land containing 0.33 acres as shown by map and survey of Turning Point Surveying PLLC dated May 15, 1997 for TRB Investments, L.L.C.



Town of Zebulon

Planning Department

1003 N. Arendell Avenue, Zebulon, NC 27597
Phone: (919) 823-1810 Fax: (919) 887-2824
www.townofzebulon.org

INSTRUCTION PACKET AND AFFIDAVIT FOR NEIGHBORHOOD MEETINGS

GENERAL INFORMATION:

In accordance with Section 2.3.4 of the Unified Development Ordinance, the purpose of the neighborhood meeting is to inform landowners and occupants of nearby lands about a development application that is going to be reviewed under this Ordinance, and to provide the applicant an opportunity to hear comments and concerns about the development proposal prior to the public hearing process. The neighborhood meeting is proposed as a means of resolving potential conflicts and outstanding issues with nearby landowners, where possible, in a more informal context.

WHEN IS A NEIGHBORHOOD MEETING REQUIRED?

- Conditional Rezoning
- Planned Developments
- Site Plans in the Downtown Core or Downtown Periphery Zoning Districts
- Special Use Permits; or
- Zoning Map Amendments that establish a more dense or intense zoning district.

INSTRUCTIONS

Prior to submitting an application for the applications listed above the applicant must conduct at least one (1) Neighborhood Meeting. The applicant shall submit all forms included in this packet with the initial application submittal in accordance with Section 2.3.4 of the Town of Zebulon Unified Development Ordinance.

The Neighborhood Meeting must be held in accordance with the following rules:

- These groups and individuals must be invited to the meeting:
- The applicant is required to notify the Planning Department, all property owners within 750 feet of the subject property, and any neighborhood association that represents citizens in the area via first class mail a minimum of 10 days in advance of the neighborhood meeting, not including the day of mailing. The applicant shall use their own return address on the envelopes as the meeting is a private meeting between the applicant and the neighbors.

The applicant shall include with the meeting notice a vicinity map in addition to either the existing zoning map of the area or preliminary plans of the proposed development (see Handout requirements below).

- The meeting must be held within specific timeframes and meet certain requirements:
- The meeting must be held for a minimum of two (2) hours, Monday through Thursday, during the 5:00 p.m. - 9:00 p.m. time period. The meeting cannot be held on a Town recognized holiday (which coincide with the State of North Carolina recognized holidays).
- The meeting shall be held at a place that is generally accessible to neighbors that reside in close proximity to the land subject to the application.
- A sign-in sheet must be used in order to verify attendance. Ensure each attendee signs in. Please note if any person(s) refuses to sign in. Note if no one attended.

HANDOUT REQUIREMENTS:

For any process requiring a legislative or quasi-judicial hearing, preliminary plans of the proposed development must be available at the meeting to help facilitate discussion. Neighbors may request emailed/mailed copies of the maps or plans from the applicant by checking the “send plans” box on the sign-in sheet; applicant shall provide reduced copies upon request.

Printed copies must equal the number of notices required to be sent.

Contact information for the applicant’s representative must be provided on the attached “Project Contact Information” form.

“Common Construction Issues & Who to Call” sheet (attached) must be included as part of the handout.

A copy of the handout must be included as part of the Neighborhood Meeting report.

The agenda of the meeting shall include:

Explanation of all processes the meeting is being held for (rezoning, subdivision, etc.).

Explanation of future meetings (additional neighborhood meetings, Planning Board, Board of Commissioners, etc.).

Explanation of development proposal – uses and conditions for rezonings, layout for subdivision and site plans, and builder/end user if known/public knowledge.

Questions or concerns by attendees, and responses by the applicant, if any, must be noted. Provide blank comment sheets or notecards for neighbors to submit written comments. The applicant shall also include any questions and concerns received via written correspondence (such as email) or phone call along with responses provided by the applicant.

The applicant shall be responsible for notifying any neighbors who check the “Send Plans & Updates” box on the sign-in sheet of any additional neighborhood meetings and the actual submittal date to the Town with a link to the Town of Zebulon’s Interactive Development Map.

For accountability purposes, please submit the following with your application:

- A copy of the letter mailed to neighbors and neighborhood organizations (use attached invitation template);
- A list of those persons and neighborhood organizations invited to the meeting;
- A copy of the sign-in sheet (use attached sign-in sheet template);
- A summary of the meeting and a list of any changes made to the project as a result of the neighborhood comments (use attached meeting summary template);
- The affidavit, signed, dated, and notarized (use attached affidavit template); and
- One reduced copy of the maps and/or plans presented to the neighbors at the Neighborhood Meeting.

NOTICE OF NEIGHBORHOOD MEETING

This document is a public record under the North Carolina Public Records Act and may be published on the Town’s website or disclosed to third parties.

Dear Neighbor:

You are invited to a neighborhood meeting to review and discuss the development proposal at:

321 Hospital Road, Zebulon NC 27597

1795932665

(Address)

(Pin Numbers)

in accordance with the Town of Zebulon Neighborhood Meeting procedures. This meeting is intended to be a way for the applicant to discuss the project and review the proposed plans with adjacent neighbors and neighborhood organizations before the submittal of an application to the Town. This provides neighbors an opportunity to raise questions and discuss any concerns about the impacts of the project before it is officially submitted. Once an application has been submitted to the Town, it may be tracked using the Interactive Development Map located on the Town of Zebulon website at <https://www.townofzebulon.org/services/planning>.

A Neighborhood Meeting is requested because this project will include:

- Conditional Rezoning
- Planned Unit Development
- Site Plan within the Downtown Core or Downtown Periphery Zoning Districts
- Zoning Map Amendment (results in more intensive uses or increased density)
- Special Use Permit (Quasi-Judicial Hearing)

*Quasi-Judicial Hearing: The Board of Commissioners cannot discuss the project prior to the public hearing.

The following is a description of the proposed (also see attached map(s) and/or plan sheet(s)):

The property is being proposed to be rezoned from Office/Institutional to General Commercial to bring the property in-line with the Town of Zebulon Future Land Use Map.

Estimated Submittal Date: _____

MEETING INFORMATION:

Property Owner(s) Name(s) MiCy, LLC

Applicant(s) Germano Architecture + Interiors, pllc

Contact Information (e-mail/phone) michael@germanoai.com / 919.404.8085

Meeting Address: 114 N Arendell Ave. Zebulon NC 27597

Date of Meeting: January 2, 2024

Time of Meeting: 5:00pm-7:00pm

**Meetings shall occur between 5:00 p.m.-9:00 p.m. on a Monday through Thursday (excluding Town recognized holidays). If you have questions about the general process for this application, please contact the Planning Department at 919-823-1809. You may also find information about the Zebulon Planning Department and on-going planning efforts at <https://www.townofzebulon.org/services/planning>

PROJECT CONTACT INFORMATION

This document is a public record under the North Carolina Public Records Act and may be published on the Town’s website or disclosed to third parties.

Development Contacts: MiCy LLC		
Project Name: MiCy Rezoning		Zoning: GC
Location: 321 Hospital Rd, Zebulon NC 27597		
Property PIN(s): 1795932665		Acreage/Square Feet: .34 acres
Property Owner: MiCy LLC		
Address: 6013 Reedy Creek Rd		
City: Raleigh	State: NC	Zip: 27607
Phone: 919.821.7477		Email: 6cyrus@gmail.com
Developer: N/A		
Address:		
City:	State:	Zip:
Phone:	Fax:	Email:
Engineer: Architect: Germano Architecture + Interiors, pllc		
Address: 106 N Arendell Ave		
City: Zebulon	State: NC	Zip: 27597
Phone: 919.404.8085	Fax:	Email: michael@germanoai.com
Builder (if known): N/A		
Address:		
City:	State:	Zip:
Phone:	Fax:	Email:

PROVIDING INPUT TO THE PLANNING BOARD OR BOARD OF COMMISSIONERS:

Each Board of Commissioners meeting agenda includes a Public Forum time when anyone is permitted to speak for three (3) minutes on any topic with the exception of items listed as Public Hearings for that meeting. The Board of Commissioners meets on the 1st Monday of each month at 7:00 p.m. and Joint Public Hearings are scheduled for the 2nd Monday of every Month. (except for holidays, see schedule of meetings at <https://www.townofzebulon.org/agendas-minutes>. You may also contact Board of Commissioners at <https://www.townofzebulon.org/government/board-commissioners>.

PRIVATE AGREEMENTS AND EASEMENT NEGOTIATION:

The Town of Zebulon cannot enforce private agreements between developers and neighbors and is not a party to the easement and right-of-way negotiation that occurs between developers and neighboring property owners for easements or rights-of-way that are necessary to build the project.

It is recommended that all private agreements be made in writing and that if a property owner feels it necessary, they should obtain private legal counsel in order to protect their interests in both private agreements and during easement negotiations. The only conditions that the Town of Zebulon can enforce are those conditions that are made a part of the conditional zoning of the property by agreement of the developer and the Town.

As an example, if a developer offers to build a fence for a neighbor to mitigate some impact, the Town can only enforce the construction of the fence if the fence becomes a condition of the rezoning. This would occur by the developer offering the condition as part of their conditional zoning application package or at the Joint Public Hearing on the conditional zoning and the Town accepting it as a condition. Private agreements regarding a fence being constructed will not be enforced by the Town.

To request that any agreement with a developer is made a part of the conditional zoning at the time of approval, you may ask at the public hearing if the agreement is included in the conditions. If it is not, you may request that the Board of Commissioners not approve the rezoning without the agreement being included in the conditions (note that it is up to Board of Commissioners whether to approve or deny the rezoning but they cannot impose conditions that the applicant does not agree to add). The developer's proposed conditions can be viewed any time after a rezoning is submitted on the Town of Zebulon Interactive Development Map which can be found at: <https://www.townofzebulon.org/services/planning/whats-coming-zebulon>.

DOCUMENTATION:

Neighbors to a requested new development and/or rezoning are strongly encouraged to fully document (such as through dated photographs) the condition of their property before any work is initiated for the new development. Stormwater controls installed on developed property are not designed to and will likely not remove 100% of the soil particles transported by stormwater runoff. As a result, creeks and ponds could become cloudy for a period of time after rain events.

NEIGHBORHOOD MEETING SIGN-IN SHEET:

This document is a public record under the North Carolina Public Records Act and may be published on the Town's website or disclosed to third parties.

Project Name: MiCy Rezoning

Meeting Address: 114 N Arendell Ave. Zebulon NC 27597

Date of Meeting: January 2 2024 **Time of Meeting:** 5:00pm

Property Owner(s) Names: MiCy, LLC

Applicants: Germano Architecture + Interiors, pllc

Please print your name below, state your address and/or affiliation with a neighborhood group, and provide your phone number and email address. Providing your name below does not represent support or opposition to the project; it is for documentation purposes only.

	Name/ Organization	Address	Phone#	E-mail
1	Germano Arch + Int	106 N Arendell	919 404 8086	michael@germanoarch.com
2	MiCy	6013 Reedy Creek Rd	919-369-2742	l.cyrus@gmail.com
3	Glenn Dale Moore	P.O. Box 28550 Raleigh	(919) 271-5825	
4	Sheldon Blair	380 Parry Rd	919 538 3852	Sheldon.Blair@outlook.com
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				

Attach Additional Sheets If Necessary.



INFORMATION PACKET FOR
NEIGHBORHOOD MEETINGS

SUMMARY OF DISCUSSION FROM THE NEIGHBORHOOD MEETING

This document is a public record under the North Carolina Public Records Act and may be published on the Town's website or disclosed to third parties.

Project Name: Hospital Road Rezoning

Meeting Address: 114 N. ARENDELL AVE ZEBULON NC 27597

Date of Meeting: 1/2/2024 Time of Meeting: 5:00-7:00

Property Owner(s) Names: MICY LLC

Applicants: Micy LLC, Germano Architecture + Interiors.

Please summarize the questions/comments and your response from the Neighborhood Meeting in the spaces below (attach additional sheets, if necessary). Please state if/how the project has been modified in response to any concerns. The response should not be "Noted" or "No Response". There has to be documentation of what consideration the neighbor's concern was given and justification for why no change was deemed warranted.

Question/ Concern #1 What will take place at the building?

Applicant Response: Property owner will use existing building for office space to support import/export business operations.

Question/ Concern #2 _____

Applicant Response: _____

Question/ Concern #3 _____

Applicant Response: _____

Question/ Concern #4 _____

Applicant Response: _____

AFFIDAVIT OF CONDUCTING A NEIGHBORHOOD MEETING, SIGN-IN SHEET AND ISSUES/RESPONSES SUBMITTAL

This document is a public record under the North Carolina Public Records Act and may be published on the Town's website or disclosed to third parties.

I, MICHAEL GERMANO, do hereby declare as follows:
Print Name

1. I have conducted a Neighborhood Meeting for the proposed Rezoning, Major Site Plan, Master Subdivision Plan, or Special Use Permit.

2. The meeting invitations were mailed to the Zebulon Planning Department, all property owners within 750 feet of the subject property and any neighborhood association that represents citizens in the area via first class mail a minimum of 10 days in advance of the Neighborhood Meeting.

3. The meeting was conducted at 114 N. ARDENDEL AVE (location/address) on 1/2/2024 (date) from 5:00p (start time) to 7:00p (end time).

4. I have included the mailing list, meeting invitation, sign-in sheet, issue/response summary, and zoning map/reduced plans with the application.


5. I have prepared these materials in good faith and to the best of my ability.

1/3/2024 By: Michael Germano
Date

STATE OF NORTH CAROLINA
COUNTY OF WAKE

Sworn and subscribed before me, Kacie E. Germano, a Notary Public for the above State and County, on this the 3rd day of January, 2023.

SEAL



Notary Public


Kacie E. Germano

Print Name Kacie E. Germano



My Commission Expires:

06.25.2028

Future Land Use and Character Map





NC CGIA, Maxar, Microsoft




Aerial Map




NC CGIA, Maxar, Microsoft



Zoning Map



NC CGIA, Maxar, Microsoft



- 321 Hospital Rd
- Parcels
- Streets
- Zoning Districts**
- HC, Heavy Commercial
- OI, Office and Institutional
- RMF, Residential Multi-Family
- HI, Heavy Industrial
- LI, Light Industrial



View of the site from Hospital Road



View of the site from Pony Road

ZEBULON

NORTH CAROLINA

CASE # RZ 2024-01 IDT# 1195805- 321 Hospital Road

PROJECT ADDRESS 321 Hospital Road

PIN NUMBER: 1795932665

HEARING DATE: February 12, 2024

State of North Carolina

County of Wake

BEFORE ME, the undersigned Notary, Lisa M. Markland on this 30th day of January 2024, personally appeared Michael J. Clark, known to me to be a credible person and of lawful age, who being by me first duly sworn, on his oath, deposes and says:

I Michael J. Clark, acting as the Planning Director for the Town of Zebulon, affirm that the following Public Notice Procedures have been completed in accordance with applicable North Carolina General Statute and Town of Zebulon Unified Development Ordinance Section 2.3.6 have been satisfied for the above referenced hearing.

- First Class Mailing Sent on **1/29/2024** (see attached mailing list and copy of mailing)
- Advertisement in a Paper of General Circulation sent on **1/29/2024** (Wake weekly, publication dates **2/2 & 2/9/2024**)
- Posting Public Hearing Signage on Property on **1/29/2024** (pictures attached)
- Posted to Planning Department Website **1/29/2024**
- Sent to E-Mail Distribution List on **1/29/2024**

Michael J. Clark


1/30/2024

Michael J. Clark, AICP, CNU-A

Date

Subscribed and sworn to before me, this 30th day of January 2024.

[Notary Seal]



Lisa M. Markland

Lisa M. Markland

[signature of Notary]

[printed name of Notary]

NOTARY PUBLIC

My commission expires: 3/29, 2025.





Notice of Public Hearing

Notice is hereby given pursuant to the provisions of Article 2.2.6 of the Town of Zebulon Unified Development Ordinance that a public hearing will be held on **February 12, 2024 at 6:00 PM** at the **Zebulon Municipal Complex, 1003 N. Arendell Avenue**, and will be conducted by the Board of Commissioners and Planning Board of the Town of Zebulon for the purpose of considering the following items:

IDT Project Number 886895 - PD 2024-01 – Zebulon South (751 S Wakefield St)

PIN # 2704492511, 2705512202, 2705413075 . A request by Andrew Suriano of Deacon Development on behalf of property owners Harold Narron and Fred Corbett, Joseph Temple Sr and Alexander Harrison, Watson Family II LLC, for a rezoning to the Planned Development (PD) zoning district for the development of a 320 unit Planned Development.

IDT Project Number 1195805 - RZ 2024-01 – 321 Hospital Rd

PIN # 2705191832. A request by Germano Architecture and Interiors, PLLC on behalf of the property owners MiCy LLC., for a Zoning Map Amendment to the General Commercial (GC) zoning district.

Public comments may be submitted to Deputy Town Clerk Stacie Paratore at SParatore@TownofZebulon.org no later than 12:00 Noon on the day of the hearing to be read into the record. Links will be provided along with the full application packet and documentation on the Planning Department web page at <https://www.townofzebulon.org/departments/planning/public-hearing-information> For questions or additional information, please contact us at (919) 823-1816.

Wake Weekly February 2nd & 9th

Table 4.2.3: Principal Use Table

A=Allowed (if listed in a PD master plan); P=Permitted subject to applicable use-specific standards;
S=Requires approval of a special use permit and compliance with applicable use-specific standards;

Use Type [1]	Commercial	Mixed Use
	GC	OI
RESIDENTIAL USE CLASSIFICATION		
Assisted Living Facility	P	P
Boarding/ Rooming House	.	S
Bungalow Court	.	S
Continuing Care Retirement Center	P	P
Duplex Dwelling	S	P
Family Care Home	P	P
Group Home	.	S
Halfway House	.	S
Live/Work Dwelling	P	P
Manufactured Dwelling	.	[3]
Multi-family Dwelling	P	P
Pocket Neighborhood	.	P
Nursing Home	P	P
Single-family Attached Dwelling	P	P
Single-family Detached Dwelling	P	P
Triplex/Quadplex	P	P
Upper-story Residential	P	P
INSTITUTIONAL USE CLASSIFICATION		
Adult Day Care Center	P	P
Antenna Collocation, Major	P	P
Antenna Collocation, Minor	P	P
Arboretum or Formal Garden	P	P
Auditorium	P	P
Blood/Tissue Collection	.	S
Broadcasting Studio	P	.
Cemetery, Columbarium, or Mausoleum	S	S
Child Day Care Center	P	P
Child Day Care, Drop In	P	P
College or University	S	P
Community/Youth/ Senior Center	P	P
Cultural Facility, Library, or Museum	P	P
Drug/Alcohol Treatment Facility	S	P

Table 4.2.3: Principal Use Table

A=Allowed (if listed in a PD master plan); P=Permitted subject to applicable use-specific standards;
S=Requires approval of a special use permit and compliance with applicable use-specific standards;

Use Type [1]	Commercial	Mixed Use
	GC	OI
Fire/EMS/Police Station	P	P
Fraternal Club or Lodge	P	P
Government Office	P	P
Helicopter Landing Pad	.	S
Hospital	.	S
Indoor Private Recreation	P	P
Outdoor Private Recreation	P	P
Park (public or private)	P	P
Passenger Terminal	P	P
Post Office	P	P
Psychiatric Treatment Facility	.	S
Religious Institution	P	P
School, Elementary	P	P
School, High/Middle	P	P
School, Vocational	.	P
Small Wireless Facility	P	P
Telecommunications Tower, Minor or Concealed	S	S
Temporary Wireless Facility	P	P
Urgent Care Facility	P	P
Utility, Major	P	P
Utility, Minor	P	P
COMMERCIAL USE CLASSIFICATION		
Animal Day Care / Grooming	P	.
Art Gallery	P	P
Artisan Studio	P	P
Auction House	P	.
Automotive Repair and Servicing (without painting/ bodywork)	P	.
Automotive Sales and Rentals	P	.
Automotive Parts and Accessories Sales	P	.
Bar, Cocktail Lounge, or Private Club	S	.
Bed and Breakfast	P	P
Boat and Marine Rental, Sales, and Service	P	.

Table 4.2.3: Principal Use Table

A=Allowed (if listed in a PD master plan); P=Permitted subject to applicable use-specific standards;
S=Requires approval of a special use permit and compliance with applicable use-specific standards;

Use Type [1]	Commercial	Mixed Use
	GC	OI
Bottle Shop (with on premise consumption)	S	.
Business Incubator	P	P
Campground	P	.
Car Wash or Automobile Detailing	P	.
Catering Establishment	P	.
Check Cashing/Payday Lending Establishment	S	.
Clothing Rental	P	.
Coffee Shop	P	P
Commercial Recreation, Indoor	P	.
Computer-Related Services	P	.
Convenience Store (no gasoline sales)	P	.
Convenience Store (with gasoline sales)	P	.
Co-Working Space	P	P
Event Venue	P	.
Financial Services Establishment	P	P
Funeral-Related Services	S	.
Games of Skill	S	.
Grocery Store	P	.
Gymnasium/ Fitness Center	P	P
Hair, Nails, and Skin-Related Services	P	P
Hotel or Motel	P	.
Laundry or Cleaning Service	P	.
Microbrewery, Microwinery, or Microdistillery	P	.
Nightclub or Dance Hall	P	.
Office, Medical	P	P
Office, Professional	P	P
Office, Sales or Service	P	P
Package and Printing Service	P	P
Park and Ride Facility	P	P
Parking Lot	P	P
Parking Structure	P	P

Table 4.2.3: Principal Use Table

A=Allowed (if listed in a PD master plan); P=Permitted subject to applicable use-specific standards;
S=Requires approval of a special use permit and compliance with applicable use-specific standards;

Use Type [1]	Commercial	Mixed Use
	GC	OI
Pawn Shop	P	.
Pharmacy	P	S
Pool Hall	S	.
Repair Shop	P	.
Restaurant Indoor/Outdoor Seating	P	P
Restaurant with Drive-through/Drive-up Service	P	P
Restaurant, Walk-up Only	P	P
Retail, Bulky Item	S	.
Retail, Large Format	S	.
Retail Use, Other	P	.
Self Service Storage, Internal Access Only	S	.
Specialty Eating Establishment	P	S
Tattoo and Piercing Establishment	P	.
Theatre	P	.
Vape, Tobacco, and CBD Shop	P	.
Veterinary Clinic	P	.
INDUSTRIAL USE CLASSIFICATION		
Makerspace	P	.
Research and Development	.	S
AGRICULTURAL USE CLASSIFICATION		
Agricultural Support Services	P	.
Farmer's Market	P	.
Plant Nursery	P	.

NOTES:

[1] Some use types may be further limited in allowable zoning districts or may require a different procedure for establishment in accordance with [Section 4.7, Prohibited Uses](#), or [Section 3.8](#)

[2] Uses are defined in Article 9, Measurement and Definitions.

[3] Manufactured housing is only permitted on lots in the manufactured home overlay district.