



**SIGN TYPE "A"**




**SIGN TYPE "C"**



**SIGN TYPE "D"**

**SIGNAGE NOTES:**

1. WHERE REQUIRED BY THE FIRE CODE OFFICIAL, FIRE APPARATUS ACCESS ROADS SHALL BE MARKED WITH PERMANENT NO PARKING.
2. SIGNS SHALL HAVE MIN. DIMENSION OF 12-INCHES WIDE BY 18-INCHES HIGH AND HAVE RED LETTERS ON WHITE HIGH INTENSITY GRADE REFLECTIVE SHEETING.
3. SIGNS SHALL BE POSTED ON ONE OR BOTH SIDES OF THE FIRE APPARATUS ROAD AS REQUIRED BY SECTION D103.6.1 OR D103.6.2 OF THE NORTH CAROLINA FIRE CODE.
4. SIGNAGE SHALL MEET STANDARD OR PREMIUM SIGN INSTALLATION DETAIL REQUIREMENTS.



**CURB**




**FIRE LANE NO PARKING**

15'-0"

**STRIPING NOTES:**

1. ALL STIPING SHALL BE 2" THICK STROKE.
2. 12" TALL WHITE LETTERING ON RED BACKGROUND.
3. SPACE AS SHOWN; IF FRONTAGE IS <30', CENTER TEXT ON FRONTAGE
4. PAINT BASIS-OF-DESIGN:
  - US SPECIALTY COATINGS: TTP-1952E
  - PAINT MUST MEET OR EXCEED BASIS-OF-DESIGN

CONTINUE PAINT TO TOP OF CURB



**CURB AXON**



**TOWN OF ZEBULON**

**FIRE LANE MARKINGS**

USE WITH STANDARD SPECIFICATIONS ONLY

SCALE:

NOT TO SCALE

DATE:

JULY 2023

DETAIL #:

**29**

SHEET #:

**1** OF **1**